

AIR EMISSION PERMIT NO. 12300391- 003
Major Amendment

IS ISSUED TO

Lafarge North America

Lafarge North America-Childs Road Terminal
2145 Childs Road
St. Paul, Ramsey County, MN 55106

The emission units, control equipment and emission stacks at the stationary source authorized in this permit amendment, are as described in the Permit Applications Table.

This permit amendment, supersedes Air Emission Permit No. 12300391- 002, and authorizes the Permittee to operate and modify the stationary source at the address listed above unless otherwise noted in Table A. The Permittee must comply with all the conditions of the permit. Any changes or modifications to the stationary source must be performed in compliance with Minn. R. 7007.1150 to 7007.1500. Any additions or changes to conditions incorporated into Minnesota's State Implementation Plan (SIP) under 40 CFR § 52.1220, designated "Title I: SIP for Particulate Matter Less than 10 microns (PM₁₀) must go through the federal SIP approval process before becoming effective. Terms used in the permit are as defined in the state air pollution control rules unless the term is explicitly defined in the permit.

Unless otherwise indicated, all the Minnesota rules cited as the origin of the permit terms are incorporated into the SIP under 40 CFR § 52.1220 and as such as are enforceable by U.S. Environmental Protection Agency (EPA) Administrator or citizens under the Clean Air Act.

Permit Type: State; Limits to Avoid Pt 70/Limits to Avoid NSR; Title I SIP Conditions (PM₁₀)

Operating Permit Issue Date: November 17, 2006

Major Amendment Issue Date: June 24, 2009

Expiration Date: Permit does not expire – Title I Conditions do not expire.

Each new or revised condition designated "Title I Condition: SIP for PM₁₀ is not effective or enforceable until approved by EPA as a SIP revision under Title I of the Clean Air Act.

Don Smith, P.E., Manager
Air Quality Permits Section
Industrial Division

for Paul Eger
Commissioner
Minnesota Pollution Control Agency

Permit Applications Table

Permit Type	Application Date	Permit Action
Total Facility Operating Permit (Title V)	September 15, 1997 (permit not issued)	001
Total Facility Operating permit (State)	April 13, 2006	002
Major Amendment (State)	April 16, 2009	003

TABLE OF CONTENTS

Notice to the Permittee

Permit Shield

Facility Description

Amendment Description

Table A: Limits and Other Requirements

Table B: Submittals

Table C: Compliance Schedule (*Not Used in this Permit*)

Appendices:

Appendix A: Operator's Summary

**Appendix B: Title I Condition: State Implementation Plan (SIP) for PM₁₀ NAAQS
*Modeling Parameters Relied Upon To Demonstrate Compliance with NAAQS for
PM₁₀.***

NOTICE TO THE PERMITTEE:

Your stationary source may be subject to the requirements of the Minnesota Pollution Control Agency's (MPCA) solid waste, hazardous waste, and water quality programs. If you wish to obtain information on these programs, including information on obtaining any required permits, please contact the MPCA general information number at:

Metro Area	651-296-6300
Outside Metro Area	1-800-657-3864
TTY	651-282-5332

The rules governing these programs are contained in Minn. R. chs. 7000-7105. Written questions may be sent to: Minnesota Pollution Control Agency, 520 Lafayette Road North, St. Paul, Minnesota 55155-4194.

Questions about this air emission permit or about air quality requirements can also be directed to the telephone numbers and address listed above.

PERMIT SHIELD:

Subject to the limitations in Minn. R. 7007.1800, compliance with the conditions of this permit shall be deemed compliance with the specific provision of the applicable requirement identified in the permit as the basis of each condition. Subject to the limitations of Minn. R. 7007.1800 and 7017.0100, subp. 2, notwithstanding the conditions of this permit specifying compliance practices for applicable requirements, any person (including the Permittee) may also use other credible evidence to establish compliance or noncompliance with applicable requirements.

FACILITY DESCRIPTION:

This permit is a Joint Title I/Title V Federally Enforceable State Operating Permit, as it includes non-expiring Title I Conditions to implement the State Implementation Plan (SIP). Pursuant to 40 CFR pt. 50, 40 CFR pt. 51, 40 CFR § 52.1220, Minn. R. 7007.0100, subp. 25B, and Minn. R. 7007.1050, subp. 4.

Lafarge North America (formerly known as Lafarge Corporation) owns and operates a portland cement distribution terminal next to the Mississippi River in Ramsey County, St. Paul, Minnesota. The facility currently operates six silos with pollution control equipment used for storage and distribution of cementitious products. The material is currently delivered by truck and rail, stored in the silos, and distributed by truck.

The main sources of emissions are Particulate Matter (PM), and Particulate Matter less than 10 microns (PM₁₀). The permit limits the emissions of the facility such that the facility is classified as a non-major source under federal New Source Review (NSR, 40 CFR § 52.21) and federal Operating Program (40 CFR pt. 70). The facility is part of the SIP to reach attainment of PM₁₀ Ambient Air Quality Standards in the Ramsey County area. Permit No. 12300391- 002 was approved and included into the Minnesota State Implementation Plan (SIP) by the U.S. Environmental Protection Agency (EPA), which effectively replaced the SIP Administrative Order on September 11, 2007 (72 FR 51713).

AMENDMENT DESCRIPTION:

This amendment authorizes the following:

- change to a newly approved pressure drop range across two fabric filter dust collectors identified as CE001 and CE002;
- updates the language regarding changes to the authorized range of pressure drops as a result of performance testing and pursuant to Minn. R. 7017.2025, subp. 3, for the fabric filter dust collectors identified as CE001, CE002 and CE003;
- clarifies language regarding enforceability of some record keeping requirements
- updates language on approval of vendor certifications for CE001 and CE002;
- removes reporting requirements that have been fulfilled for CE001, CE002 and CE003 and
- updates permit language to reflect recent rule changes

This amendment does not result in an emissions increase of PM₁₀ or any other pollutant at the facility and does not alter equipment or parameters described in Appendix B, which forms the basis of the PM₁₀ modeling. Therefore, this change is being authorized without having to obtain a modification to the SIP.

TABLE A: LIMITS AND OTHER REQUIREMENTS

A-1

06/25/09

Facility Name: Lafarge North America-Childs Rd Terminal

Permit Number: 12300391 - 003

Table A contains limits and other requirements with which your facility must comply. The limits are located in the first column of the table (What To do). The limits can be emission limits or operational limits. This column also contains the actions that you must take and the records you must keep to show that you are complying with the limits. The second column of Table A (Why to do it) lists the regulatory basis for these limits. Appendices included as conditions of your permit are listed in Table A under total facility requirements.

Subject Item:**Total Facility**

What to do	Why to do it
A. STATE IMPLEMENTATION PLAN (SIP) REQUIREMENTS	hdr
Process Throughput: less than or equal to 1,100 tons/day using 24-hour Rolling Average	Title I Condition: State Implementation Plan (SIP) for PM10 NAAQS, 40 CFR pt. 50; 40 CFR pt. 51; 40 CFR pt. 52, subp. Y; MN SIP
Process Throughput: less than or equal to 100,000 tons/year using 12-month Rolling Average	Title I Condition: State Implementation Plan (SIP) for PM10 NAAQS, 40 CFR pt. 50; 40 CFR pt. 51; 40 CFR pt. 52, subp. Y; MN SIP
ACTIVITIES NOT REQUIRING A MODIFICATION TO THE SIP: The Permittee is authorized to make changes to the facility without obtaining a modification to the SIP as long as the change does not increase from any emission point, the PM10 emission rates (either lb/hr or gr/dscf) or overall PM10 emissions, or alter equipment or parameters described in Appendix B, which forms the basis of the PM10 modeling.	Title I Condition: State Implementation Plan (SIP) for PM10 NAAQS, 40 CFR pt. 50; 40 CFR pt. 51; 40 CFR pt. 52, subp. Y; MN SIP
Remodeling for Attainment Demonstrate: Before making any physical changes or changes to the method of operation which may affect parameters listed in Appendix B, the Permittee shall demonstrate to the MPCA that the PM10 plume dispersion characteristics following the physical change or change in method of operation will be equivalent to or better than the PM10 dispersion characteristics modeled using the parameters in Appendix B. The information submitted must include, at a minimum, the locations, heights, and the diameters of the stacks, locations and dimensions of nearby buildings, the velocity and temperature of the gasses emitted, and the PM10 emission rates.	Title I Condition: State Implementation Plan (SIP) for PM10 NAAQS, 40 CFR pt. 50; 40 CFR pt. 51; 40 CFR pt. 52, subp. Y; MN SIP
ACTIVITIES REQUIRING A MODIFICATION TO THE SIP: Activities requiring a modification of the SIP prior to the Permittee commencing the activity include, but are not limited to, the following: 1. Any decrease in stack emissions exit velocity; 2. Any decrease in the exit point heat content of stack emissions; 3. Any reduction in stack height below that contained in Appendix B; 4. Any increase in stack exit diameter above that contained in Appendix B; and 5. Any construction or modification of structures that increase the effective structural dimensions.	Title I Condition: State Implementation Plan (SIP) for PM10 NAAQS, 40 CFR pt. 50; 40 CFR pt. 51; 40 CFR pt. 52, subp. Y; MN SIP
General Operation and Maintenance Requirements for the SIP: The Permittee shall operate and maintain the process and control equipment described in Appendix B according to the parameters set forth in Appendix B. The parameters were used in the computer modeling performed to demonstrate that the Childs Road portion of the PM10 maintenance area will attain compliance with the PM10 NAAQS.	Title I Condition: State Implementation Plan (SIP) for PM10 NAAQS, 40 CFR pt. 50; 40 CFR pt. 51; 40 CFR pt. 52, subp. Y; MN SIP
Shutdown or Breakdown of Pollution Control Equipment: In an event of a shutdown or breakdown of pollution control equipment, the Permittee shall follow the shutdown and breakdown procedures found in Minn. R. 7019.1000.	Title I Condition: State Implementation Plan (SIP) for PM10 NAAQS, 40 CFR pt. 50; 40 CFR pt. 51; 40 CFR pt. 52, subp. Y; MN SIP
Construction and Operation of SIP Emission Units: The Permittee may begin actual construction of new emission units or modification to existing emission units upon permit issuance. However, the Permittee shall not operate any new emission unit or modified emission unit until any required SIP amendment is approved by EPA.	Title I Condition: State Implementation Plan (SIP) for PM10 NAAQS, 40 CFR pt. 50; 40 CFR pt. 51; 40 CFR pt. 52, subp. Y; MN SIP
Permanent Records for SIP: The Permittee shall permanently maintain the following information together with all amendments, revisions, and modifications to this information: 1. The Permittee shall maintain a file or files of information on the design, construction and operation of each emission facility, emission source, stack, structures pertinent to modeling for downwash, and any other information required to conduct PM10 ambient air quality modeling of emissions from the facility. 2. The Permittee shall maintain a file at the facility which includes all PM10 emission compliance demonstration plans which upon approval by the MPCA or EPA become integral and enforceable parts of the SIP.	Title I Condition: State Implementation Plan (SIP) for PM10 NAAQS, 40 CFR pt. 50; 40 CFR pt. 51; 40 CFR pt. 52, subp. Y; MN SIP; Minn. R. 7007.0800, subp. 5

TABLE A: LIMITS AND OTHER REQUIREMENTS**A-2**

06/25/09

Facility Name: Lafarge North America-Childs Rd Terminal

Permit Number: 12300391 - 003

Non-Permanent Records for SIP: The Permittee shall retain all records at the stationary source for a period of six (6) years from the date of the required monitoring, sample, measurement, or report that corresponds with a State Implementation Plan (SIP) Title I Condition include, but not limited to the following: 1. Monitoring, Testing (if required by the Commissioner, and other Records); 2. Startup, Shutdown, Bypass and Breakdown for each piece of process equipment, control equipment, emission stack, and monitoring system; 3. Any exceedence of an emission limitation or opacity limitation and any noncompliance with an operational requirement at the facility; 4. All required documents, records, reports and plans in a form suitable for determination of the facility's compliance with the SIP by EPA or MPCA staff. The Permittee shall maintain the information at the facility in files which are easily accessible of inspection by EPA or MPCA staff, and are available for inspection.	Title I Condition: State Implementation Plan (SIP) for PM10 NAAQS, 40 CFR pt. 50; 40 CFR pt. 51; 40 CFR pt. 52, subp. Y; MN SIP; Minn. R. 7007.0800, subp. 5
Recordkeeping of Material Throughput: 1. The Permittee shall calculate and record the material throughput every 24 hours of operation; and 2. The Permittee shall calculate and record the material throughput 12-month rolling average once a month.	Title I Condition: State Implementation Plan (SIP) for PM10 NAAQS, 40 CFR pt. 50; 40 CFR pt. 51; 40 CFR pt. 52, subp. Y; MN SIP; Minn. R. 7007.0800, subp. 5
Reporting: The Permittee may undertake certain changes to the facility without obtaining a modification to the SIP. However, if the Permittee does make a change, and if the change in any way affects PM10 emissions (reduces the amount or changes the concentration, size, character, velocity, direction, or location of PM10 emissions) the Permittee shall notify the Commissioner in writing at least 30 days prior to undertaking the change. The notification shall describe the change and why it does not require a modification of the SIP.	Title I Condition: State Implementation Plan (SIP) for PM10 NAAQS, 40 CFR pt. 50; 40 CFR pt. 51; 40 CFR pt. 52, subp. Y; MN SIP
Annual Report for SIP: due 30 days after end of each calendar year following Permit Issuance to the Commissioner. The report shall contain the following information: a record of data used in calculating PM10 emissions, and calculations of the PM10 emissions; a record of each unscheduled startup, shutdown, and breakdown of process and control equipment; a summary record of excess PM10 emissions, opacity exceedances and noncompliance with fugitive emissions requirements (or the Permittee shall state if no exceedances, and noncompliance conditions occurred in the calendar year).	Title I Condition: State Implementation Plan (SIP) for PM10 NAAQS, 40 CFR pt. 50; 40 CFR pt. 51; 40 CFR pt. 52, subp. Y; MN SIP
B. OPERATIONAL REQUIREMENTS	hdr
The Permittee shall comply with National Primary and Secondary Ambient Air Quality Standards, 40 CFR pt. 50, and the Minnesota Ambient Air Quality Standards, Minn. R. 7009.0010 to 7009.0080. Compliance shall be demonstrated upon written request by the MPCA.	40 CFR pt. 50; Minn. Stat. Section 116.07, subds. 4a & 9; Minn. R. 7007.0100, subps. 7A, 7L & 7M; Minn. R. 7007.0800, subps. 1, 2 & 4; Minn. R. 7009.0010-7009.0080.
Circumvention: Do not install or use a device or means that conceals or dilutes emissions, which would otherwise violate a federal or state air pollution control rule, without reducing the total amount of pollutant emitted.	Minn. R. 7011.0020
Air Pollution Control Equipment: Operate all pollution control equipment whenever the corresponding process equipment and emission units are operated, unless otherwise noted in Table A.	Minn. R. 7007.0800, subp. 2; Minn. R. 7007.0800, subp. 16(J)
Operation and Maintenance Plan: Retain at the stationary source an operation and maintenance plan for all air pollution control equipment. At a minimum, the O & M plan shall identify all air pollution control equipment and control practices and shall include a preventative maintenance program for the equipment and practices, a description of (the minimum but not necessarily the only) corrective actions to be taken to restore the equipment and practices to proper operation to meet applicable permit conditions, a description of the employee training program for proper operation and maintenance of the control equipment and practices, and the records kept to demonstrate plan implementation.	Minn. R. 7007.0800, subp. 14 and Minn. R. 7007.0800, subp. 16(J)
Operation Changes: In any shutdown, breakdown, or deviation the Permittee shall immediately take all practical steps to modify operations to reduce the emission of any regulated air pollutant. The Commissioner may require feasible and practical modifications in the operation to reduce emissions of air pollutants. No emissions units that have an unreasonable shutdown or breakdown frequency of process or control equipment shall be permitted to operate.	Minn. R. 7019.1000, subp. 4
Fugitive Emissions: Do not cause or permit the handling, use, transporting, or storage of any material in a manner which may allow avoidable amounts of particulate matter to become airborne. Comply with all other requirements listed in Minn. R. 7011.0150.	Minn. R. 7011.0150
Noise: The Permittee shall comply with the noise standards set forth in Minn. R. 7030.0010 to 7030.0080 at all times during the operation of any emission units. This is a state only requirement and is not enforceable by the EPA Administrator or citizens under the Clean Air Act.	Minn. R. 7030.0010 - 7030.0080
Inspections: The Permittee shall comply with the inspection procedures and requirements as found in Minn. R. 7007.0800, subp. 9(A).	Minn. R. 7007.0800, subp. 9(A)

TABLE A: LIMITS AND OTHER REQUIREMENTS**A-3**

06/25/09

Facility Name: Lafarge North America-Childs Rd Terminal

Permit Number: 12300391 - 003

The Permittee shall comply with the General Conditions listed in Minn. R. 7007.0800, subp. 16.	Minn. R. 7007.0800, subp. 16
C. PERFORMANCE TESTING	hdr
Performance Testing: Conduct all performance tests in accordance with Minn. R. ch. 7017 unless otherwise noted in Tables A, B, and/or C.	Minn. R. ch. 7017
Performance Test Notifications and Submittals: Performance Tests are due as outlined in Tables A and B of the permit. See Table B for additional testing requirements. Performance Test Notification (written): due 30 days before each Performance Test Performance Test Plan: due 30 days before each Performance Test Performance Test Pre-test Meeting: due 7 days before each Performance Test Performance Test Report: due 45 days after each Performance Test Performance Test Report - Microfiche Copy: due 105 days after each Performance Test The Notification, Test Plan, and Test Report may be submitted in alternative format as allowed by Minn. R. 7017.2018.	Minn. Rs. 7017.2030, subp. 1-4, 7017.2018 and Minn. R. 7017.2035, subp. 1-2
D. MONITORING REQUIREMENTS	hdr
Monitoring Equipment Calibration: Annually calibrate all required monitoring equipment (any requirements applying to continuous emission monitors are listed separately in this permit).	Minn. R. 7007.0800, subp. 4(D)
Operation of Monitoring Equipment: Unless otherwise noted in Tables A, B, and/or C, monitoring a process or control equipment connected to that process is not necessary during periods when the process is shutdown, or during checks of the monitoring systems, such as calibration checks and zero and span adjustments. If monitoring records are required, they should reflect any such periods of process shutdown or checks of the monitoring system.	Minn. R. 7007.0800, subp. 4(D)
E. RECORDKEEPING	hdr
Recordkeeping: Retain all records at the stationary source for a period of five (5) years from the date of monitoring, sample, measurement, or report. Records which must be retained at this location include all calibration and maintenance records, all original recordings for continuous monitoring instrumentation, and copies of all reports required by the permit. Records must conform to the requirements listed in Minn. R. 7007.0800, subp. 5(A).	Minn. R. 7007.0800, subp. 5(C)
Recordkeeping: Maintain records describing any insignificant modifications (as required by Minn. R. 7007. 1250, subp. 3) or changes contravening permit terms (as required by Minn. R. 7007.1350 subp. 2), including records of the emissions resulting from those changes.	Minn. R. 7007. 0800, subp. 5(B)
If the Permittee determines that no permit amendment or notification is required prior to making a change, the Permittee must retain records of all calculations required under Minn. R. 7007.1200. These records shall be kept for a period of five years from the date that the change was made. The records shall be kept at the stationary source for the current calendar year of operation and may be kept at the stationary source or office of the stationary source for all other years. The records may be maintained in either electronic or paper format.	Minn. R. 7007.1200, subp. 4
F. REPORTING/SUBMITTALS	hdr
Shutdown Notifications: Notify the Commissioner at least 24 hours in advance of a planned shutdown of any control equipment or process equipment if the shutdown would cause any increase in the emissions of any regulated air pollutant. If the owner or operator does not have advance knowledge of the shutdown, notification shall be made to the Commissioner as soon as possible after the shutdown. However, notification is not required in the circumstances outlined in Items A, B and C of Minn. R. 7019.1000, subp. 3. At the time of notification, the owner or operator shall inform the Commissioner of the cause of the shutdown and the estimated duration. The owner or operator shall notify the Commissioner when the shutdown is over.	Minn. R. 7019.1000, subp. 3

TABLE A: LIMITS AND OTHER REQUIREMENTS**A-4**

06/25/09

Facility Name: Lafarge North America-Childs Rd Terminal

Permit Number: 12300391 - 003

Breakdown Notifications: Notify the Commissioner within 24 hours of a breakdown of more than one hour duration of any control equipment or process equipment if the breakdown causes any increase in the emissions of any regulated air pollutant. The 24-hour time period starts when the breakdown was discovered or reasonably should have been discovered by the owner or operator. However, notification is not required in the circumstances outlined in Items A, B and C of Minn. R. 7019.1000, subp. 2. At the time of notification or as soon as possible thereafter, the owner or operator shall inform the Commissioner of the cause of the breakdown and the estimated duration. The owner or operator shall notify the Commissioner when the breakdown is over.	Minn. R. 7019.1000, subp. 2
Notification of Deviations Endangering Human Health or the Environment: As soon as possible after discovery, notify the Commissioner or the state duty officer, either orally or by facsimile, of any deviation from permit conditions which could endanger human health or the environment.	Minn. R. 7019.1000, subp. 1
Notification of Deviations Endangering Human Health or the Environment Report: Within 2 working days of discovery, notify the Commissioner in writing of any deviation from permit conditions which could endanger human health or the environment. Include the following information in this written description: 1. the cause of the deviation; 2. the exact dates of the period of the deviation, if the deviation has been corrected; 3. whether or not the deviation has been corrected; 4. the anticipated time by which the deviation is expected to be corrected, if not yet corrected; and 5. steps taken or planned to reduce, eliminate, and prevent reoccurrence of the deviation.	Minn. R. 7019.1000, subp. 1
Application for Permit Amendment: If a permit amendment is needed, submit an application in accordance with the requirements of Minn. R. 7007.1150 through Minn. R. 7007.1500. Submittal dates vary, depending on the type of amendment needed.	Minn. R. 7007.1150 through Minn. R. 7007.1500
Extension Requests: The Permittee may apply for an Administrative Amendment to extend a deadline in a permit by no more than 120 days, provided the proposed deadline extension meets the requirements of Minn. R. 7007.1400, subp. 1(H).	Minn. R. 7007.1400, subp. 1(H)
Emission Inventory Report: due on or before April 1 of each calendar year following permit issuance. To be submitted on a form approved by the Commissioner.	Minn. R. 7019.3000 through Minn. R. 7019.3100
Emission Fees: due 60 days after receipt of an MPCA bill.	Minn. R. 7002.0005 through Minn. R. 7002.0095

TABLE A: LIMITS AND OTHER REQUIREMENTS

A-5

06/25/09

Facility Name: Lafarge North America-Childs Rd Terminal

Permit Number: 12300391 - 003

Subject Item: EU 001 Pneumatic Conveyance to Material Storage Silo No. 1**Associated Items:** CE 001 Fabric Filter - Low Temperature, i.e., T<180 Degrees F

SV 001 Silo No. 1

What to do	Why to do it
A. EMISSION LIMITS	hdr
Particulate Matter < 10 micron: less than 0.25 lbs/hour using 24-hour Rolling Average	Title I Condition: State Implementation Plan (SIP) for PM10 NAAQS, 40 CFR pt. 50; 40 CFR pt. 51; 40 CFR pt. 52, subp. Y; MN SIP
Total Particulate Matter: less than 0.02 grains/dry standard cubic foot of exhaust gas unless required to further reduce emissions to comply with the less stringent limit of either Minn. R. 7011.0730 or Minn. R. 7011.0735. The PTE for this unit is 0.25 lb/hr.	Minn. R. 7011.0715, subp. 1(A)
Opacity: less than or equal to 20 percent opacity, except for one six-minute period per hour of not more than 33 percent opacity. An exceedance of this opacity standard occurs whenever any one-hour period contains two or more six-minute periods during which the average opacity exceeds 20 percent or whenever any one-hour period contains one or more six-minute periods during which the average opacity exceeds 33 percent.	Title I Condition: State Implementation Plan (SIP) for PM10 NAAQS, 40 CFR pt. 50; 40 CFR pt. 51; 40 CFR pt. 52, subp. Y; MN SIP; Minn. R. 7011.0105
B. OPERATIONAL REQUIREMENTS FOR POLLUTION CONTROL EQUIPMENT	hdr
The Permittee shall operate and maintain the control equipment such that it achieves an overall control efficiency for Particulate Matter < 10 micron: greater than or equal to 99.0 percent control efficiency	Title I Condition: To avoid classification as a major source and modification under 40 CFR Section 52.21 and Minn. R. 7007.3000; Minn. R. 7011.0065, subp. 1(A)
The Permittee shall operate and maintain the control equipment such that it achieves an overall control efficiency for Total Particulate Matter: greater than or equal to 99.0 percent control efficiency	Title I Condition: To avoid classification as a major source and modification under 40 CFR Section 52.21 and Minn. R. 7007.3000; Minn. R. 7011.0065, subp. 1(A)
Pressure Drop: greater than 0.5 inches of water column and less than 6 inches of water column during hours of operation	Title I Condition: State Implementation Plan (SIP) for PM10 NAAQS, 40 CFR pt. 50; 40 CFR pt. 51; 40 CFR pt. 52, subp. Y; MN SIP
Visible Emissions: The Permittee shall check the SV 001 associated with CE 001 for visible emissions when operating during daylight hours, on a daily basis.	Title I Condition: State Implementation Plan (SIP) for PM10 NAAQS, 40 CFR pt. 50; 40 CFR pt. 51; 40 CFR pt. 52, subp. Y; MN SIP
Pressure Drop: greater than 0.5 inches of water column and less than 6 inches of water column, unless a new range is set pursuant to Minn. R. 7017.2025, subp. 3 based on the values recorded during the most recent MPCA-approved performance test where compliance was demonstrated. The new range shall be implemented upon receipt of the Notice of Compliance letter granting preliminary approval. The range is final upon issuance of a permit amendment incorporating the change.	Minn. R. 7017.2025, subp. 3
Corrective Actions: The Permittee shall take corrective action as soon as possible if any of the following occurs: -visible emissions are observed; -recorded pressure drop is outside the required operating range; or -the fabric filter or any of its components are found during the inspections to need repair. Corrective actions shall return the pressure drop to within the permitted range and/or include completion of necessary repairs identified during the inspection, as applicable. Corrective actions include, but are not limited to, those outlined in the Operation and Maintenance Plan for the fabric filter.	Minn. R. 7007.0800, subp. 5
The Permittee submitted to the MPCA on a vendor certification of performance for CE001 and CE002 with permit application dated April 16, 2009. The certification is approved by the Commissioner.	Title I Condition: State Implementation Plan (SIP) for PM10 NAAQS, 40 CFR pt. 50; 40 CFR pt. 51; 40 CFR pt. 52, subp. Y; MN SIP
C. RECORDKEEPING REQUIREMENTS	hdr
Recordkeeping of Pressure Drop. The Permittee shall record every 24 hours, if in operation, the time and date of each pressure drop reading and whether or not the recorded pressure drop was within the range specified in this permit and take the appropriate corrective actions. If pressure drop range exceed the permitted limit, the Permittee shall report it as a deviation in the Company's semiannual report. The permittee shall record every calendar day the total time the emission unit is in operation during that calendar day.	Title I Condition: State Implementation Plan (SIP) for PM10 NAAQS, 40 CFR pt. 50; 40 CFR pt. 51; 40 CFR pt. 52, subp. Y; MN SIP

TABLE A: LIMITS AND OTHER REQUIREMENTS**A-6**

06/25/09

Facility Name: Lafarge North America-Childs Rd Terminal

Permit Number: 12300391 - 003

Recordkeeping of Visible Emissions: The Permittee shall record every 24 hours during operation the time and date of each visible emission inspection and whether or not any visible emissions were observed, and take the appropriate corrective actions. If visible emissions exceed the permitted limit, the Permittee shall report it as a deviation in the Company's semiannual report. The permittee shall record every calendar day the total time the emission unit is in operation during that calendar day.	Title I Condition: State Implementation Plan (SIP) for PM10 NAAQS, 40 CFR pt. 50; 40 CFR pt. 51; 40 CFR pt. 52, subp. Y; MN SIP
Recordkeeping of corrective actions: The Permittee shall keep a record of the type and date of any corrective action taken for the fabric filter.	Minn. R. 7007.0800, subp. 5
D. MONITORING REQUIREMENTS	hdr
Operation and Maintenance of Fabric Filter: The Permittee shall maintain the fabric filter in proper operating condition. EU 001 shall not be operated unless the associated pollution control equipment (CE 001) is also operated at all times.	Title I Condition: State Implementation Plan (SIP) for PM10 NAAQS, 40 CFR pt. 50; 40 CFR pt. 51; 40 CFR pt. 52, subp. Y; MN SIP
Periodic Inspections: At least once per calendar quarter, or more frequently as required by the manufacturing specifications, the Permittee shall inspect the control equipment components. The Permittee shall maintain a written record of these inspections.	Minn. R. 7007.0800, subp. 4, 5 and 14
Monitoring Equipment: The Permittee shall install and maintain the necessary monitoring equipment for measuring and recording pressure drop as required by the permit. The monitoring equipment must be installed, in use, and properly maintained whenever the fabric filter is in operation.	Minn. R. 7007.0800, subp. 4

TABLE A: LIMITS AND OTHER REQUIREMENTS

A-7

06/25/09

Facility Name: Lafarge North America-Childs Rd Terminal

Permit Number: 12300391 - 003

Subject Item: EU 002 Pneumatic Conveyance to Material Storage Silo No. 2**Associated Items:** CE 002 Fabric Filter - Low Temperature, i.e., T<180 Degrees F

SV 002 Silo No. 2

What to do	Why to do it
A. EMISSION LIMITS	hdr
Particulate Matter < 10 micron: less than 0.25 lbs/hour using 24-hour Rolling Average	Title I Condition: State Implementation Plan (SIP) for PM10 NAAQS, 40 CFR pt. 50; 40 CFR pt. 51; 40 CFR pt. 52, subp. Y; MN SIP
Total Particulate Matter: less than 0.02 grains/dry standard cubic foot of exhaust gas unless required to further reduce emissions to comply with the less stringent limit of either Minn. R. 7011.0730 or Minn. R. 7011.0735. The PTE of this unit is 0.25 lb/hr.	Minn. R. 7011.0715, subp. 1(A)
Opacity: less than or equal to 20 percent opacity ,except for one six-minute period per hour of not more than 33 percent opacity. An exceedance of this opacity standard occurs whenever any one-hour period contains two or more six-minute periods during which the average opacity exceeds 20 percent or whenever any one-hour period contains one or more six-minute periods during which the average opacity exceeds 33 percent.	Title I Condition: State Implementation Plan (SIP) for PM10 NAAQS, 40 CFR pt. 50; 40 CFR pt. 51; 40 CFR pt. 52, subp. Y; MN SIP; Minn. R. 7011.0105
B. OPERATIONAL REQUIREMENTS FOR POLLUTION CONTROL EQUIPMENT	hdr
The Permittee shall operate and maintain the control equipment such that it achieves an overall control efficiency for Particulate Matter < 10 micron: greater than or equal to 99.0 percent control efficiency	Title I Condition: To avoid classification as a major source and modification under 40 CFR Section 52.21 and Minn. R. 7007.3000; Minn. R. 7011.0065, subp. 1(A)
The Permittee shall operate and maintain the control equipment such that it achieves an overall control efficiency for Total Particulate Matter: greater than or equal to 99.0 percent control efficiency	Title I Condition: To avoid classification as a major source and modification under 40 CFR Section 52.21 and Minn. R. 7007.3000; Minn. R. 7011.0065, subp. 1(A)
Pressure Drop: greater than 0.5 inches of water column and less than 6 inches of water column during hours of operation	Title I Condition: State Implementation Plan (SIP) for PM10 NAAQS, 40 CFR pt. 50; 40 CFR pt. 51; 40 CFR pt. 52, subp. Y; MN SIP
Visible Emissions: The Permittee shall check the SV 002 associated with CE 002 for visible emissions when operating during daylight hours, on a daily basis.	Title I Condition: State Implementation Plan (SIP) for PM10 NAAQS, 40 CFR pt. 50; 40 CFR pt. 51; 40 CFR pt. 52, subp. Y; MN SIP
Pressure Drop: greater than 0.5 inches of water column and less than 6 inches of water column , unless a new range is set pursuant to Minn. R. 7017.2025, subp. 3 based on the values recorded during the most recent MPCA-approved performance test where compliance was demonstrated. The new range shall be implemented upon receipt of the Notice of Compliance letter granting preliminary approval. The range is final upon issuance of a permit amendment incorporating the change.	Minn. R. 7017.2025, subp. 3
Corrective Actions: The Permittee shall take corrective action as soon as possible if any of the following occurs: -visible emissions are observed; -recorded pressure drop is outside the required operating range; or -the fabric filter or any of its components are found during the inspections to need repair. Corrective actions shall return the pressure drop to within the permitted range and/or include completion of necessary repairs identified during the inspection, as applicable. Corrective actions include, but are not limited to, those outlined in the Operation and Maintenance Plan for the fabric filter.	Minn. R. 7007.0800, subp. 5
The Permittee submitted to the MPCA on a vendor certification of performance for CE001 and CE002 with permit application dated April 16, 2009. The certification is approved by the Commissioner.	Title I Condition: State Implementation Plan (SIP) for PM10 NAAQS, 40 CFR pt. 50; 40 CFR pt. 51; 40 CFR pt. 52, subp. Y; MN SIP
C. RECORDKEEPING REQUIREMENTS	hdr
Recordkeeping of Pressure Drop. The Permittee shall record every 24 hours, if in operation, the time and date of each pressure drop reading and whether or not the recorded pressure drop was within the range specified in this permit and take the appropriate corrective actions. If pressure drop range exceed the permitted limit, the Permittee shall report it as a deviation in the Company's semiannual report. The permittee shall record every calendar day the total time the emission unit is in operation during that calendar day.	Title I Condition: State Implementation Plan (SIP) for PM10 NAAQS, 40 CFR pt. 50; 40 CFR pt. 51; 40 CFR pt. 52, subp. Y; MN SIP

TABLE A: LIMITS AND OTHER REQUIREMENTS**A-8**

06/25/09

Facility Name: Lafarge North America-Childs Rd Terminal

Permit Number: 12300391 - 003

Recordkeeping of Visible Emissions: The Permittee shall record every 24 hours during operation the time and date of each visible emission inspection and whether or not any visible emissions were observed, and take the appropriate corrective actions. If visible emissions exceed the permitted limit, the Permittee shall report it as a deviation in the Company's semiannual report. The permittee shall record every calendar day the total time the emission unit is in operation during that calendar day.	Title I Condition: State Implementation Plan (SIP) for PM10 NAAQS, 40 CFR pt. 50; 40 CFR pt. 51; 40 CFR pt. 52, subp. Y; MN SIP
Recordkeeping of corrective actions: The Permittee shall keep a record of the type and date of any corrective action taken for the fabric filter.	Minn. R. 7007.0800, subp. 5
D. MONITORING REQUIREMENTS	hdr
Operation and Maintenance of Fabric Filter: The Permittee shall maintain the fabric filter in proper operating condition. EU 002 shall not be operated unless the associated pollution control equipment(CE 002) is also operated at all times.	Title I Condition: State Implementation Plan (SIP) for PM10 NAAQS, 40 CFR pt. 50; 40 CFR pt. 51; 40 CFR pt. 52, subp. Y; MN SIP
Periodic Inspections: At least once per calendar quarter, or more frequently as required by the manufacturing specifications, the Permittee shall inspect the control equipment components. The Permittee shall maintain a written record of these inspections.	Minn. R. 7007.0800, subp. 4, 5 and 14
Monitoring Equipment: The Permittee shall install and maintain the necessary monitoring equipment for measuring and recording pressure drop as required by the permit. The monitoring equipment must be installed, in use, and properly maintained whenever the fabric filter is in operation.	Minn. R. 7007.0800, subp. 4

TABLE A: LIMITS AND OTHER REQUIREMENTS**A-9**

06/25/09

Facility Name: Lafarge North America-Childs Rd Terminal

Permit Number: 12300391 - 003

Subject Item: EU 003 Material Storage Silo Nos. 3-6**Associated Items:** CE 003 Fabric Filter - Low Temperature, i.e., T<180 Degrees F

SV 003 Silo Nos. 3-6

What to do	Why to do it
A. EMISSION LIMITS	hdr
Particulate Matter < 10 micron: less than 0.84 lbs/hour using 24-hour Rolling Average	Title I Condition: State Implementation Plan (SIP) for PM10 NAAQS, 40 CFR pt. 50; 40 CFR pt. 51; 40 CFR pt. 52, subp. Y; MN SIP
Total Particulate Matter: less than 0.02 grains/dry standard cubic foot of exhaust gas unless required to further reduce emissions to comply with the less stringent limit of either Minn. R. 7011.0730 or Minn. R. 7011.0735. The PTE of this unit is 0.84 lb/hr.	Minn. R. 7011.0715, subp. 1(A)
Opacity: less than or equal to 20 percent opacity, except for one six-minute period per hour of not more than 33 percent opacity. An exceedance of this opacity standard occurs whenever any one-hour period contains two or more six-minute periods during which the average opacity exceeds 20 percent or whenever any one-hour period contains one or more six-minute periods during which the average opacity exceeds 33 percent.	Title I Condition: State Implementation Plan (SIP) for PM10 NAAQS, 40 CFR pt. 50; 40 CFR pt. 51; 40 CFR pt. 52, subp. Y; MN SIP; Minn. R. 7011.0105
B. OPERATIONAL REQUIREMENTS FOR POLLUTION CONTROL EQUIPMENT	hdr
The Permittee shall operate and maintain the control equipment such that it achieves an overall control efficiency for Particulate Matter < 10 micron: greater than or equal to 99.0 percent control efficiency	Title I Condition: To avoid classification as a major source and modification under 40 CFR Section 52.21 and Minn. R. 7007.3000; Minn. R. 7011.0065, subp. 1(A)
The Permittee shall operate and maintain the control equipment such that it achieves an overall control efficiency for Total Particulate Matter: greater than or equal to 99.0 percent control efficiency	Title I Condition: To avoid classification as a major source and modification under 40 CFR Section 52.21 and Minn. R. 7007.3000; Minn. R. 7011.0065, subp. 1(A)
Pressure Drop: greater than 2 inches of water column and less than 6 inches of water column during hours of operation	Title I Condition: State Implementation Plan (SIP) for PM10 NAAQS, 40 CFR pt. 50; 40 CFR pt. 51; 40 CFR pt. 52, subp. Y; MN SIP
Visible Emissions: The Permittee shall check the SV 003 associated with CE 003 for visible emissions when operating during daylight hours, on a daily basis.	Title I Condition: State Implementation Plan (SIP) for PM10 NAAQS, 40 CFR pt. 50; 40 CFR pt. 51; 40 CFR pt. 52, subp. Y; MN SIP
Pressure Drop: greater than 2 inches of water column and less than 6 inches of water column, unless a new range is set pursuant to Minn. R. 7017.2025, subp. 3 based on the values recorded during the most recent MPCA-approved performance test where compliance was demonstrated. The new range shall be implemented upon receipt of the Notice of Compliance letter granting preliminary approval. The range is final upon issuance of a permit amendment incorporating the change.	Minn. R. 7017.2025, subp. 3
Corrective Actions: The Permittee shall take corrective action as soon as possible if any of the following occurs: -visible emissions are observed; -recorded pressure drop is outside the required operating range; or -the fabric filter or any of its components are found during the inspections to need repair. Corrective actions shall return the pressure drop to within the permitted range and/or include completion of necessary repairs identified during the inspection, as applicable. Corrective actions include, but are not limited to, those outlined in the Operation and Maintenance Plan for the fabric filter.	Minn. R. 7007.0800, subp. 5
C. RECORDKEEPING REQUIREMENTS	hdr
Recordkeeping of Pressure Drop. The Permittee shall record every 24 hours, if in operation, the time and date of each pressure drop reading and whether or not the recorded pressure drop was within the range specified in this permit and take the appropriate corrective actions. If pressure drop range exceed the permitted limit, the Permittee shall report it as a deviation in the Company's semiannual report. The permittee shall record every calendar day the total time the emission unit is in operation during that calendar day.	Title I Condition: State Implementation Plan (SIP) for PM10 NAAQS, 40 CFR pt. 50; 40 CFR pt. 51; 40 CFR pt. 52, subp. Y; MN SIP

TABLE A: LIMITS AND OTHER REQUIREMENTS**A-10**

06/25/09

Facility Name: Lafarge North America-Childs Rd Terminal

Permit Number: 12300391 - 003

Recordkeeping of Visible Emissions: The Permittee shall record every 24 hours during operation the time and date of each visible emission inspection and whether or not any visible emissions were observed, and take the appropriate corrective actions. If visible emissions exceed the permitted limit, the Permittee shall report it as a deviation in the Company's semiannual report. The permittee shall record every calendar day the total time the emission unit is in operation during that calendar day.	Title I Condition: State Implementation Plan (SIP) for PM10 NAAQS, 40 CFR pt. 50; 40 CFR pt. 51; 40 CFR pt. 52, subp. Y; MN SIP
Recordkeeping of corrective actions: The Permittee shall keep a record of the type and date of any corrective action taken for the fabric filter.	Minn. R. 7007.0800, subp. 5
D. MONITORING REQUIREMENTS	hdr
Operation and Maintenance of Fabric Filter: The Permittee shall maintain the fabric filter in proper operating condition. EU 003 shall not be operated unless the associated pollution control equipment(CE 003) is also operated at all times.	Title I Condition: State Implementation Plan (SIP) for PM10 NAAQS, 40 CFR pt. 50; 40 CFR pt. 51; 40 CFR pt. 52, subp. Y; MN SIP
Periodic Inspections: At least once per calendar quarter, or more frequently as required by the manufacturing specifications, the Permittee shall inspect the control equipment components. The Permittee shall maintain a written record of these inspections.	Minn. R. 7007.0800, subp. 4, 5 and 14
Monitoring Equipment: The Permittee shall install and maintain the necessary monitoring equipment for measuring and recording pressure drop as required by the permit. The monitoring equipment must be installed, in use, and properly maintained whenever the fabric filter is in operation.	Minn. R. 7007.0800, subp. 4

TABLE A: LIMITS AND OTHER REQUIREMENTS

A-11

06/25/09

Facility Name: Lafarge North America-Childs Rd Terminal

Permit Number: 12300391 - 003

Subject Item: FS 001 Truck Loading Operations**Associated Items:** CE 003 Fabric Filter - Low Temperature, i.e., T<180 Degrees F

What to do	Why to do it
A. EMISSION LIMITS	hdr
Particulate Matter < 10 micron: less than or equal to 0.15 tons/year using 24-hour Rolling Average	Title I Condition: State Implementation Plan (SIP) for PM10 NAAQS, 40 CFR pt. 50; 40 CFR pt. 51; 40 CFR pt. 52, subp. Y; MN SIP
Particulate Matter < 10 micron: less than or equal to 0.15 tons/year using 12-month Rolling Average	Title I Condition: State Implementation Plan (SIP) for PM10 NAAQS, 40 CFR pt. 50; 40 CFR pt. 51; 40 CFR pt. 52, subp. Y; MN SIP
B. OPERATIONAL REQUIREMENTS FOR POLLUTION CONTROL EQUIPMENT	hdr
The Permittee shall operate and maintain the control equipment such that it achieves an overall control efficiency for Particulate Matter < 10 micron: greater than or equal to 99.0 percent control efficiency	Title I Condition: To avoid classification as a major source and modification under 40 CFR Section 52.21 and Minn. R. 7007.3000; Minn. R. 7011.0065, subp. 1(A)
The Permittee shall operate and maintain the control equipment such that it achieves an overall control efficiency for Total Particulate Matter: greater than or equal to 99.0 percent control efficiency	Title I Condition: To avoid classification as a major source and modification under 40 CFR Section 52.21 and Minn. R. 7007.3000; Minn. R. 7011.0065, subp. 1(A)
Pressure Drop: greater than 2 inches of water column and less than 6 inches of water column during hours of operation	Title I Condition: State Implementation Plan (SIP) for PM10 NAAQS, 40 CFR pt. 50; 40 CFR pt. 51; 40 CFR pt. 52, subp. Y; MN SIP
Visible Emissions: The Permittee shall check CE 003 for visible emissions when operating during daylight hours, on a daily basis.	Title I Condition: State Implementation Plan (SIP) for PM10 NAAQS, 40 CFR pt. 50; 40 CFR pt. 51; 40 CFR pt. 52, subp. Y; MN SIP
Corrective Actions: The Permittee shall take corrective action as soon as possible if any of the following occurs: -visible emissions are observed; -recorded pressure drop is outside the required operating range; or -the fabric filter or any of its components are found during the inspections to need repair. Corrective actions shall return the pressure drop to within the permitted range and/or include completion of necessary repairs identified during the inspection, as applicable. Corrective actions include, but are not limited to, those outlined in the Operation and Maintenance Plan for the fabric filter.	Minn. R. 7007.0800, subp. 5
C. RECORDKEEPING REQUIREMENTS	hdr
Recordkeeping of Pressure Drop. The Permittee shall record every 24 hours, if in operation, the time and date of each pressure drop reading and whether or not the recorded pressure drop was within the range specified in this permit and take the appropriate corrective actions. If pressure drop range exceed the permitted limit, the Permittee shall report it as a deviation in the Company's semiannual report. The permittee shall record every calendar day the total time the emission unit is in operation during that calendar day.	Title I Condition: State Implementation Plan (SIP) for PM10 NAAQS, 40 CFR pt. 50; 40 CFR pt. 51; 40 CFR pt. 52, subp. Y; MN SIP
Recordkeeping of Visible Emissions: The Permittee shall record every 24 hours during operation the time and date of each visible emission inspection and whether or not any visible emissions were observed, and take the appropriate corrective actions. If visible emissions exceed the permitted limit, the Permittee shall report it as a deviation in the Company's semiannual report. The permittee shall record every calendar day the total time the emission unit is in operation during that calendar day.	Title I Condition: State Implementation Plan (SIP) for PM10 NAAQS, 40 CFR pt. 50; 40 CFR pt. 51; 40 CFR pt. 52, subp. Y; MN SIP
Recordkeeping of corrective actions: The Permittee shall keep a record of the type and date of any corrective action taken for the fabric filter.	Minn. R. 7007.0800, subp. 5
D. MONITORING REQUIREMENTS	hdr
Operation and Maintenance of Fabric Filter: The Permittee shall maintain the fabric filter in proper operating condition. EU 003 shall not be operated unless the associated pollution control equipment(CE 003) is also operated at all times.	Title I Condition: State Implementation Plan (SIP) for PM10 NAAQS, 40 CFR pt. 50; 40 CFR pt. 51; 40 CFR pt. 52, subp. Y; MN SIP
Periodic Inspections: At least once per calendar quarter, or more frequently as required by the manufacturing specifications, the Permittee shall inspect the control equipment components. The Permittee shall maintain a written record of these inspections.	Minn. R. 7007.0800, subp. 4, 5 and 14

TABLE A: LIMITS AND OTHER REQUIREMENTS

Facility Name: Lafarge North America-Childs Rd Terminal
Permit Number: 12300391 - 003

Monitoring Equipment: The Permittee shall install and maintain the necessary monitoring equipment for measuring and recording pressure drop as required by the permit. The monitoring equipment must be installed, in use, and properly maintained whenever the fabric filter is in operation.	Minn. R. 7007.0800, subp. 4
--	-----------------------------

TABLE A: LIMITS AND OTHER REQUIREMENTS**A-13**

06/25/09

Facility Name: Lafarge North America-Childs Rd Terminal

Permit Number: 12300391 - 003

Subject Item: FS 002 Unpaved Road**Associated Items:** CE 004 Dust Suppression by Chemical Stabilizers or Wetting Agents

What to do	Why to do it
A. EMISSION LIMITS	hdr
Particulate Matter < 10 micron: less than or equal to 0.30 tons/year using 24-hour Rolling Average	Title I Condition: State Implementation Plan (SIP) for PM10 NAAQS, 40 CFR pt. 50; 40 CFR pt. 51; 40 CFR pt. 52, subp. Y; MN SIP
Particulate Matter < 10 micron: less than or equal to 0.30 tons/year using 12-month Rolling Average	Title I Condition: State Implementation Plan (SIP) for PM10 NAAQS, 40 CFR pt. 50; 40 CFR pt. 51; 40 CFR pt. 52, subp. Y; MN SIP
B. MONITORING AND RECORDKEEPING REQUIREMENTS	hdr
Operation Restrictions for Unpaved Roadways: The Permittee shall apply the chemical dust suppressant calcium chloride (CaCl ₂) or a substitute as approved by the Commissioner, to the unpaved roads at the Facility as follows: 1. The Permittee shall apply CaCl ₂ on all unpaved roadways at an initial rate of 1.5 pounds per square yard each April; 2. The Permittee personnel shall perform an inspection of the unpaved roadways each day. If the roadways need further dust suppressant applied, the Permittee shall apply CaCl ₂ at a rate of 0.5 pounds square yard to those areas where fugitive dust is observed; 3. When there is no traffic on the unpaved roads or the facility is closed for the entire day, the Permittee does not need to perform daily inspections of the unpaved roadways;	Title I Condition: State Implementation Plan (SIP) for PM10 NAAQS, 40 CFR pt. 50; 40 CFR pt. 51; 40 CFR pt. 52, subp. Y; MN SIP
4. When the ground is frozen, no chemical dust suppressant needs to be applied (approximately the calendar months of November through March); and 5. If the Permittee decides to use a dust suppressant other than CaCl ₂ , the Permittee shall first obtain written approval from the Commissioner. Upon receiving the MPCA approval, the Permittee shall apply the new dust suppressant according to the manufacturer's recommendations and any MPCA requirements set forth in the written approval.	CONTINUED Title I Condition: State Implementation Plan (SIP) for PM10 NAAQS, 40 CFR pt. 50; 40 CFR pt. 51; 40 CFR pt. 52, subp. Y; MN SIP
Visible Emissions: The Permittee shall check for visible emissions when operating during daylight hours, on a daily basis.	Title I Condition: State Implementation Plan (SIP) for PM10 NAAQS, 40 CFR pt. 50; 40 CFR pt. 51; 40 CFR pt. 52, subp. Y; MN SIP
Recordkeeping: The Permittee shall record visible emissions once every 24 hours during operation of the unpaved roads and record if additional dust suppressant was applied and how much was applied. If there is no traffic on the unpaved roads or the facility is closed for the entire day, the Permittee shall record that information on a daily basis.	Title I Condition: State Implementation Plan (SIP) for PM10 NAAQS, 40 CFR pt. 50; 40 CFR pt. 51; 40 CFR pt. 52, subp. Y; MN SIP
Recordkeeping of Dust Application: The Permittee shall record the following: 1. The day in April each year that initial application of dust suppressant was applied; and 2. The dust suppressant application equipment breakdowns and repairs.	Title I Condition: State Implementation Plan (SIP) for PM10 NAAQS, 40 CFR pt. 50; 40 CFR pt. 51; 40 CFR pt. 52, subp. Y; MN SIP
Recordkeeping of Corrective Actions: The Permittee shall take corrective action as soon as possible if visible emissions are observed. The Permittee shall keep a record of the type and date of any corrective action taken.	Minn. R. 7007.0800, subp. 5

TABLE B: SUBMITTALS**B-1** 06/25/09

Facility Name: Lafarge North America-Childs Rd Terminal
Permit Number: 12300391 - 003

Also, where required by an applicable rule or permit condition, send to the Permit Technical Advisor notices of:

- accumulated insignificant activities,
- installation of control equipment,
- replacement of an emissions unit, and
- changes that contravene a permit term.

Send any application for a permit or permit amendment to:

AQ Permit Technical Advisor
Industrial Division
Minnesota Pollution Control Agency
520 Lafayette Road North
St. Paul, Minnesota 55155-4194

Each submittal must be postmarked or received by the date specified in the applicable Table. Those submittals required by parts 7007.0100 to 7007.1850 must be certified by a responsible official, defined in Minn. R. 7007.0100, subp. 21. Other submittals shall be certified as appropriate if certification is required by an applicable rule or permit condition.

Table B lists most of the submittals required by this permit. Please note that some submittal requirements may appear in Table A or, if applicable, within a compliance schedule located in Table C. Table B is divided into two sections in order to separately list one-time only and recurrent submittal requirements.

Send submittals that are required to be submitted to the U.S. EPA regional office to:

Mr. George Czerniak
Air and Radiation Branch
EPA Region V
77 West Jackson Boulevard
Chicago, Illinois 60604

Send submittals that are required by the Acid Rain Program to:

U.S. Environmental Protection Agency
Clean Air Markets Division
1200 Pennsylvania Avenue NW (6204N)
Washington, D.C. 20460

Unless another person is identified in the applicable Table, send all other submittals to:

AQ Compliance Tracking Coordinator
Industrial Division
Minnesota Pollution Control Agency
520 Lafayette Road North
St. Paul, Minnesota 55155-4194

TABLE B: RECURRENT SUBMITTALS**B-2** 06/25/09

Facility Name: Lafarge North America-Childs Rd Terminal

Permit Number: 12300391 - 003

What to send	When to send	Portion of Facility Affected
Semiannual Deviations Report	due 30 days after end of each calendar half-year starting 11/17/2006 . The first semiannual report submitted by the Permittee shall cover the calendar half-year in which the permit is issued. The first report of each calendar year covers January 1 - June 30. The second report of each calendar year covers July 1 - December 31. If no deviations have occurred, the Permittee shall submit the report stating no deviations.	Total Facility
Annual Report	due 30 days after end of each calendar year starting 11/17/2006 to the Commissioner. The report shall contain the following information: a record of data used in calculating PM10 emissions, and calculations of the PM10 emissions; a record of each unscheduled startup, shutdown, and breakdown of process and control equipment; a summary record of excess PM10 emissions, opacity exceedances and noncompliance with fugitive emissions requirements (or the Permittee shall state if no exceedances, and noncompliance conditions occurred in the calendar year).	Total Facility
Compliance Certification	due 31 days after end of each calendar year starting 11/17/2006 (for the previous calendar year). To be submitted to the Commissioner on a form approved by the Commissioner. This report covers all deviations experienced during the calendar year.	Total Facility

Appendix Material:

There is no Appendix B specific to permit action No. 12300391-003. Appendix B for permit 12300391-002 is being carried over for permit action 12300391-003

Appendix B: Title I Condition: State Implementation Plan (SIP) for PM₁₀ NAAQS

Facility Name: Lafarge North America-Childs Rd Terminal

Permit Number: 12300391-002

PM₁₀ Point Source Modeling Parameters Relied Upon to Demonstrate Compliance with NAAQS

Source ID	EU, SV, CE	Source Description	Emission Rate		Location UTM NAD83		Base Elev (m)	Stack Height (m)	Stack Temp (K)	Stack Exit Vel. (m/s)	Stack Dia (m)
			g/s	lb/hr	X (m)	Y (m)					
SILO1	EU001; SV 001; CE 001	Silo No. 1 (new material)	0.0318	0.25	496283.1	4975465	213	25.6	293	9.7	0.305
SILO2	EU 002; SV 002; CE 002	Silo No. 2 (new material)	0.0318	0.25	496289.7	4975468	213	25.6	293	9.7	0.305
SILO3_6	EU 003; SV 003; CE 003	Silo No. 3-6 (fly ash)	0.1058	0.84	496279.2	4975480	213	31.09	293	31.35	0.309

PM₁₀ Volume Source Modeling Parameters

Source ID	FS	Source Description	Emission Rate		Location UTM NAD83		Base Elev (m)	Release Height (m)	σ_y (m)	σ_z (m)	
			g/s	lb/hr	X (m)	Y (m)					
UNLOAD	FS 001	Silo Unloading and Truck Loading	4.25E-03	3.37E-02	496285.3	4975474	213	3	1.41	1.39	
TRUCK	FS 002; CE 004	Fugitive Emissions from Truck Traffic	8.58E-03	6.81E-02	496285.3	4975474	213	1	11.4	0.85	

Office Memorandum

DATE : August 2, 2006

TO : Amrill Okonkwo
Air Quality Permits Section
Industrial DivisionFROM : Chris Nelson
Risk Assessment/Air Modeling
Environmental Analysis & Outcomes Division

PHONE : 651/296-7750

SUBJECT : Lafarge – Childs Road (DELTA ID 12300391) PM₁₀ NAAQS Compliance Modeling

Lafarge submitted air dispersion modeling results for the Childs Road Terminal to support their proposed permit and Administrative Order amendment on November 22, 2005. The analysis was updated April 6, 2006. Lafarge – Childs Road is located in a Particulate Matter less than 10 microns (PM₁₀) maintenance area southeast of downtown St. Paul. Subsequent discussions with EPA Region V lead me to further update the modeling analysis.

MPCA's updated analysis used AERMOD rather than ISCST3, utilizing MPCA-developed meteorological data. Model options, emissions, and source characterization remained the same. I added PM₁₀ sources from the nearby Metropolitan Council Environmental Services (MCES) wastewater treatment plant. The MCES data came from an 11/14/05 modeling data submittal and a June 2001 PM₁₀ air dispersion modeling analysis, submitted by MCES in support of a SIP amendment. Model details are listed below.

- Regulatory default options
- Urban dispersion coefficients with URBANOPT (population = 287151)
- Elevated terrain with AERMAP processed elevations
- 1986-90 meteorology – Minneapolis surface data and St. Cloud upper air data

Refined data for other nearby (within 2 km) PM₁₀ sources was not available. I do not expect those sources to have a significant impact on the modeled receptor grid, based on their emissions, source type, and proximity. Impacts from PM₁₀ sources at the southern end of the PM₁₀ maintenance area were not explicitly included in the model but should be captured in the background concentrations, taken from a PM₁₀ monitor located on Red Rock Road (in the immediate vicinity those sources).

The modeling analysis used a receptor grid comprised of the Lafarge fenceline receptors and those receptors where Lafarge had a significant impact (impacts greater than PSD Significant Impact Levels [SILs]). The highest 6th-high 24-hour PM₁₀ impact was 13.9 micrograms per cubic meter (µg/m³). Maximum combined annual PM₁₀ impacts were 4.3 µg/m³. I took PM₁₀ background concentrations from the most recent 5 years of data at the nearby Red Rock Road

ambient monitor. Concentrations represent maximum measured 24-hour and annual PM₁₀ concentrations. Model results are listed in Table 1. The 24-hour PM₁₀ National Ambient Air Quality Standard (NAAQS) is 150 µg/m³. The annual PM₁₀ NAAQS is 50 µg/m³.

Table 1. Modeled PM₁₀ Impacts of Lafarge and MCES WWTP

Averaging Time	Concentrations (µg/m ³)		
	Modeled	Background	Total
24-Hour	13.9	102	115.9
Annual	4.3	37	41.3

The modeling results demonstrate that operations at Lafarge will not contribute to an exceedence of the PM₁₀ NAAQS.

cc: Gary Elliott, Lafarge
Kaushik Deb, URS Corporation
Mary Portanova, US EPA, Region V
AQ File 2174B

TECHNICAL SUPPORT DOCUMENT
For
AIR EMISSION PERMIT NO. 12300391-003

This technical support document (TSD) is intended for all parties interested in the permit and to meet the requirements that have been set forth by the federal and state regulations (40 CFR § 70.7(a)(5) and Minn. R. 7007.0850, subp. 1). The purpose of this document is to provide the legal and factual justification for each applicable requirement or policy decision considered in the preliminary determination to issue the permit.

1. General Information

1.1 Applicant and Stationary Source Location:

Table 1. Applicant and Source Address

Applicant/Address	Stationary Source/Address (SIC Code: 5032)
Lafarge North America 600 S.W. Jefferson Street, Suite 302 Lee's Summit, MO 64063	Lafarge North America-Childs Road Terminal 2145 Childs Road St. Paul, MN 55106 Ramsey County
Contact: Gary Elliott Regional Environmental Manager Phone: (918) 388-1155	

1.2 Facility Description

Lafarge North America (Lafarge) owns and operates a portland cement distribution terminal next to the Mississippi River in Ramsey County, St. Paul, Minnesota. The facility currently operates six silos with pollution control equipment used for storage and distribution of cementitious products. The material is delivered by rail and truck, stored in the silos, and distributed by truck.

The main sources of emissions are particulate matter (PM), and particulate matter less than 10 microns (PM₁₀). The permit limits the emissions of the facility such that the facility is classified as a non-major source under federal New Source Review (NSR) and federal Operating Program (40 CFR pt. 70).

In order to protect the National Ambient Air Quality Standards (NAAQS), the Minnesota Pollution Control Agency (MPCA) in 1991 issued several Administrative Orders to different companies. The computer modeling analysis for Ramsey County Area shows that, among others, Lafarge- Childs Road was a major contributor of PM₁₀ emissions in this area; therefore, an Administrative Order (Order) was issued for the company. The Order functioned as a non-expiring permit, as it contained conditions restricting Lafarge's operations. The MPCA based the

emission limits and the operating restrictions found in the Order on Lafarge's operating practices and the modeling of the facility. With the limits and the restrictions in the Order, the model predicts that Lafarge complies with the PM₁₀ standard.

Lafarge's state permit No. 12300391-002 was issued with the inclusion of the conditions previously expressed in its Order. The permit ensures that the area around Lafarge remains compliance with the NAAQS. Permit No. 12300391- 002 was approved and included into the Minnesota State Implementation Plan (SIP) by the U.S. Environmental Protection Agency (EPA), which effectively replaced the SIP Administrative Order on September 11, 2007 (72 FR 51713). A copy of this approval is included as Attachment 3.

1.3 Description of the Activities Allowed by this Permit Action

The permit action described in this Technical Support Document is the issuance of a major amendment to a Joint Title I State Implementation Plan (SIP)/ Federally Enforceable State Total Facility Operating Permit. The total facility operating permit contains all requirements of all federal regulations and State Rules based on the federal Clean Air Act.

Lafarge North submitted an application for a Minor amendment to a Total Facility Air Emission Permit as required by Minnesota Rules chapter (Minn. R. ch.) 7007. The application was received on April 17, 2009. The Agency determined that the requested changes required a major amendment pursuant to Minn. R. 7007.1500 B. This amendment authorizes the following:

- change to the approved pressure drop range across two fabric filter dust collectors identified as CE001 and CE002;
- updates the language regarding changes to the authorized range of pressure drops as a result of performance testing and pursuant to Minn. R. 7017.2025, subp. 3 for the fabric filter dust collectors identified as CE001, CE002 and CE003;
- clarifies language regarding enforceability of some record keeping requirements
- updates language on approval of vendor certifications for CE001 and CE002;
- removes reporting requirements that have already been fulfilled for CE001, CE002 and CE003 and
- updates permit language to reflect recent rule changes.

This amendment does not result in an emissions increase of PM₁₀ or any other pollutant at the facility and does not alter equipment or parameters described in Appendix B of the permit, which forms the basis of the PM₁₀ modeling. Therefore, this change is being authorized without having to obtain a modification to the SIP.

1.4. **Facility Emissions:**

There are no emission changes due to this authorized amendment. As a conservative estimate, PM₁₀ is assumed to be a conservative estimate of PM_{2.5}.

Table 1. Total Facility Potential to Emit Summary

	PM tpy	PM ₁₀ tpy	PM _{2.5}	SO ₂ tpy	NO _x tpy	CO tpy	VOC tpy	Single HAP tpy	All HAPs tpy
Total Facility Limited Potential Emissions	7.20	6.33	6.33	0.00	0.00	0.00	0.00	0.00	0.00
Total Facility Actual Emissions	1.77	1.77	1.77	0.00	0.00	0.00	0.00	HAPs not reported in emission inventory	

Table 2. Facility Classification

Classification	Major/Affected Source	Synthetic Minor	Minor
PSD		PM, PM ₁₀ , PM _{2.5}	CO, NO _x , SO ₂ , VOC
Part 70 Permit Program		PM ₁₀ , PM _{2.5}	CO, NO _x , SO ₂ , VOC
Part 63 NESHAP			HAP

2. **Regulatory and/or Statutory Basis**

New Source Review

The facility is limited based on SIP requirements; therefore, the facility is non-major under New Source Review Regulations (40 CFR § 52.21).

Part 70 Permit Program

The facility is a non-major source under the Part 70 permit program.

New Source Performance Standards (NSPS)

There are no New Source Performance Standards applicable to the operations at this facility.

National Emission Standards for Hazardous Air Pollutants (NESHAP)

The facility is non-major source under 40 CFR pt. 63. Thus, no NESHAPs apply.

Compliance Assurance Monitoring (CAM)

CAM does not apply to the modification allowed in this permit amendment, since the facility is not subject to Title V permitting requirements.

Environmental Review & AERA

The facility changes are not subject to environmental review, i.e. an Environmental Assessment Worksheet (EAW,) and the applicant is not required to perform an Air Emissions Risk Analysis (AERA).

Minnesota State Rules

Portions of the facility are subject to the following Minnesota Standards of Performance:

- *Minn. R. 7011.0715 Standards of Performance for Post-1969 Industrial Process Equipment*
- *Minn. R. 7011.0105 Visible Emissions Restrictions for Existing Facilities*

Table 3. Regulatory Overview of Units Affected by the Modification/Permit Amendment

Level*	Applicable Regulations	Comments:
EU001 and EU002	Title I Condition: State Implementation Plan (SIP) for PM10 NAAQS, 40 CFR pt. 50; 40 CFR pt. 51; 40 CFR pt. 52, subp. Y; MN SIP	Authorized pressure drop range across the fabric filter dust collector (CE001 and CE002) was changed from 2 to 6 inches of water column to 0.5 to 6 inches of water column. The applicant submitted a manufacturer's efficiency/performance guarantee for the affected dust collectors. The guaranteed emission rates are lower than the emission rates modeled for compliance with PM10 National Ambient Air Quality Standards. The guaranteed removal efficiency is higher than what is assumed in the permit. The manufacturer's expected pressure drop range under normal operation is consistent with what the applicant is requesting for approval through this amendment.
EU 001, EU002 and EU003	Minn. R. 7017.2025, subp. 3	Authorized pressure drop across the fabric filter dust collector (CE001, CE002 and CE003) can be changed if the new range is set pursuant to Minn. R. 7017.2025, subp. 3 based on the values recorded during the most

Level*	Applicable Regulations	Comments:
		<p>recent MPCA-approved performance test where compliance was demonstrated. The new range shall be implemented upon receipt of the Notice of Compliance letter granting preliminary approval. The range is final upon issuance of a permit amendment incorporating the change.</p> <p>This condition is added to afford more explicit flexibility that is consistent with the restrictions in the SIP conditions</p>

3. Technical Information

3.1 Calculations of Potential to Emit

There are no changes in the emission calculations due to this amendment. A copy of the calculations documented in delta under Permit No. 12300391-002 are included this Technical Support Document as Attachment No. 1. An explanation of emission factors and other assumptions can be found in the Technical support document for Permit No. 12300391-002.

The fabric filter dust collector guarantee submitted with the application for this permit amendment indicates the assumptions made for calculations for permit No. 12300391-002 are conservative.

As far as estimates of PM_{2.5}, Table B.2.2. in Appendix B.2 of AP-42 (<http://www.epa.gov/ttn/chief/ap42/appendix/appb-2.pdf>) shows that for mechanically generated particulate matter (Categories 3 and 4) like the processes at Lafarge, uncontrolled emissions of PM_{2.5} from this type of source could be in the range of 15 to 30% of uncontrolled PM, while PM₁₀ ranges between 51 and 80% of uncontrolled PM. No condensibles are expected from these processes. Therefore, using PM₁₀ emission rates as conservative estimates of PM_{2.5} is appropriate.

3.2 Air Quality Impact Analysis

PM₁₀ ambient air quality analysis was conducted as part of the review for Permit No. 12300391-002. Appendix B to this permit amendment includes the summary of results from this analysis. No further analysis for PM₁₀ is needed as no emission increase is being authorized by this permit amendment.

With respect to Lafarge's PM_{2.5} emissions, based on data in Appendix B.2 in AP-42, it is estimated that between 30 and 40% of PM₁₀ mass is PM_{2.5}. Taking this into account and after a cursory extrapolation of the modeled results of the existing PM₁₀ modeling by Greg Pratt, it

was concluded that no further action is recommended in terms of modeling compliance with PM_{2.5} National Ambient Air Quality Standards. Attachment 4 is the spreadsheet used to do this estimate of PM_{2.5} ambient air impacts.

3.3 ComplianceSchedule

A Notice of Violation dated 3/19/09 was issued to the permittee on March 19, 2009. After the issuance of this permit, no unresolved compliance issues will remain, and therefore, no compliance schedule is needed for this permit amendment.

3.2 Periodic Monitoring

In accordance with the Clean Air Act, it is the responsibility of the owner or operator of a facility to have sufficient knowledge of the facility to certify that the facility is in compliance with all applicable requirements.

In evaluating the monitoring included in the permit, the MPCA considers the following:

- The likelihood of violating the applicable requirements;
- Whether add-on controls are necessary to meet the emission limits;
- The variability of emissions over time;
- The type of monitoring, process, maintenance, or control equipment data already available for the emission unit;
- The technical and economic feasibility of possible periodic monitoring methods; and
- The kind of monitoring found on similar units elsewhere.

The table below summarizes the periodic monitoring requirements for those emission units for which the monitoring required by the applicable requirement is nonexistent or inadequate and that were affected by this permit amendment. The periodic monitoring requirements for the entire facility are described in Table 4 of the Technical Support Document for permit No. 12300391-002

Table 7. Periodic Monitoring

Level*	Requirement (rule basis)	Additional Monitoring	Discussion
	Examples		
Pneumatic Conveyance to Material Storage (EU 001 and 002, CE 001 and	a. PM ₁₀ : ≤ 0.25 lb/hr based on 24-hour rolling average (SIP for PM ₁₀ NAAQS, 40 CFR pt. 50; 40 CFR pt. 51; 40 CFR pt. 52, subp. Y;	Recordkeeping and reporting: Vendor certification; O & M inspections, pressure drop and visible	Lafarge submitted vendor certification of performance for CE001 and CE002 to demonstrate that these can comply with the emission rates necessary to achieve modeled attainment for the PM ₁₀ NAAQS.

Level*	Requirement (rule basis)	Additional Monitoring	Discussion
002)	<p>MN SIP)</p> <p>b. PM: variable depending on airflow. (Minn. R. 7011.0715)</p> <p>c. Opacity: $\leq 20\%$ except for one six-minute per hour of not more than 33% opacity. ((SIP for PM₁₀ NAAQS, 40 CFR pt. 50; 40 CFR pt. 51; 40 CFR pt. 52, subp. Y; MN SIP; Minn. R. 7011.0715)</p> <p>d. PM/PM₁₀: The baghouses must be maintained to achieve 99 percent control efficiency for greater. (limit to avoid classification as a major source and modification under 40 CFR Section 52.21)</p>	<p>emission checks.</p> <p>All monitoring equipment will be calibrated as recommended by the manufacturer's specification.</p>	<p>Lafarge will observe and record the pressure drop across the particulate matter filter in inches of water and check for visible emissions on a daily basis for each piece pollution control equipment. If pressure drop exceeds its range as required, then the Permittee will take corrective actions as soon as possible to eliminate these problems. Visible emissions will be checked during daylight hours on a daily basis. If the visible emissions exceed the permitted limit, the Permittee will report as a deviation on the company's semiannual report. Reading the pressure and checking for visible emission on a daily basis will be used as indicators to determine if the pollution control equipment is operating properly.</p>
Pneumatic Conveyance to Material Storage (EU 003, CE 003)	<p>a. PM₁₀: ≤ 0.84 lb/hr based on 24-hour rolling average (SIP for PM₁₀ NAAQS, 40 CFR pt. 50; 40 CFR pt. 51; 40 CFR pt. 52, subp. Y; MN SIP)</p> <p>b. PM: variable depending on airflow. (Minn. R. 7011.0715)</p>	<p>Reporting and recordkeeping: Vendor recertification; O & M inspections, pressure drop and visible emission checks.</p>	<p>Lafarge submitted vendor recertification of performance for CE003 to show that it can comply with the emission rates necessary to achieve modeled attainment for the PM₁₀ NAAQS.</p> <p>Lafarge will observe and record the pressure drop across the particulate matter filter in inches of water and check for visible emissions on a daily basis for each piece pollution control equipment. If pressure drop exceeds its range as required, then the Permittee</p>

Level*	Requirement (rule basis)	Additional Monitoring	Discussion
	<p>c. Opacity: $\leq 20\%$ except for one six-minute per hour of not more than 33% opacity. ((SIP for PM₁₀ NAAQS, 40 CFR pt. 50; 40 CFR pt. 51; 40 CFR pt. 52, subp. Y; MN SIP; Minn. R. 7011.0715)</p> <p>d. PM/PM₁₀: The baghouse must be maintained to achieve 99 percent control efficiency or greater. (limit to avoid classification as a major source and modification under 40 CFR Section 52.21)</p>		<p>will take corrective actions as soon as possible to eliminate these problems. Visible emissions will be checked during daylight hours on a daily basis. If the visible emissions exceed the permitted limit, the Permittee will report as a deviation on the company's semiannual report. Reading the pressure and checking for visible emission on a daily basis will be used as indicators to determine if the pollution control equipment is operating properly.</p>

*Where the requirement appears in the permit (e.g., EU, SV, GP, etc.).

3.3 Insignificant Activities

Currently, there are no insignificant activities listed in this permit.

3.4 Permit Organization

Deviation from normal format: Limits to the allowable range of pressure drop across the fabric filter dust collectors CE001, CE002 and CE003 appear under EU001, EU002 and EU003 respectively because this is the manner in which they were organized in Permit No. 12300391-002. No reorganization was made to apply this requirements at the pollution control level in order to minimize the changes to Permit No. 12300391-002, which is the permit approved into the Minnesota SIP.

In general, the permit meets the MPCA Delta Guidance for ordering and grouping of requirements. One area where this permit deviates slightly from Delta guidance is in the use of appendices. While appendices are fully enforceable parts of the permit, in general, any requirement that the MPCA thinks should be tracked (e.g., limits, submittals, etc.), should be in Table A or B. The main reason is that the appendices are word processing sections and are not

part of the tracking system. Violation of the appendices can be enforced, but the computer system will not automatically generate the necessary enforcement notices or documents. Staff must generate these.

3.5 Comments Received

Public Notice Period: May 19, 2009 - June 17, 2009

Comments were not received from the public during the public notice period. Only a notice indicating “no interest” was received from the Lac Vieux Desert Band of Lake Superior Chippewa Indians.

This is a federally enforceable state permit and therefore, the 45-day EPA review period is not required.

4. Conclusion

Based on the information provided by Lafarge, the MPCA has reasonable assurance that the proposed operation of the emission facility, as described in the Air Emission Permit No. 12300391-003 and this TSD, will not cause or contribute to a violation of applicable federal regulations and Minnesota Rules.

Staff Members on Permit Team: Carolina Schutt (permit writer/engineer)
Brent Rohne (enforcement)
Greg Pratt (dispersion modeling)
Curt Stock (stack testing)
Catherine Neuschler (SIP)
Amrill Okonkwo (peer reviewer)
Beckie Olson (administrative support)
Laurie O’Brien (administrative support)
Chris Buntjer (expedited permit coordinator)

AQ File No. 2174B; DQ 2552

Attachments:

1. Calculation Spreadsheets (Paper copy only, electronic version in delta under Permit No. 12300391-002)
2. Facility Description and CD-01 Forms
3. Environmental Protection Agency’s approval of a site specific revision to the Minnesota State Implementation Plan (SIP) for particulate matter less than 10 microns (PM₁₀) for Lafarge North America.
4. Estimate of PM_{2.5} ambient air quality impacts.