

## 8. REFERENCES

- Ahsan, A. K. M. Q., and Blumberg, A. F., 1999. "Three-Dimensional Hydrothermal Model of Onondaga Lake, New York," *Journal of Hydraulic Engineering*, Vol. 125, No.9.
- Beck, M. B., and Chen, J., 2000. "Assuring the Quality of Models Designed for Predictive Tasks," *Sensitivity Analysis*. A.Satelli, K.Chan, and E.M.Scott, eds., Wiley, West Sussex, UK. pp. 401-420.
- Burban, P. Y., Xu, Y., McNeil, J., and Lick, W., 1990. "Settling Speeds of Flocs in Fresh Water and Sea Water," *Journal of Geophysical Research*, Vol. 95, No.C10., pp. 18213-18220.
- Burdis, R.M., and Hirsch, J.K. 2007. "Summary of Zooplankton in Lake Pepin Upper Mississippi River System, 1993-2006." Completion Report 2006D7 prepared for U.S. Geological Survey. July.
- Cerco, C. F., and Noel, M. R., 2004. "The 2002 Chesapeake Bay Eutrophication Model." Rep. No. Report to EPA-CBPO, EPA-903-R-04-004, U.S. Army Corps of Engineers. Engineer Research & Development Center, Vicksburg, MS.
- Cloern, J. E., Grenz, C., and Vidergar-Lucas, L., 1995. "An Empirical Model of the Phytoplankton Chlorophyll: Carbon," *Limnology and Oceanography*, Vol. 40, No.7., pp. 1313-1321.
- DePinto, J. V., Freedman, P. L., Dilks, D. W., and Larson, W. M., 2004. "Models Quantify the Total Maximum Daily Load Process," *Journal of Environmental Engineering*, Vol. 130, No.6., pp. 703-713.
- DiToro, D. M., ed., 2001. *Sediment Flux Modeling*, John Wiley & Sons, Inc.
- Engstrom, D.R., and Almendinger, J.E. 2000. "Historical Changes in Sediment and Phosphorus Loading to the Upper Mississippi River: Mass-balance Reconstructions from the Sediments of Lake Pepin." Final research report prepared for Metropolitan Council Environmental Services (MCES). April.
- EPA, 2003. "Draft Guidance on the Development, Evaluation, and Application of Regulatory Environmental Models." EPA - Office of Science Policy and Office of Research and Development, Council for Regulatory Environmental Modeling. Washington, DC.
- Faure, V., Pinazo, C., Torreton, J.-P., and Douillet, P., 2006. "Relevance of Various Formulations of Phytoplankton Chlorophyll *a*: Carbon Ratio in a 3D Marine Ecosystem Model," *Comptes Rendus Biologies*, Vol. 239, pp. 813-822.

- HydroQual, 2002a. "A Primer for ECOMSED Version 1.3."
- HydroQual, 2002b. "Advanced Eutrophication Modeling of the Upper Mississippi River Lock and Dam No. 1 Through Lake Pepin Summary Report." MCES. St. Paul, MN.
- HydroQual, 2002c. "Advanced Eutrophication Modeling of Upper Mississippi River, Lock and Dam No. 1 Through Lake Pepin Project Report." Rep. No. MCWS0010, MCES.
- HydroQual, 2004. "User's Guide for RCA (Release 3.0)."
- James, W.F., 2007. "Sediment Phosphorus Characteristics and Rates of Internal Loading in Lake Pepin and Spring Lake During The Summer Low-Flow Period of 2006." ERDC Eau Galle Aquatic Ecology Laboratory. Spring Valley, Wisconsin.
- Kloiber, S., 2006. "Estimating Nonpoint Source Pollution for the Twin Cities Metropolitan Area Using Landscape Variables. Water, Air and Soil Pollution."
- LimnoTech, 2006. "Upper Mississippi River - Lake Pepin Water Quality Modeling Project - Year 1 Report." Prepared for MPCA. June 28.
- LimnoTech, 2007. "Upper Mississippi River - Lake Pepin Water Quality Model: Development, Provisional Calibration, and Preliminary Application." Prepared for MPCA. June 28.
- Llewellyn, C. A., Fishwick, J. R., and Blackford, J. C., 2005. "Phytoplankton Community Assemblage in the English Channel: a Comparison Using Chlorophyll a Derived From HPLC-CHEMTAX and Carbon Derived From Microscopy Cell Counts," *Journal of Plankton Research*, Vol. 27, No.1., pp. 103-119.
- MCES, 2002. "Lake Pepin Phosphorus Study, 1994–1998: Effects of Phosphorus Loads on the Water Quality of the Upper Mississippi River, Lock and Dam No. 1 Through Lake Pepin." Final report."
- MCES, 2006. "Mississippi River Low Flow Survey Work Plan."
- MPCA. 2008a. Spring Lake: Revisiting Residence Time and 303(d) Listing. Memo from Steve Heiskary to Norman Senjem. February 13.
- MPCA. 2008b. "Lake Pepin Site Specific Eutrophication Criteria." Draft document prepared by Steve Heiskary and Dennis Wasley. August.
- Megard, B., 2006. "Controls of Secchi Transparency in Lake Pepin and Its Major Tributaries."

- Oreskes, N., Shrader-Frechette, K., and Belitz, K., 1994. "Verification, Validation, and Confirmation of Numerical Models in the Earth Sciences," *Science*, Vol. 263, pp. 641-646.
- Park, R. A., and Clough, J. S. 2004. "AQATOX (Release 2): Modeling Environmental Fate and Ecological Effects in Aquatic Ecosystems - Technical Documentation." Rep. No. Report EPA-823-R-4-002, US EPA.
- Ramaswami, A., Milford, J. B., and Small, M. J. 2005. "Integrated Environmental Modeling: Pollutant Transport, Fate, and Risk in the Environment." John Wiley & Sons. Hoboken, NJ.
- Sullivan, J., H. Langrehr, S. Giblin, M. Moore, and Y. Yin. 2009. "Submersed Aquatic Vegetation Targets for the Turbidity-Impaired Reach of the Upper Mississippi River Pool 2 to Upper Lake Pepin." April 2009.
- Thorp, J.H., and Mantovani, S., 2005. "Zooplankton of Turbid and Hydrologically Dynamic Prairie Rivers." *Freshwater Biology*, Vol. 50, pp. 1474-1491.
- U.S. Army Corps of Engineers (USACE). 2005. "Comparison of Tow-Induced Sediment Resuspension Field Data to NAVSED Model." ENV Report 49, Interim Report for the Upper Mississippi River - Illinois Waterway System Navigation Study. June.
- U.S. Geological Survey (USGS). 2005. "Physical, Chemical, and Biological Characteristics of Sturgeon Lake, Goodhue County, Minnesota, 2003-04." Rep. No. 2005-5182, United States Geological Survey.
- Wasley, D.M. and S. Heiskary. 2009. "Site Specific Eutrophication Criteria for Lake Pepin." Proceedings of the WEF 2009 TMDL Conference, Minneapolis, MN, August 9-12, 2009. (in publication)
- Wetzel, R. G., and Likens, G. E., eds., 1991. *Limnological Analyses*, Second Edition ed., Springer-Verlag. New York, NY.

**This page is blank to facilitate double sided printing.**