



# **Minnesota Pollution Control Agency**

**STATE OF MINNESOTA**

**Minnesota Pollution Control Agency**

**MUNICIPAL DIVISION**

**PUBLIC NOTICE OF INTENT TO REISSUE**

**STATE DISPOSAL SYSTEM (SDS) PERMIT MN0051144**

Public Comment Period Begins: December 11, 2012  
Public Comment Period Ends: January 10, 2013

Current Permit Issued: May 23, 2008  
Current Permit Expiration Date: April 30, 2013

**Name and Address of Permittee:**

Flamingo Terrace Mobile Home Park  
17100 Highway 65 NE  
Ham Lake, MN 55304

**Facility Name and Location:**

Flamingo Terrace Mobile Home Park  
Wastewater Treatment Facility  
17100 Highway 65 NE  
T32N, R23W, Section 8  
Ham Lake, Anoka County, Minnesota

**Description of Permitted Facility**

The Flamingo Terrace Mobile Home Park Wastewater Treatment Facility (Facility) is located in the NE 1/4 of SW 1/4 of Section 8, Township 32 North, Range 23 West, Ham Lake, Anoka County, Minnesota. Major components of the Facility include:

- 1 Pumping (Lift) Station
- 1 Bar Screen - manual
- 1 Activated Sludge Unit - extended aeration
- 1 Secondary Clarifier
- 1 Polishing Pond without aeration (4.3 acres)
- 3 Rapid Infiltration Basins (1 acres)
- 1 Rapid Infiltration Basin (0.75 acres) – For emergency use only
- 1 Storage Tank

The Facility serves the residents of Flamingo Terrace Mobile Home Park (Park) and the Park laundry mat and car wash. The gravity collection system for the Park was installed in two sections. In the 1960's, the first portion of the system was installed with clay pipes. During an expansion of the park in 1970, new lines were installed using PVC pipes. A jetter truck is on-site for collection system cleaning maintenance. The collection system gravity feeds to a lift station adjacent to the Facility where waste is then pumped up to the head of the treatment works.

The main component of the Facility is the activated sludge, extended aeration package plant. Wastewater is passed through a bar screen to remove large solids and then is added to the aerated contact tank. After contact time is completed water flows to a secondary clarifier where solids are settled out. Primary treated water is then sent to the 4.3 acre polishing pond. At design flow, water remains in the polishing pond for 120 days' time. After detention in the polishing pond, water is dosed to one of three rapid infiltration basins. Each basin is approximately 1 acre in size. Groundwater in the area is monitored using a ground water monitoring network of four wells which are positioned around the holding pond and infiltration systems. An additional infiltration basin, approximately 0.75 acres, is used only in emergency situations and is not a normal part of the treatment process.

The Facility is designed to treat 0.045 million gallons per day. This is a Class C Facility.

There are no designated bypasses or overflow points in the disposal system. This Facility does not discharge to surface water.

The location of the Facility is shown on the map on page 4.

#### **Preliminary Determination on the Draft Permit**

The Minnesota Pollution Control Agency (MPCA) Commissioner has made a preliminary determination to reissue this SDS permit for a term of approximately five years.

A draft permit is available for review at the MPCA office at the St. Paul address listed below and on-line at <http://www.pca.state.mn.us/index.php/about-mpca/mpca-news/public-notices/public-notices.html>.

A copy of the draft permit will be mailed to you if the MPCA receives your written or oral request at this office. If you have questions about this draft permit or the Commissioner's preliminary determination, please contact Shauna Bendt at 651-757-2282.

#### **Written Comments**

You may submit written comments on the conditions of the draft permit or on the Commissioner's preliminary determination.

Written comments must include the following:

1. A statement of your interest in the permit application or the draft permit.
2. A statement of the action you wish the MPCA to take, including specific references to sections of the draft permit that you believe should be changed.
3. The reasons supporting your position, stated with sufficient specificity as to allow the Commissioner to investigate the merits of your position.

#### **Petition for Public Informational Meeting**

You also may request that the MPCA Commissioner hold a public informational meeting. A public informational meeting is an informal meeting that the MPCA may hold to solicit public comment and statements on matters before the MPCA, and to help clarify and resolve issues.

A petition requesting a public informational meeting must include the following information:

1. A statement identifying the matter of concern.
2. The information required under items 1 through 3 of "Written Comments," identified above.
3. A statement of the reasons the MPCA should hold a public informational meeting.
4. The issues that you would like the MPCA to address at the public informational meeting.

### **Petition for Contested Case Hearing**

You also may submit a petition for a contested case hearing. A contested case hearing is a formal evidentiary hearing before an administrative law judge. In accordance with Minn. R. 7000.1900, the MPCA will grant a petition to hold a contested case hearing if it finds that: (1) there is a material issue of fact in dispute concerning the application or draft permit; (2) the MPCA has the jurisdiction to make a determination on the disputed material issue of fact; and (3) there is a reasonable basis underlying the disputed material issue of fact or facts such that the holding of the contested case hearing would allow the introduction of information that would aid the MPCA in resolving the disputed facts in making a final decision on the draft permit. A material issue of fact means a fact question, as distinguished from a policy question, whose resolution could have a direct bearing on a final MPCA decision.

A petition for a contested case hearing must include the following information:

1. A statement of reasons or proposed findings supporting the MPCA decision to hold a contested case hearing according to the criteria in Minn. R. 7000.1900, as discussed above.
2. A statement of the issues proposed to be addressed by a contested case hearing and the specific relief requested or resolution of the matter.

In addition and to the extent known, a petition for a contested case hearing should also include the following information:

1. A proposed list of prospective witnesses to be called, including experts, with a brief description of proposed testimony or summary of evidence to be presented at a contested case hearing.
2. A proposed list of publications, references, or studies to be introduced and relied upon at a contested case hearing.
3. An estimate of time required for you to present the matter at a contested case hearing.

### **MPCA Decision**

You may submit a petition to the Commissioner requesting that the MPCA Citizens' Board (Board) consider the permit issuance. To be considered timely, the petition must be received by the MPCA by 4:30 p.m. on the date the public comment period ends, identified on page 1 of this notice. Under the provisions of Minn. Stat. § 116.02, subd. 6(4), the decision whether to issue the permit and, if so, under what terms will be presented to the Board for decision if: (1) the Commissioner grants the petition requesting the matter be presented to the Board; (2) one or more Board members request to hear the matter before the time the Commissioner makes a final decision on the permit; or (3) a timely request for a contested case hearing is pending. You may participate in the activities of the Board as provided in Minn. R. 7000.0650.


The written comments, requests, and petitions submitted on or before the last day of the public comment period will be considered in the final decision on this permit. If the MPCA does not receive written comments, requests, or petitions during the public comment period, MPCA staff as authorized by the Board, will make the final decision on the draft permit.

Comments, petitions, and/or requests must be submitted in writing on or before the end date of the public comment period identified on page 1 of this notice to:

Shauna Bendt – 4<sup>th</sup> Floor  
Minnesota Pollution Control Agency  
520 Lafayette Road North  
St. Paul, MN 55155-4194

### **Topographic Map of Permitted Facility**

MN0051144: Flamingo Terrace Mobile Home Park WWTF  
T32N, R23W, Section 8  
Ham Lake, Anoka, Minnesota



Map produced by: MPCA Staff, 11/26/2012  
Source: USGS Coon Lake Beach Quad  
Scale: 1:12,000

0 0.1 0.2 0.4 Miles