



Minnesota Pollution Control Agency

STATE OF MINNESOTA

Minnesota Pollution Control Agency

**MUNICIPAL DIVISION
PUBLIC NOTICE OF INTENT TO REISSUE
NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)/
STATE DISPOSAL SYSTEM (SDS) PERMIT MN0050954**

Public Comment Period Begins: April 27, 2012
Public Comment Period Ends: May 29, 2012

Current Permit Issued: May 11, 2005
Current Permit Expiration Date: April 30, 2010

Name and Address of Permittee:

City of Albertville
P.O. Box 9
Albertville, Minnesota 55301-0009

Facility Name and Location:

Albertville Wastewater Treatment Facility
11728 - 63rd Street Northeast
T121N, R24W, Section 36,
Albertville, Wright County, Minnesota

Receiving Water: Mud Lake (Class 2B, 3C, 4A, 4B, 5, 6 Water)

Description of Permitted Facility

The Albertville Wastewater Treatment Facility (Facility) is located at SE¼ of Section 36, Township 121 North, Range 24 West, Albertville, Wright County, Minnesota. The existing treatment system consists of a main lift station, three static fine screens, three anaerobic/anoxic selector basins, two oxidation ditches, three final clarifiers, chemical addition for phosphorus removal and ultraviolet light disinfection. Biosolids treatment consists of two sludge dosing tanks and a reed bed system for disposal. Two 6-acre stabilization ponds remain after the Facility constructed the current mechanical system. The Facility utilizes one of these ponds as flow equalization when necessary. This is a Class B facility.

The Facility has a continuous discharge (SD002) to Mud Lake (Class 2B water). The Facility is designed to treat an average wet weather (AWW) flow of 0.9297 million gallons per day (mgd), an average dry weather flow of 0.9147 mgd with a five-day carbonaceous biochemical oxygen demand strength of 1,826 pounds per day (lbs/day), and a total suspended solids strength of 2,234 lbs/day. The Facility has one bypass point, which is capable of discharging partially treated water to Mud Lake. The bypass is locked and manually controlled.

In accordance with Minnesota Pollution Control Agency (MPCA) rules regarding nondegradation for all waters that are not Outstanding Resource Value Waters, nondegradation review is required for any new or expanded significant discharge (Minn. R. 7050.0185). A significant discharge is 1) a new discharge (not in existence before January 1, 1988) that is greater than 200,000 gallons per day (gpd) to any water other than a Class 7 water or 2) an expanded discharge that expands by greater than 200,000 gpd that discharges to any water other than a Class 7 water or 3) a new or expanded discharge containing any toxic pollutant at a mass loading rate likely to increase the concentration

of the toxicant in the receiving water by greater than one percent over the baseline quality. The flow rate used to determine significance is the design AWW flow. The January 1, 1988, design AWW flow for this Facility is 0.115 mgd. There was a nondegradation review completed in 2000 when the Facility submitted plans to construct a new system and expand to its current design flow.

This permit also complies with Minn. R. 7053.0275 regarding anti-backsliding. Any point source discharger of sewage, industrial, or other wastes for which a National Pollutant Discharge Elimination System (NPDES) Permit has been issued by the MPCA that contains effluent limits more stringent than those that would be established by parts Minn. R. 7053.0215 to Minn. R. 7053.0265 shall continue to meet the effluent limits established by the permit, unless the permittee establishes that less stringent effluent limits are allowable pursuant to federal law, under section 402(o) of the Clean Water Act, United States Code, title 33, section 1342.

The location of the Facility is shown on the map on page 5 of this public notice.

Preliminary Determination on the Draft Permit

The MPCA Commissioner has made a preliminary determination to reissue this NPDES / State Disposal System (SDS) Permit for a term of approximately five years.

A draft permit is available for review at the MPCA office at the Rochester address listed below, at the St. Paul office, and on-line at <http://www.pca.state.mn.us/index.php/about-mpca/mpca-news/public-notices/public-notices.html>.

A copy of the draft permit will be mailed to you if the MPCA receives your written or oral request at the Rochester office. If you have questions about this draft permit or the Commissioner's preliminary determination, please contact Nancy Heskett at 507-206-2605.

Written Comments

You may submit written comments on the conditions of the draft permit or on the Commissioner's preliminary determination.

Written comments must include the following:

1. A statement of your interest in the permit application or the draft permit.
2. A statement of the action you wish the MPCA to take, including specific references to sections of the draft permit that you believe should be changed.
3. The reasons supporting your position, stated with sufficient specificity as to allow the Commissioner to investigate the merits of your position.

Petition for Public Informational Meeting

You also may request that the MPCA Commissioner hold a public informational meeting. A public informational meeting is an informal meeting that the MPCA may hold to solicit public comment and statements on matters before the MPCA, and to help clarify and resolve issues.

A petition requesting a public informational meeting must include the following information:

1. A statement identifying the matter of concern.
2. The information required under items 1 through 3 of "Written Comments," identified above.
3. A statement of the reasons the MPCA should hold a public informational meeting.
4. The issues that you would like the MPCA to address at the public informational meeting.

Petition for Contested Case Hearing

You also may submit a petition for a contested case hearing. A contested case hearing is a formal evidentiary hearing before an administrative law judge. In accordance with Minn. R. 7000.1900, the MPCA will grant a petition to hold

a contested case hearing if it finds that: (1) there is a material issue of fact in dispute concerning the application or draft permit; (2) the MPCA has the jurisdiction to make a determination on the disputed material issue of fact; and (3) there is a reasonable basis underlying the disputed material issue of fact or facts such that the holding of the contested case hearing would allow the introduction of information that would aid the MPCA in resolving the disputed facts in making a final decision on the draft permit. A material issue of fact means a fact question, as distinguished from a policy question, whose resolution could have a direct bearing on a final MPCA decision.

A petition for a contested case hearing must include the following information:

1. A statement of reasons or proposed findings supporting the MPCA decision to hold a contested case hearing according to the criteria in Minn. R. 7000.1900, as discussed above.
2. A statement of the issues proposed to be addressed by a contested case hearing and the specific relief requested or resolution of the matter.

In addition and to the extent known, a petition for a contested case hearing should also include the following information:

1. A proposed list of prospective witnesses to be called, including experts, with a brief description of proposed testimony or summary of evidence to be presented at a contested case hearing.
2. A proposed list of publications, references, or studies to be introduced and relied upon at a contested case hearing.
3. An estimate of time required for you to present the matter at a contested case hearing.

MPCA Decision

You may submit a petition to the Commissioner requesting that the MPCA Citizens' Board (Board) consider the permit issuance. To be considered timely, the petition must be received by the MPCA by 4:30 p.m. on the date the public comment period ends, identified on page 1 of this notice. Under the provisions of Minn. Stat. § 116.02, subd. 6(4), the decision whether to issue the permit and, if so, under what terms will be presented to the Board for decision if: (1) the Commissioner grants the petition requesting the matter be presented to the Board; (2) one or more Board members request to hear the matter before the time the Commissioner makes a final decision on the permit; or (3) a timely request for a contested case hearing is pending. You may participate in the activities of the Board as provided in Minn. R. 7000.0650.


The written comments, requests, and petitions submitted on or before the last day of the public comment period will be considered in the final decision on this permit. If the MPCA does not receive written comments, requests, or petitions during the public comment period, the MPCA staff, as authorized by the Board, will make the final decision on the draft permit.

Comments, petitions, and/or requests must be submitted in writing on or before the end date of the public comment period identified on page 1 of this notice to:

Nancy Heskett
Municipal Division
18 Wood Lake Drive Southeast
Rochester, Minnesota 55904

Topographic Map of Permitted Facility

MN0050954, Albertville WWTP
T121N, R24W, Section 36
Albertville, Wright County, Minnesota



Map produced by: MPCA Staff, 4/28/2011
Source: USGS Big Lake & St Michael Quads
Scale: 1:24,000