

Enforcement case summary -- January-June 2021

Public date	Case type	Company or individual(s) (location)	Violation location	Violation(s)	Net penalty amt.
4/13/2021	STIP	Water Gremlin Company (White Bear Township, MN)	White Bear Township	Hazardous Waste, Industrial Stormwater - Water Gremlin agreed to pay a \$325,000 civil penalty and correct violations of state rules regarding management of hazardous wastes on the site.	\$325,000
4/19/2021	STIP	3M Company (Cottage Grove, MN)	Cottage Grove	Hazardous Waste - 3M failed to properly store hazardous waste containers in permitted hazardous waste storage areas. The investigation found one container of hydrofluoric acid, an extremely toxic chemical compound, releasing gases into the air. An additional 901 hazardous waste containers containing hydrofluoric acid, some with bulging barrel lids, were stored throughout the Cottage Grove facility. 3M failed to immediately notify the MPCA of an excessive and abnormal unpermitted emission that may cause air pollution that endangers human health.	\$80,000
6/7/2021	STIP	Kerry Biofunctional Ingredients Inc. (Rochester, MN)	Rochester	Industrial Wastewater - The company failed to properly characterize and sample industrial byproduct as part of its land application process, allowed two unauthorized industrial wastewater discharges to area wetlands, failed to properly monitor its stormwater, failed to obtain a stormwater permit for its warehouse, and reapplied for other required permits beyond deadlines.	\$28,170
1/21/2021	STIP	City of Hibbing (Hibbing, MN)	Hibbing	Air Quality - The violations stemmed from the boilers operating below the limits they were designed for. This causes inefficient combustion which results in excess pollution, which has been an ongoing problem with the coal-burning boilers. The agreement requires the facility to submit monthly reports to the MPCA on deviations from permitted emissions and to take steps to use more natural gas in the facility and reduce its dependence on coal.	\$26,947
5/18/2021	STIP	Lakehead Trucking Inc (Duluth, MN)	Duluth	Industrial Stormwater - MPCA inspections showed Lakehead was "daylighting" floor-drain waste — allowing it to flow into soils rather than into a proper disposal system. Used oil and other automotive fluids from vehicle washing and maintenance contaminated the soil around the building. The company failed to stop the discharges, and clean up the contamination. The company also improperly stored used oil and oil filters, and had begun sand and gravel mining operations at two sites without obtaining required industrial and construction stormwater permits.	\$23,000
3/26/2021	APO	Jordan Sands LLC (North Mankato, MN)	Mankato	Industrial Wastewater - MPCA staff inspections confirmed that the company failed to monitor numerous pollutant parameters, failed to verify the accuracy of meters designed to monitor flow and discharges, and failed to implement corrective actions to achieve limits on certain pollutants in its discharges. In addition, between 2014 and 2019, nearly 190 required discharge monitoring reports were either missing or submitted late.	\$20,000
2/9/2021	APO	Northstar Materials, Inc. dba Knife River Materials (Bemidji, MN)	Bemidji	Industrial Wastewater - An MPCA staff inspection confirmed that sediment-laden mine pit water had discharged into Judicial Ditch 64, and then into nearby Lower Badger Creek. For 18 days, the company discharged dredged mine pit water to surface water — which is not permitted — and then installed berms to stop the discharge. The company's discharges also exceeded permitted limits and caused nuisance conditions in surface waters. The company did not report the problems to the Minnesota State Duty Officer or the MPCA as required, and failed to recover the sediment that had left the site.	\$17,525
5/11/2021	STIP	Archer-Daniels-Midland Company (Red Wing, MN)	Red Wing	Air Quality - Violations included incorrectly reporting emissions in 2018, failing air quality performance tests in October and December 2019, having pressure drops that were out of range for air monitoring in 2019, and failing to meet pollution control equipment design requirements.	\$16,330
1/29/2021	STIP	Arnt Construction Company, Inc. (Hugo, MN); Washington County (Stillwater, MN)	Willernie	Construction Stormwater - The MPCA, partnering with Rice Creek Watershed District, determined that a vacuum truck had malfunctioned and discharged sediment and sediment-laden water into an adjacent wetland that feeds into Lost Lake. This incident was not reported to the State Duty Officer and MPCA as required, nor was it recovered and cleaned up within an acceptable timeframe. In addition, 21 storm drains at the site lacked the required protections to prevent sediment from washing into them.	\$12,000
3/25/2021	APO	Wm D Scepaniak Inc (Holdingford, MN)	Holdingford	Industrial Wastewater - An MPCA staff inspection at the facility confirmed that untreated, sediment-laden mine pit water had discharged into Judicial Ditch 64, and then into nearby Lower Badger Creek. The company did not report the discharge to the Minnesota State Duty Officer or the MPCA as required, failed to recover the sediment that had left the site, and had been operating without a required permit.	\$11,030
3/15/2021	APO	Brian Moehrke dba Blackhoof Valley Ranch LLC (Wrenshall, MN)	Wrenshall	Construction Stormwater - A construction project was started in 2019, that required MPCA stormwater permits, but they were not obtained prior to construction. The site, in Wrenshall, Minn., did not have proper stormwater runoff and sediment control practices installed, which resulted in pollution entering nearby designated trout streams.	\$9,966
4/12/2021	STIP	Mathy Construction Company (Onalaska, WI)	Rochester	Industrial Wastewater - The violations occurred at the company's limestone mining facility in Fillmore County. The company failed to properly manage stormwater runoff before it entered the Big Spring to Rice Creek, a nearby designated trout stream.	\$9,938
1/12/2021	APO	Alliance Building Corporation (Sauk Rapids, MN)	Gaylord	Construction Stormwater - The violations stemmed from a 2019-20, apartment construction project in Gaylord, Minn. MPCA inspections confirmed that the company failed to stabilize exposed soils, properly install required stormwater management practices, and minimize sediment runoff before it entered the city's stormwater sewer system.	\$9,348
4/15/2021	APO	Jordan Sands LLC (North Mankato, MN)	Mankato	Air Quality - MPCA inspections in July 2020, confirmed that the company failed to conduct required air emissions tests and internal inspections throughout the facility. They also consistently submitted required emission and inspection reports late for several years.	\$9,120
1/11/2021	STIP	American Crystal Sugar Company (Moorhead, MN)	Moorhead	Industrial Wastewater - A number of remote sugar beet piling sites were not properly cleaned or maintained after beet piles were moved, allowing untreated runoff to enter waters of the state. Violations occurred in 2013-2014, at the company's Alvarado, Warren, KT, Midway, Glyndon, Perley, and Felton piling sites.	\$9,000
4/29/2021	APO	Northshore Mining Company (Silver Bay, MN)	Silver Bay	Industrial Wastewater - A lack of proper maintenance and monitoring of a tailings basin (or holding pond) resulted in about 20,000 gallons of industrial wastewater to flow onto the ground. From a storage site that included coal, petroleum coke, flux, sage and iron ore stockpiles, precipitation and snowmelt runoff was allowed to enter Lake Superior, in violation of its permit.	\$8,938
3/26/2021	APO	Hibbing Taconite Co (Hibbing, MN)	Hibbing	Industrial Wastewater - While performing work at the company's Hibbing facility in the summer/fall of 2020, a third-party contractor allowed multiple discharges of tailings, sediment, and sediment-laden stormwater into area wetlands. This caused pollution throughout the wetlands, putting them and aquatic life at risk.	\$8,600
3/12/2021	APO	Magellan Midstream Partners, L.P. (Tulsa, OK)	Mankato	Aboveground Tanks - The company began construction on a new floor design for a large storage tank at its Mankato Terminal without first applying for, and receiving an MPCA permit modification to authorize the construction.	\$7,550
4/15/2021	APO	Olmsted County (Rochester, MN)	Byron	Construction Stormwater - Construction on a road project near Byron, Minn., was started before the county obtained required MPCA permits. Starting this work without a permit, and not having proper stormwater and sediment controls in place posed a pollution risk to an onsite creek. That creek drains to the South Branch, Middle Fork of the Zumbro River, which is an impaired water.	\$7,350
5/25/2021	APO	Stenger's Septic Pumping (Detroit Lakes, MN); Tyler M Stenger (Detroit Lakes, MN)	Detroit Lakes	Subsurface Sewage Treatment Systems - The company failed to properly monitor and treat domestic septage being pumped and transported prior to disposal.	\$7,200
1/22/2021	APO	CHS Hallock, LLC (Inver Grove Heights, MN)	Kennedy	Air Quality - During a three-day period in May 2020, the company's facility in Kennedy, Minn., was emitting small and very small particulate matter at levels exceeding permit limits by 55-75%.	\$7,185
2/25/2021	APO	US Steel Corp - Minntac (Mountain Iron, MN)	Mountain Iron	Industrial Wastewater - To prepare for a planned power outage at the company's Mt. Iron facility in October 2020, they failed to implement a contingency plan to properly pump, collect and store seepage from tailings basins. This resulted in wastewater discharging to the nearby Dark River, which altered the river's chemical integrity.	\$7,140
3/1/2021	APO	Hooper Creek Investments, LLC (Baudette, MN)	Baudette	Construction Stormwater - A Baudette area road construction project was started before the company obtained required MPCA permits. The work site also was lacking proper cover and storm drain inlet protection, and measures to adequately control sediment runoff to area wetlands were not installed.	\$7,125
3/19/2021	APO	Hood Packaging Corporation (Arden Hills, MN)	Arden Hills	Air Quality - The company had an instance in late 2019, where pollution control equipment was not operating and resulted in significant volatile organic compound emissions to the air, and they failed to keep proper air emissions records.	\$6,948

Public date	Case type	Company or individual(s) (location)	Violation location	Violation(s)	Net penalty amt.
5/6/2021	APO	American Crystal Sugar Company (Moorhead, MN)	Crookston	Industrial Wastewater - Several unauthorized releases of wastewater occurred between Nov. 2018-Sept. 2020, and the company failed to properly maintain equipment to ensure efficient operation.	\$6,839
4/15/2021	APO	Heartland Corn Products (Winthrop, MN)	Winthrop	Industrial Wastewater - The company failed to document or properly manage drain tiles from one of its stormwater ponds. This resulted in about 160,000 gallons of stormwater to discharge to the lands around the storage pond.	\$6,537
4/23/2021	APO	Neil Hansen (Truman, MN)	Truman	Feedlots - A discharge of liquid manure was allowed to flow from the facility and to a neighboring crop field, creating a risk of ground water contamination. This was not reported or cleaned up when it happened. Also, a liquid manure storage area was not monitored or properly maintained, which led to it overflowing.	\$6,100
5/13/2021	APO	Young Men's Christian Association of Austin (Austin, MN)	Austin	Industrial Wastewater - The facility discharged about 123,000 gallons of chlorine-contaminated swimming pool water to a City of Austin storm sewer that drains to the nearby Mill Pond/Cedar River. They are required to treat this water under authority of an MPCA industrial wastewater permit.	\$5,850
5/3/2021	APO	Wisconsin Central LTD (Homewood, IL)	Proctor	Industrial Wastewater	\$4,920
2/23/2021	APO	City of Baudette (Baudette, MN)	Baudette	Municipal Wastewater	\$4,661
4/9/2021	APO	Spectrum Metal Finishing, Inc. (Isle, MN)	Isle	Hazardous Waste	\$4,575
3/9/2021	APO	Red Lake Gaming Enterprises, Inc. (Thief River Falls, MN)	Thief River Falls	Municipal Wastewater	\$4,490
6/3/2021	APO	DeZURIK Inc (Sartell, MN)	Sartell	Air Quality	\$4,407
1/22/2021	APO	Alumacraft Boat Co. (Saint Peter, MN)	Saint Peter	Air Quality	\$4,070
4/23/2021	STIP	Gold Coast of Bemidji, LLC (Bemidji, MN)	Bemidji	Municipal Wastewater	\$4,000
5/7/2021	APO	Bondhus Corporation (Monticello, MN)	Monticello	Hazardous Waste, Industrial Stormwater	\$3,960
4/12/2021	APO	Sabri Properties LLC (Minneapolis, MN)	Minneapolis	Solid Waste	\$3,897
1/22/2021	APO	CHS Inc. (Inver Grove Heights, MN)	Fairmont	Air Quality	\$3,785
3/11/2021	APO	David Doehling (Arlington, MN); Paul Doehling (Arlington, MN)	Arlington	Feedlots	\$3,525
2/1/2021	APO	BASF Corporation (Florham Park, NJ)	Sabin	Air Quality	\$3,175
6/3/2021	APO	Cirrus Design Corp aka Cirrus Aircraft (Duluth, MN)	Duluth	Air Quality	\$3,161
6/1/2021	APO	Keith Schaefer (Paynesville, MN); Evergreen Acres Dairy LLC (Paynesville, MN)	Morgan	Feedlots - also spent \$6,112 on corrective actions	\$2,856
2/17/2021	APO	Denco II, LLC (Morris, MN)	Morris	Air Quality	\$2,760
5/13/2021	APO	M & M Contractors, LLC (Breckenridge, MN); Matthew J Miranowski (Breckenridge, ND)	Breckenridge	Subsurface Sewage Treatment Systems	\$2,646
6/1/2021	APO	Alliance Building Corporation (Sauk Rapids, MN)	Sauk Rapids	Construction Stormwater	\$2,595
3/30/2021	APO	Premier Real Estate Services, LLC (Saint Cloud, MN)	Sauk Rapids	Conststruction Stormwater	\$2,595
5/6/2021	APO	Dylan Tonce (Bemidji, MN)	Bemidji	Solid Waste	\$2,517
4/23/2021	APO	City of Grand Rapids (Grand Rapids, MN)	Grand Rapids	Municipal Wastewater	\$2,264
4/14/2021	APO	Hansen & Company Woodworks Inc. (Saint Joseph, MN)	Saint Joseph	Hazardous Waste	\$2,100
3/26/2021	APO	CHS Inc. (Savage, MN)	Mankato	Industrial Wastewater	\$1,800
4/6/2021	APO	Clinton Community Clinic, Inc. (Clinton, MN)	Clinton	Construction Stormwater	\$1,752
2/10/2021	APO	Palleton of Minnesota, Inc. (Omaha, NE)	Austin	Industrial Wastewater	\$1,700
1/6/2021	APO	Border Construction, LLC (Fargo, ND)	Detroit Lakes	Construction Stormwater	\$1,625
1/11/2021	APO	Eg & Co. Properties, LLC (Fargo, ND)	Detroit Lakes	Construction Stormwater	\$1,625
3/2/2021	APO	Julie A Lanners Revoc Trust (Royalton, MN)	Royalton	Solid Waste	\$1,600
5/25/2021	APO	Jacqueline Yavarrow (Farwell, MN)	Farwell	Hazardous Waste	\$1,533
4/19/2021	APO	Hollerman Family Dairy Inc. (Burtrum, MN)	Burtrum	Feedlots - also spent \$4,500 on corrective actions.	\$1,500
1/25/2021	APO	Manthei Complete Septic Service (Wabasha, MN)	Wabasha	Subsurface Sewage Treatment Systems	\$1,500
3/26/2021	APO	Runestone Electric Association (Alexandria, MN)	Alexandria	Hazardous Waste	\$1,478
4/6/2021	APO	Crestone Builders Inc. (Watertown, SD)	Clinton	Construction Stormwater	\$1,047
5/4/2021	APO	Alexander Sandy (Long Prairie, MN)	Long Prairie	Solid Waste	\$1,000
1/27/2021	APO	Nathan Tunpland (Frost, MN)	Elmore	Solid Waste	\$1,000
2/24/2021	APO	L & B Excavating, Inc. (Menahga, MN)	Menahga	Subsurface Sewage Treatment Systems	\$975
4/30/2021	APO	Essentia Health Graceville (Graceville, MN)	Graceville	Hazardous Waste	\$902
5/6/2021	APO	Barnett's Sewer Service LLC (Pillager, MN)	Pillager	Subsurface Sewage Treatment Systems	\$700
5/26/2021	APO	JMW Enterprises, Inc., doing business as JMW Surplus (Rushford, MN)	Rushford	Hazardous Waste	\$700
6/4/2021	APO	Environmental Well and Septic (Spicer, MN)	Spicer	Subsurface Sewage Treatment Systems	\$600
1/12/2021	APO	Leroy Starkson (Dodge Center, MN)	Dodge Center	Subsurface Sewage Treatment Systems	\$500
3/2/2021	APO	Gene Reiland (Spring Valley, MN); Gayle Reiland (Spring Valley, MN)	Spring Valley	Solid Waste	\$350
5/25/2021	APO	Dudziak LLC (Cedar, MN)	Cedar	Hazardous Waste	\$300
3/30/2021	APO	NPS Enterprises LLC (Nicollet, MN)	Nicollet	Hazardous Waste	\$300
6/10/2021	APO	Whitecap Mfg LLC (Shakopee, MN)	Shakopee	Hazardous Waste	\$300
1/11/2021	APO	Central Lakes Storage LLC (Carlos, MN)	Carlos	Construction Stormwater	\$0
6/24/2021	APO	City of Afton (Afton, MN)	Afton	Municipal Wastewater	\$0
2/24/2021	APO	Croix Capital Group, Inc. (Stillwater, MN)	Baytown Township	Municipal Wastewater	\$0
3/30/2021	APO	Dirtworks, Inc. (Isanti, MN)	Oak Grove	Construction Stormwater	\$0
6/17/2021	APO	Gary's Body Shop, LLC (Mankato, MN)	Mankato	Air Quality	\$0
6/25/2021	APO	Life Time, Inc. (Chanhassen, MN)	Chaska	Air Quality	\$0
6/4/2021	APO	M&J Construction -of Holt, Inc. (Newfolden, MN)	Newfolden	Air Quality	\$0
6/11/2021	APO	Par Piping & Fabrication, LLC (Granite Falls, MN)	Granite Falls	Air Quality	\$0
3/30/2021	APO	PBC Enterprises, LLC (Oak Grove, MN)	Oak Grove	Construction Stormwater	\$0
2/16/2021	APO	PSD, LLC (Ramsey, MN)	Zimmerman	Construction Stormwater	\$0
1/26/2021	APO	Rick Johnson Excavation & Construction Services, LLC (Perham, MN)	Perham	Construction Stormwater	\$0
2/16/2021	APO	Sauter & Sons, Inc. (Ramsey, MN)	Zimmerman	Construction Stormwater	\$0
1/14/2021	APO	Spring Prairie HB Inc. (Hawley, MN)	Hawley	Municipal Wastewater	\$0
1/26/2021	APO	Stony Hills Properties, LLC (Perham, MN)	Perham	Construction Stormwater	\$0
6/25/2021	APO	Structural Wood Corp (Vadnais Heights, MN)	Vadnais Heights	Air Quality	\$0
6/29/2021	APO	Terry Wade (Milaca, MN)	Milaca	Hazardous Waste	\$0
6/25/2021	APO	Twin Ports Collision Repair Inc (Duluth, MN)	Duluth	Air Quality	\$0
3/17/2021	APO	Wm Mueller & Sons, Inc. (Hamburg, MN)	Hamburg	Air Quality	\$0

Enforcement Case Summary -- July-December 2021

Public date	Case type	Company or individual(s) (location)	Violation location	Violation(s)	Net penalty amt.
8/13/2021	STIP	Al-Corn Clean Fuel (Claremont, MN)	Claremont	Air Quality - The company had uncontrolled emissions of volatile organic compounds (VOCs), particulate matter, and nitrogen oxide emissions in 2018-19. These uncontrolled emissions exceeded Al-Corn's permit limits by 35-75%.	\$199,000
12/7/2021	STIP	Ardent Mills, LLC (Hastings, MN)	Hastings	Air Quality - The company failed to submit required notifications prior to dismantling and removing air emissions equipment, and starting construction projects to startup new equipment at its flour mill in Hastings. Also failed to conduct required inspections on more than 300 occasions.	\$33,311
7/14/2021	STIP	Hawkins, Inc. (Roseville, MN)	Saint Paul	Aboveground Tanks - The company failed to operate truck and railcar transfer areas with adequate containment to prevent potential spills to soils and to stormwater drains leading to the Mississippi River, install overflow prevention alarms on certain tanks and conduct alarm testing on other tanks, submit required change of status forms when removing and installing tanks, and	\$32,540
10/14/2021	STIP	Five Star Dairy LLC (Arlington, MN)	Arlington	Feedlots - Violations included failure to operate and maintain liquid manure storage areas and the feedpad in accordance with permit requirements, failure to repair damage to a feed storage area within 60 days of discovering the damage, and storing manure on the feedpad without prior approval, and allowing a discharge of processed wastewater from the feed storage area into	\$27,700
8/23/2021	STIP	Crenlo Cab Products, LLC (Rochester, MN)	Rochester	Air Quality and Hazardous Waste - Violations included failing to keep an updated emergency contingency plan and providing hazardous waste training for staff, failing to maintain an updated list of emission and emission control equipment, missing several reporting deadlines, and failing to update an	\$22,675
7/8/2021	APO	Joe Varner (Motley, MN)	Pillager	Feedlots -The feedlot owner allowed discharges from unpermitted lots, and manure and feed stockpiles within the shoreland of nearby 7 Mile Creek, and failed to notify the MPCA of the discharges and allowed them to continue throughout the spring thaw of 2020.	\$20,197
9/17/2021	APO	DENCO II, LLC (Morris, MN)	Morris	Industrial Wastewater - Violations included exceeding permitted pollutants in industrial wastewater and stormwater discharges, failing to prevent corn byproduct from getting into stormwater discharge, failing to take action that could prevent excess pollutants in its stormwater discharges, and failing to record additives used in its wastewater streams that must be approved for	\$18,634
8/23/2021	STIP	Boise White Paper, LLC (Boise, ID)	International Falls	Industrial Wastewater - The company discharged approximately 1.4 million gallons of untreated wastewater to the Rainy River as a result of power outages in October 2020 and May 2021. The company also discharged floating solids and visible pink foam to the Rainy River in March 2021. The foaming was caused by insufficient defoaming agent being added to effluent during production of colored paper. The release was not immediately	\$16,965
10/26/2021	APO	Carver County (Cologne, MN)	Chaska	Construction Stormwater - This project failed to adequately use sediment control measures during summer 2021 construction at the Trunk Highway 5 Regional Trail. The violations occurred within the Minnesota Landscape Arboretum near Chaska. Sediment-laden stormwater flowed into a wetland due to a lack of sediment control measures on thousands of square feet of	\$16,892
10/26/2021	APO	Veit Companies, LLC (Rogers, MN)	Chaska	Construction Stormwater - This project failed to adequately use sediment control measures during summer 2021 construction at the Trunk Highway 5 Regional Trail. The violations occurred within the Minnesota Landscape Arboretum near Chaska. Sediment-laden stormwater flowed into a wetland due to a lack of sediment control measures on thousands of square feet of	\$16,292
9/14/2021	STIP	Holst Township (Clearbrook, MN); Triple D Construction and Leasing, Inc. (Plummer, MN)	Clearbrook	Construction Stormwater - The parties completed a road project in July 2020, without obtaining required construction stormwater permits which require stormwater controls to keep rain and snow melt from carrying sediment and other pollutants off of construction sites and into nearby lakes, streams, and wetlands. The project covered about a 10 block stretch of a Holst Township	\$15,000
12/28/2021	STIP	Arnold Gruenes (Richmond, MN)	Perham	Feedlots - A discharge of silage leachate from the facility's feed storage area flowed into an adjacent wetland, creating a risk of surface and ground water contamination. In addition, a liquid manure storage area, a feed storage area, and sand separation areas were not built in accordance with the approved permit plans and specifications.	\$14,700
9/14/2021	APO	City of Hermantown (Hermantown, MN)	Hermantown	Construction Stormwater - The party failed to provide appropriate storm drain inlet protection, maintain permiter sediment controls to prevent sediment from leaving the site, and stabilize exposed soils during a	\$10,530
9/28/2021	APO	Inspectron, Inc. (Rosemount, MN)	Rosemount	Subsurface Sewage Treatment Systems - The company conducted inspections for a period of 6 years without a license issued by the agency, general liability insurance, and a surety bond. The company's designated certified individual also had a lapsed certification during this period.	\$9,695
9/14/2021	APO	Utility Systems of America, Inc. (Eveleth, MN)	Hermantown	Construction Stormwater - The party failed to provide appropriate storm drain inlet protection, maintain permiter sediment controls to prevent sediment from leaving the site, and stabilize exposed soils during a	\$9,180
7/8/2021	APO	Jason Shea (Eyota, MN); Tom Shea (Eyota, MN)	Eyota	Feedlots - Violations included failure to properly operate and maintain runoff control measures for a silage pad and feed storage area, which resulted in process wastewaters to discharge to the nearby North Fork Whitewater River.	\$8,675
9/23/2021	APO	Castaway's (Aitkin, MN)	Isle	Solid Waste - The owners failed to conduct asbestos surveys prior to the demolition and burning of four mobile homes and two fish houses, and did not have required permits for the demolitions.	\$7,800
11/1/2021	APO	New Look Contracting, Inc. (Rogers, MN)	Rogers	Industrial Wastewater - The company performed dewatering activities without a permit at a sand and gravel mining site near Hinkley, causing nuisance conditions in the nearby Grindstone River.	\$7,575
9/7/2021	STIP	Petro Pumper, Inc. (Thief River Falls, MN)	Thief River Falls	Industrial Wastewater - This gas station in Thief River Falls allowed car wash wastewater to discharge to a ditch that eventually flows to the Red Lake	\$7,000

12/15/2021	STIP	Equity Lifestyle Properties, Inc. (Tampa, FL), dba Cimarron Park WWTF	Lake Elmo	Municipal Wastewater - The company land applied biosolids from its wastewater treatment facility 92 different times on land not approved by the MPCA for such applications, and had an unauthorized release of wastewater	\$6,860
8/18/2021	APO	Monte Niemi, dba First State Tire Disposal, Inc. (Isanti, MN)	Isanti	Solid Waste - The company stored about 20,000 cubic yards of tire-derived aggregate without a required waste tire facility permit.	\$6,300
11/10/2021	APO	Alan Nelson (Rice Lake Township, MN)	Rice Lake Township	Construction Stormwater - The individual began a construction project, greater than one acre in size, without required construction stormwater permits. Proper sediment and runoff controls were also not installed before	\$5,775
12/1/2021	APO	Circle E Farms (Ulen, MN)	Twin Valley	Solid Waste - The company demolished, burned and buried a house without first removing prohibited materials, and failed to collect and transport solid waste material to a facility authorized to accept waste.	\$5,610
12/7/2021	APO	Alliance Building Corp. (Sauk Rapids, MN)	Isanti	Construction Stormwater - The company failed to properly control sediment runoff, install silt fencing, stabilize exposed soils, and conduct required site inspections at a construction site near Gaylord.	\$5,529
7/7/2021	APO	Brainerd Industrial Center (Brainerd, MN)	Brainerd	Industrial Stormwater	\$4,888
8/2/2021	STIP	City of Wykoff (Wykoff, MN)	Wykoff	Municipal Wastewater	\$4,865
10/20/2021	APO	Keith Sexter dba Sexter's Excavating & Trucking (Owatonna, MN)	Owatonna	Solid Waste	\$4,700
9/15/2021	APO	Minnesota Parks, LLC (Media, PA)	Salol	Municipal Wastewater	\$4,405
8/18/2021	APO	Donald Kloss (Royalton, MN); Kathryn Kloss (Royalton, MN)	Royalton	Solid Waste	\$4,300
10/22/2021	APO	Ryder Truck Rental, Inc. (Miami, FL)	Perham	Hazardous Waste	\$4,139
8/4/2021	APO	Chart, Inc. (New Prague, MN)	New Prague	Hazardous Waste	\$3,795
10/13/2021	STIP	Darrel Frauendienst dba Gaylord Sanitation Roll Off (Gaylord, MN)	Gaylord	Solid Waste	\$3,600
8/3/2021	APO	Michael Clark dba Clark Farm, LLC (Floodwood, MN)	Floodwood	Solid Waste	\$3,500
11/17/2021	STIP	City of Lewiston (Lewiston, MN)	Lewiston	Municipal Wastewater	\$3,290
10/1/2021	APO	Mayo Clinic (Rochester, MN)	Rochester	Industrial Wastewater	\$3,140
8/25/2021	APO	Elk River Machine Company (Elk River, MN)	Elk River	Hazardous Waste	\$3,000
8/6/2021	APO	Manthei Complete Septic Service (Wabasha, MN)	Wabasha	Subsurface Sewage Treatment Systems	\$2,875
9/2/2021	APO	Side Lake Septic Service (Side Lake, MN)	Side Lake	Subsurface Sewage Treatment Systems	\$2,705
9/8/2021	APO	Jeff Flinn Jr dba Flinn's Auto Parts (Montevideo, MN)	Montevideo	Industrial Stormwater	\$2,647
12/27/2021	APO	Loftness Specialized Farm Equipment, Inc. (Hector, MN)	Hector	Hazardous Waste	\$2,610
7/28/2021	APO	Alliance Building Corp. (Sauk Rapids, MN)	Sauk Rapids	Construction Stormwater	\$2,595
7/28/2021	APO	Premier Real Estate Services, LLC (Saint Cloud, MN)	Sauk Rapids	Construction Stormwater	\$2,595
12/16/2021	APO	City of Isanti (Isanti, MN)	Isanti	Construction Stormwater	\$2,491
10/6/2021	APO	Cambridge-Isanti Independent School District 911 (Cambridge, MN)	Cambridge	Municipal Wastewater	\$2,415
9/14/2021	APO	GAF Materials Corporation (Minneapolis, MN)	Minneapolis	Air Quality	\$2,350
12/20/2021	APO	City of Little Falls (Little Falls, MN)	Little Falls	Mun Wastewater	\$2,310
7/12/2021	APO	Hohlen Excavating & Sewer (Bock, MN)	Bock	Subsurface Sewage Treatment Systems	\$2,060
8/13/2021	APO	Stout Hydroseeding & Soil Stabilization, LLC (Brainerd, MN)	Nisswa	Construction Stormwater	\$2,025
9/14/2021	STIP	Central Livestock Association, Inc. (Albany, MN)	Albany	Feedlots	\$2,000
9/21/2021	APO	HealthEast St. Joseph's Hospital (Saint Paul, MN)	Saint Paul	Air Quality	\$1,950
12/7/2021	APO	Life Time, Inc. (Chanhassen, MN)	Lakeville	Air Quality	\$1,950
7/12/2021	APO	Scott's Helicopter Services, Inc. (Le Sueur, MN)	Le Sueur	Hazardous Waste	\$1,507
7/28/2021	APO	City of Goodhue (Goodhue, MN)	Goodhue	Municipal Wastewater	\$1,500
12/1/2021	APO	City of Brainerd (Brainerd, MN)	Baxter	Municipal Wastewater	\$1,485
11/24/2021	APO	Ryan Contracting Company (Elko New Market, MN)	Elko New Market	Construction Stormwater	\$1,435
10/6/2021	APO	M&J Construction of Holt, Inc. dba M&J Construction Co. (Newfolden, MN)	Newfolden	Air Quality	\$1,350
8/11/2021	APO	Hawkins, Inc. (Minneapolis, MN)	Minneapolis	Hazardous Waste	\$1,350
11/1/2021	APO	Bongards' Creameries (Perham, MN)	Perham	Ind Wastewater	\$1,308
12/13/2021	APO	D. Schlomka Inc. (Hinckley, MN)	Hinckley	Subsurface Sewage Treatment Systems	\$1,100
8/17/2021	APO	Diane Larson (Litchfield, MN); Gordan Larson (Litchfield, MN)	Litchfield	Solid Waste	\$1,060
11/24/2021	APO	City of Elko New Market (Elko New Market, MN)	Elko New Market	Construction Stormwater	\$1,025
9/3/2021	APO	Roger Cole (Waseca, MN)	Waseca	Subsurface Sewage Treatment Systems	\$1,012
8/10/2021	APO	Robert Belshan (Myrtle, MN)	Myrtle	Subsurface Sewage Treatment Systems	\$1,002
11/16/2021	APO	J&C Swine, LLC (Renville, MN)	Renville	Feedlots	\$1,000
11/1/2021	APO	James Hebrink (Renville, MN)	Danube	Feedlots	\$1,000
11/1/2021	APO	James Hebrink (Renville, MN)	Renville	Feedlots	\$1,000
11/16/2021	APO	Joe Fox (Janesville, MN)	Janesville	Feedlots	\$1,000
11/16/2021	APO	Keith Greier (Lewisville, MN)	Lewisville	Feedlots	\$1,000
11/1/2021	APO	Korfe Hog Farm (Clarissa, MN)	Clarissa	Feedlots	\$1,000
11/16/2021	APO	Lyle Blom (Pipestone, MN)	Pipestone	Feedlots	\$1,000
11/16/2021	APO	Nicholas Hanson (Kenyon, MN)	Kenyon	Feedlots	\$1,000
7/12/2021	APO	Gold Star Manufacturing, LLC (Faribault, MN)	Faribault	Hazardous Waste	\$902
7/26/2021	APO	City of Bellingham (Bellingham, MN)	Bellingham	Municipal Wastewater	\$675
8/2/2021	APO	City of Hanska (Hanska, MN)	Hanska	Municipal Wastewater	\$600
12/16/2021	APO	Leland Johnson (Blue Earth, MN)	Blue Earth	Subsurface Sewage Treatment Systems	\$500
11/29/2021	APO	Jes Equipment, LLC	Hawley	Construction Stormwater	\$450
7/14/2021	APO	Meyer Sewer Service, Inc. (Afton, MN)	Afton	Municipal Wastewater	\$420
9/29/2021	APO	Duininck, Inc. (Prinsburg, MN)	Prinsburg	Air Quality	\$0
7/7/2021	APO	Bursch Brothers, Inc. (Hanover, MN)	Hanover	Air Quality	\$0
7/14/2021	APO	Element Fleet Corporation (Eden Prairie, MN)	Eden Prairie	Air Quality	\$0

7/14/2021	APO	Elk River Machine Company (Elk River, MN)	Elk River	Air Quality	\$0
7/7/2021	APO	Fame Hot Rods (Minneapolis, MN)	Minneapolis	Air Quality	\$0
7/21/2021	APO	Finishing Touch Industries, Inc. (Wyoming, MN)	Wyoming	Air Quality	\$0
7/7/2021	APO	Hibbing Public Utilities Commission (Hibbing, MN)	Hibbing	Air Quality	\$0
7/14/2021	APO	Lupient Chevrolet, Inc. (Golden Valley, MN)	Bloomington	Air Quality	\$0
7/7/2021	APO	Plainview Milk Products Coop (Plainview, MN)	Plainview	Air Quality	\$0
7/7/2021	APO	Regency Midwest Ventures Limited Partnership dba Arrowwood Resort and Conference Center (Alexandria, MN)	Alexandria	Air Quality	\$0
7/14/2021	APO	S&S Automotive Service Corporation dba Quality Collision Center & Sandblasting (Inver Grove Heights, MN)	Inver Grove Heights	Air Quality	\$0
7/14/2021	APO	Sleep Number Corporation (Minneapolis, MN)	Minneapolis	Air Quality	\$0
7/21/2021	APO	Stern Companies, Inc. (Maple Plain, MN)	Maple Plain	Air Quality	\$0
7/8/2021	APO	Stillwater Collision, Inc. (Stillwater, MN)	Stillwater	Air Quality	\$0
7/28/2021	APO	The Acme Foundry Company (Minneapolis, MN)	Minneapolis	Air Quality	\$0
7/8/2021	APO	Wayne's Auto Body, Inc. (North Mankato, MN)	North Mankato	Air Quality	\$0
9/2/2021	APO	Alicia Holmquist (Long Prairie, MN); Brandon Holmquist (Long Prairie, MN)	Long Prairie	Feedlots	\$0
9/7/2021	APO	City of Thief River Falls (Thief River Falls, MN)	Thief River Falls	Municipal Wastewater	\$0
10/7/2021	APO	Marisa Lemke (Bemidji, MN)	Bemidji	Solid Waste	\$0