

Bald Eagle Lake Fish PFC analysis												
Species & Sample ID	Sample Date	Tissue	Wt (g)	Ln (cm)	Age/sex (yrs)	PFOS (ng/g (ppb))	PFOA (ng/g (ppb))	PFBA (ng/g (ppb))	PFOSA (ng/g (ppb))	PFDA (ng/g (ppb))	PFUnA (ng/g (ppb))	PFDoA (ng/g (ppb))
<i>Bluegill</i>												
BG-1	5/2/07	Fillet	22	9.5	2/J	<4.98	<2.49	<2.49*	<2.49	<2.49	<2.49	<2.49
BG-4	5/2/07	Fillet	11	8	1/J	<4.39	<2.19	<2.19*	<2.19	<2.19	<2.19	<2.19
BG-5	5/2/07	Fillet	25	11	2/M	<4.93	<2.46	<2.46*	<2.46	<2.46	<2.46	<2.46
BG-6	5/2/07	Fillet	79	15.5	5/M	<4.76	<2.38	<2.38*	<2.38	<2.38	<2.38	<2.38
BG-9	5/2/07	Fillet	88	16	5/M	<4.61	<2.30	<2.30*	<2.30	<2.30	<2.30	<2.30
BG-comp	5/2/07	Fillet				<4.78	<2.39	<2.39	<2.39	<2.39	<2.39	<2.39
<i>Black Crappie</i>												
BLC-1	5/2/07	Fillet	95	17.5	4/F	10.5	<2.50	<2.50*	<2.50	<2.50	<2.50	<2.50
BLC-2	5/2/07	Fillet	98	17	4/F	7.24	<2.39	<2.39*	<2.39	<2.39	<2.39	<2.39
BLC-3	5/2/07	Fillet	236	24	7/F	7.89	<2.35	<2.35	<2.35	<2.35	<2.35	<2.35
BLC-4	5/2/07	Fillet	104	19	5/J	4.69	<2.30	<2.30	<2.30	<2.30	<2.30	<2.30
BLC-5	5/2/07	Fillet	97	18	5/F	7.54	<2.58	<2.58	<2.58	<2.58	<2.58	<2.58
<i>Largemouth Bass</i>												
LMB-1	5/2/07	Fillet	992	38	7/F	<5.00	<2.50	<2.50*	<2.50	<2.50	<2.50	<2.50
LMB-2	5/2/07	Fillet	684	34	6/F	<4.69	<2.35	<2.35*	<2.35	<2.35	<2.35	<2.35
LMB-3	5/2/07	Fillet	764	34	6/F	6.18	<2.35	<2.35*	<2.35	<2.35	<2.35	<2.35
LMB-4	5/2/07	Fillet	452	31	5/F	<4.81	<2.40	<2.40*	<2.40	<2.40	<2.40	<2.40
LMB-5	5/2/07	Fillet	560	31.5	5/M	<5.03	<2.51	<2.51*	<2.51	<2.51	<2.51	<2.51

Como Lake Fish PFC analysis												
Species & Sample ID	Sample Date	Tissue	Wt (g)	Ln (cm)	Age/sex (yrs)	PFOS (ng/g (ppb))	PFOA (ng/g (ppb))	PFBA (ng/g (ppb))	PFOSA (ng/g (ppb))	PFDA (ng/g (ppb))	PFUnA (ng/g (ppb))	PFDoA (ng/g (ppb))
<i>Bluegill</i>												
BG-3	5/1/07	Fillet	31	11	2/F	39#	<2.34	<2.34*	3.54	3.71	4.66	5.99
BG-4	5/1/07	Fillet	29	11	2/J	32.6#	<2.50	<2.50*	3.8	3.88	3.84	5.21
BG-6	5/1/07	Fillet	99	16	5/M	34.2	<2.50	<2.50*	4.2	<2.50	<2.50	4.03
BG-8	5/1/07	Fillet	61	14.5	4/M	20.6	<2.43	<2.43*	2.84	<2.43	2.75	3.72
BG-10	5/1/07	Fillet	93	16	5/F	23.1	<2.49	<2.49*	<2.49	<2.49	2.65	3.08
BG-comp	5/1/07	Fillet				28.1	<2.49	<2.49	2.98	<2.49	<2.49	4.45
<i>Black Crappie</i>												
BLC-1	5/1/07	Fillet	141	17	4/M	59.7	<2.42	<2.42*	3.09	10.6	6.52	7.93
BLC-2	5/1/07	Fillet	69	16	4/M	44.9	<2.53	<2.53*	<2.53	6.69	3.16	6.07
BLC-3	5/1/07	Fillet	408	28	8/F	104	<2.36	<2.36*	3.14	15.2	9.09	10.5
BLC-4	5/1/07	Fillet	158	20.5	5/M	57.6	<2.30	<2.30*	<2.30	10.6	5.96	6.95
BLC-5	5/1/07	Fillet	817	32	10/F	63.4	<2.50	<2.50*	<2.50	10.3	4.97	5.88
<i>Largemouth Bass</i>												
LMB-1	5/1/07	Fillet	867	37	7/F	29.5	<2.40	<2.40*	2.42	4.04	4.35	6.68
<i>Northern Pike</i>												
NOP-1	5/1/07	Fillet	2129	66	5/M	54.4	<2.48	<2.48*	20	7.7	3.93	5.08
NOP-1(dup)	5/1/07	Fillet				45.2	<2.36	<2.36*	18.6	7.69	5.03	6.22
NOP-2	5/1/07	Fillet	838	49	4/M	34.6	<2.45	<2.45*	15.8	5.92	4.83	8.47
NOP-3	5/1/07	Fillet	858	48	4/M	44.7	<2.48	<2.48*	15.6	5.5	5.12	6.45
NOP-4	5/1/07	Fillet	746	49	4/M	47.3	<2.43	<2.43*	19.1	7.51	5.23	7.42

Demontreville Lake Fish PFC analysis												
Species & Sample ID	Sample Date	Tissue	Wt (g)	Ln (cm)	Age/sex (yrs)	PFOS (ng/g (ppb))	PFOA (ng/g (ppb))	PFBA (ng/g (ppb))	PFOSA (ng/g (ppb))	PFDA (ng/g (ppb))	PFUnA (ng/g (ppb))	PFDoA (ng/g (ppb))
<i>Bluegill</i>												
BG-1	4/30/07	Fillet	26	11	2/F	27.1#	<2.49	<2.49*	<2.49	3.04	<2.49	<2.49
BG-5	4/30/07	Fillet	20	11	2/F	35.3#	<2.42	<2.42*	<2.98	<2.42	<2.42	<2.42
BG-6	4/30/07	Fillet	75	14	4/M	<5.00	<2.50	<2.50*	<2.50	<2.50	<2.50	<2.50
BG-8	4/30/07	Fillet	137	17.5	6/M	11.9	<2.42	<2.42*	<2.42	<2.42	<2.42	<2.42
BG-10	4/30/07	Fillet	134	18.5	7/M	<5.00	<2.50	<2.50*	<2.50	<2.50	<2.50	<2.50
BG-comp	4/30/07	Fillet				8.46	<2.42	<2.42	<2.42	<2.42	<2.42	<2.42
<i>Largemouth Bass</i>												
LMB-1	4/30/07	Fillet	686	33	5/M	41.8	<2.42	<2.42*	<2.42	<2.42	<2.42	<2.42
LMB-2	4/30/07	Fillet	1012	39	7/F	32.9	<2.50	<2.5*	<2.50	<2.50	<2.50	<2.50
LMB-2(dup)	4/30/07	Fillet				25.8	<2.43	<2.43*	<2.43	<2.43	<2.43	<2.43
LMB-3	4/30/07	Fillet	612	33	5/F	27	<2.40	<2.40*	<2.40	<2.40	<2.40	<2.40
LMB-4	4/30/07	Fillet	1023	39	7/M	44.9	<2.48	<2.48*	<2.48	<2.48	<2.48	<2.48
LMB-5	4/30/07	Fillet	877	37.5	7/M	84.4	<2.30	<2.30*	<2.30	<2.30	2.88	<2.30

Elmo Lake Fish PFC analysis												
Species & Sample ID	Sample Date	Tissue	Wt (g)	Ln (cm)	Age/sex (yrs)	PFOS (ng/g (ppb))	PFOA (ng/g (ppb))	PFBA (ng/g (ppb))	PFOSA (ng/g (ppb))	PFDA (ng/g (ppb))	PFUnA (ng/g (ppb))	PFDoA (ng/g (ppb))
<i>Bluegill</i>												
BG-2	5/2/07	Fillet	16	10	2/J	291#	<2.48	<2.48*	<2.48	<2.48	<2.48	<2.48
BG-4	5/2/07	Fillet	19	10	2/M	217#	<2.49	<2.49*	<2.49	<2.49	<2.49	<2.49
BG-8	5/2/07	Fillet	42	13	3/J	149	<2.48	<2.48	<2.48	<2.48	<2.48	<2.48
BG-9	5/2/07	Fillet	30	12.5	3/J	233	20.1	<4.24	<4.24	<4.24	<4.24	<4.24
BG-10	5/2/07	Fillet	35	13	3/F	345	<3.11	<3.11	<3.11	<3.11	<3.11	<3.11
BG-comp	5/2/07	Fillet				302	<2.43	<2.43	<2.43	<2.43	<2.43	<2.43
<i>Black Crappie</i>												
BLC-1	5/2/07	Fillet	228	24	7/F	374	<2.36	<2.36	<2.36	3.13	<2.36	<2.36
BLC-2	5/2/07	Fillet	369	28	8/F	574	<2.42	<2.42	<2.42	6.38	<2.42	<2.42
BLC-3	5/2/07	Fillet	292	25.5	7/F	550	<2.34	<2.34	<2.34	3.42	<2.34	<2.34
BLC-4	5/2/07	Fillet	209	22	6/F	534	<2.63	<2.36	<2.36	3.82	<2.36	<2.36
BLC-5	5/2/07	Fillet	189	23	6/F	443	<2.56	<2.56	<2.56	3.14	<2.56	<2.56
<i>Largemouth Bass</i>												
LMB-1	5/2/07	Fillet	470	31	5/M	643	<2.54	<2.54	<2.54	4.44	<2.54	<2.54
LMB-2	5/2/07	Fillet	672	35	6/F	431	<2.43	<2.43*	<2.43	<2.43	<2.43	<2.43
LMB-3	5/2/07	Fillet	894	37	7/F	653	<2.50	<2.50*	<2.50	3.94	<2.50	<2.50
LMB-3(dup)	5/2/07	Fillet				660	<2.51	<2.51*	<2.51	4.06	<2.51	<2.51
LMB-4	5/2/07	Fillet	1062	39	7/F	711	<2.40	<2.40*	<2.40	4.32	<2.40	<2.40
LMB-5	5/2/07	Fillet	698	33	5/M	281	<2.55	<2.55	<2.55	<2.55	<2.55	<2.55

Gervais Lake Fish PFC analysis												
Species & Sample ID	Sample Date	Tissue	Wt (g)	Ln (cm)	Age/sex (yrs)	PFOS (ng/g (ppb))	PFOA (ng/g (ppb))	PFBA (ng/g (ppb))	PFOSA (ng/g (ppb))	PFDA (ng/g (ppb))	PFUnA (ng/g (ppb))	PFDaA (ng/g (ppb))
<i>Bluegill</i>												
BG-2	5/1/07	Fillet	6	7.5	1/J	175#	<2.69	<2.69*	<2.69	5.73	2.7	<2.69
BG-5	5/1/07	Fillet	6	7	1/J	107#	<3.50	<3.50*	<3.50	5.43	3.57	<3.50
BG-7	5/1/07	Fillet	75	16	5/F	148	<2.31	<2.31	<2.31	6.44#	<2.31	<2.31
BG-9	5/1/07	Fillet	90	17	6/F	90.5	<2.46	<2.46	<2.46	2.57#	<2.46	<2.46
BG-10	5/1/07	Fillet	68	15	4/F	39.9	<2.30	<2.30	<2.30	<2.30	<2.30	<2.30
BG-comp	5/1/07	Fillet				100	<2.45	<2.45	<7.35	3.8	<2.45	<2.45
<i>Black Crappie</i>												
BLC-1	5/1/07	Fillet	171	23	6/F	132	<2.36	<2.36	<2.36	4.33	<2.36	<2.36
BLC-2	5/1/07	Fillet	86	16	4/M	166	<2.31	<2.31*	<2.31	9.5	3.37	<2.31
BLC-3	5/1/07	Fillet	122	19	5/M	206	<2.35	<2.35	<2.35	11.4	4.08	2.78
BLC-4	5/1/07	Fillet	180	22	6/M	170	<2.29	<2.29*	<2.29	10.9	5.09	8.41
BLC-5	5/1/07	Fillet	65	16	4/F	112	<2.38	<2.38*	<2.38	4.65	<2.38	<2.38
<i>Largemouth Bass</i>												
LMB-1	5/1/07	Fillet	2268	47	11/F	159	<2.49	<2.49*	<2.49	6.23	2.97	<2.49
LMB-2	5/1/07	Fillet	488	31	5/M	153	<2.31	<2.31	<2.31	6.24	3.95	<2.31
LMB-3	5/1/07	Fillet	385	29	4/M	227	<2.36	<2.36*	<2.36	10.7	5.79	2.38
LMB-4	5/1/07	Fillet	661	33	5/M	221	<2.13	<2.13	<2.13	8.67	6.23	5.87
LMB-5	5/1/07	Fillet	311	28	4/F	158	<2.19	<2.19	<2.19	7.42	3.85	<2.19

Olson Lake Fish PFC analysis												
Species & Sample ID	Sample Date	Tissue	Wt (g)	Ln (cm)	Age/sex (yrs)	PFOS (ng/g (ppb))	PFOA (ng/g (ppb))	PFBA (ng/g (ppb))	PFOSA (ng/g (ppb))	PFDA (ng/g (ppb))	PFUnA (ng/g (ppb))	PFDaA (ng/g (ppb))
<i>Bluegill</i>												
BG-1	4/30/07	Fillet	19	10	2/F	7.8#	<2.34	<2.34*	<2.34	<2.34	<2.34	<2.34
BG-2	4/30/07	Fillet	21	10	2/J	21.1#	<2.50	<2.50*	<2.50	<2.50	<2.50	<2.50
BG-5	4/30/07	Fillet	33	13	3/J	24.7	<3.97	<3.97	<3.97	<3.97	<3.97	<3.97
BG-8	4/30/07	Fillet	51	15	4/J	9.28	<2.44	<2.44	<2.44	<2.44	<2.44	<2.44
BG-9	4/30/07	Fillet	85	15	4/F	<4.85	<2.43	<2.43	<2.43	<2.43	<2.43	<2.43
BG-comp	4/30/07	Fillet				14.5	<2.46	<2.46	<2.46	<2.46	<2.46	<2.46
<i>Largemouth Bass</i>												
LMB-1	4/30/07	Fillet	1148	41	9/M	45.7	<2.40	<2.40*	<2.40	2.84	2.87	<2.40
LMB-2	4/30/07	Fillet	1170	39	7/M	43.6	<2.44	<2.44*	<2.44	2.51	2.85	<2.44
LMB-3	4/30/07	Fillet	1159	39	7/M	19.7	<2.45	<2.45*	<2.45*	<2.45	3.04	<2.45
LMB-4	4/30/07	Fillet	1379	42	9/M	77.5	<2.40	<2.40*	<2.40*	2.87	<2.40	<2.40
LMB-5	4/30/07	Fillet	1024	37	7/F	24.9	<2.40	<2.40*	<2.40	<2.40	<2.40	<2.40
LMB-5(dup)	4/30/07	Fillet				24.5	<2.49	<2.49*	<2.49	<2.49	<2.49	<2.49

Lake Phalen Fish PFC analysis												
Species & Sample ID	Sample Date	Tissue	Wt (g)	Ln (cm)	Age/sex (yrs)	PFOS (ng/g (ppb))	PFOA (ng/g (ppb))	PFBA (ng/g (ppb))	PFOSA (ng/g (ppb))	PFDA (ng/g (ppb))	PFUnA (ng/g (ppb))	PFDoA (ng/g (ppb))
<i>Bluegill</i>												
BG-2	5/1/07	Fillet	19	10	2/J	156#	<2.49	<2.49*	<2.49	5.23	2.99	<2.49
BG-4	5/1/07	Fillet	25	11.5	2/J	82.7#	<2.50	<2.50*	<2.50	3.14	<2.50	<2.50
BG-6	5/1/07	Fillet	55	11.5	2/F	60.6	<2.36	<2.36	<2.36	<2.36	<2.36	<2.36
BG-9	5/1/07	Fillet	101	16	5/M	93.4	<2.48	<2.48	<2.48	2.48#	<2.48	<2.48
BG-10	5/1/07	Fillet	73	15	4/F	53.8	<2.38	<2.38	<2.38	2.61#	<2.38	<2.38
BG-comp	5/1/07	Fillet				45.3	<2.42	<2.42	<2.42	<2.42	<2.42	<2.42
BG-comp(dup)	5/1/07	Fillet				55	<2.24	<2.24	<2.24	<2.24	<2.24	<2.24
<i>Black Crappie</i>												
BLC-1	5/1/07	Fillet	26	12	2/J	42.1#	<2.39	<2.39*	<2.39	<2.39	<2.39	<2.39
BLC-2	5/1/07	Fillet	58	14	3/M	104	<2.42	<2.42*	<2.42	5.29	<2.42	<2.42
BLC-3	5/1/07	Fillet	67	17	4/M	67.7#	<2.36	<2.36*	<2.36	3.05	<2.36	<2.36
<i>Largemouth Bass</i>												
LMB-1	5/1/07	Fillet	1212	41	9/F	183	<2.49	<2.49*	<2.49	9.46	3.99	2.66
LMB-2	5/1/07	Fillet	596	33.5	5/M	136	<2.45	<2.45	<2.45	7.64	4.67	<2.45
LMB-2(dup)	5/1/07	Fillet				129	<2.48	<2.48	<2.48	6.14	3.88	<2.48
LMB-3	5/1/07	Fillet	1279	43	10/F	128	<2.34	<2.34*	<2.34	5.38	3.08	<2.34
LMB-4	5/1/07	Fillet	1415	42	9/F	147#	<2.35	<2.35*	<2.35	4.96	<2.35	<2.35
LMB-4(dup)	5/1/07	Fillet				147#	<2.44	<2.44*	<2.44	5.28	3.61	<2.44
LMB-5	5/1/07	Fillet	1872	43	10/F	120	<2.34	<2.34*	<2.34	3.63	<2.34	<2.34

Ravine Lake Fish PFC analysis												
Species & Sample ID	Sample Date	Tissue	Wt (g)	Ln (cm)	Age/sex (yrs)	PFOS (ng/g (ppb))	PFOA (ng/g (ppb))	PFBA (ng/g (ppb))	PFOSA (ng/g (ppb))	PFDA (ng/g (ppb))	PFUnA (ng/g (ppb))	PFDoA (ng/g (ppb))
<i>Bluegill</i>												
BG-1	4/30/07	Fillet	30	10	2/M	10.3	<2.46	<2.46	<2.46	<2.46	<2.46	<2.46
BG-4	4/30/07	Fillet	35	12	3/J	10.8	<4.67	<4.67	<4.67	<4.67	<4.67	<4.67
BG-5	4/30/07	Fillet	23	10	2/M	45.1	<2.49	<2.49	<2.49	<2.49	<2.49	<2.49
BG-9	4/30/07	Fillet	206	19.5	7/M	29.3	<2.29	<2.29	<2.29	<2.29	<2.29	<2.29
BG-9(dup)	4/30/07	Fillet				30.3	<2.45	<2.45	<2.45	<2.45	<2.45	<2.45
BG-10	4/30/07	Fillet	97	16	5/M	19.3	<2.48	<2.48	<2.48	<2.48	<2.48	<2.48
BG-comp	4/30/07	Fillet				19.4	<2.43	<2.43	<2.43	<2.43	<2.43	<2.43
<i>Black Crappie</i>												
BLC-1	4/30/07	Fillet	52	15	3/F	55.9	<2.48	<2.48*	<2.48*	<2.48	<2.48	<2.48
BLC-2	4/30/07	Fillet	43	15	3/J	64.5	<2.42	<2.42*	<2.42*	<2.42	<2.42	<2.42
BLC-3	4/30/07	Fillet	42	14	3/J	77.8	2.69	<2.56*	<2.56	<2.56	<2.56	<2.56
BLC-4	4/30/07	Fillet	50	15	3/J	60.4	<2.31	<2.31*	<2.31	<2.31	<2.31	<2.31
BLC-5	4/30/07	Fillet	45	14	3/F	41.3	<2.35	<2.35*	<2.35*	<2.35	<2.35	<2.35
<i>Largemouth Bass</i>												
LMB-1	4/30/07	Fillet	725	32.5	5/M	50.6	<2.40	<2.40*	<2.40*	<2.40	<2.40	<2.40
LMB-2	4/30/07	Fillet	890	35	6/M	36	<2.13	<2.13*	<2.13*	<2.13	<2.13	<2.13
LMB-3	4/30/07	Fillet	911	34.5	6/F	65.2	<2.38	<2.38*	<2.38*	<2.38	<2.38	<2.38
LMB-4	4/30/07	Fillet	1084	36.5	7/M	107	<2.40	<2.40*	<2.40*	<2.40	<2.40	<2.40
LMB-5	4/30/07	Fillet	1011	33	5/M	53.8	<2.31	<2.31*	<2.31*	<2.31	<2.31	<2.31

Square Lake Fish PFC analysis												
Species & Sample ID	Sample Date	Tissue	Wt (g)	Ln (cm)	Age/sex (yrs)	PFOS (ng/g (ppb))	PFOA (ng/g (ppb))	PFBA (ng/g (ppb))	PFOSA (ng/g (ppb))	PFDA (ng/g (ppb))	PFUnA (ng/g (ppb))	PFDoA (ng/g (ppb))
<i>Bluegill</i>												
BG-2	5/2/07	Fillet	15	18.5	7/F	<4.57	<2.28	<2.28*	<2.28	<2.28	<2.28	<2.28
BG-4	5/2/07	Fillet	21	10	2/F	<4.69	<2.35	<2.35*	<2.35	<2.35	<2.35	<2.35
BG-8	5/2/07	Fillet	44	12.5	3/F	<4.72	<2.36	<2.36*	<2.36	<2.36	<2.36	<2.36
BG-9	5/2/07	Fillet	84	16	5/M	<4.88	<2.44	<2.44*	<2.44	<2.44	<2.44	<2.44
BG-10	5/2/07	Fillet	111	17.5	6/M	<4.95	<2.48	<2.48*	<2.48	<2.48	<2.48	<2.48
BG-comp	5/2/07	Fillet				<4.72	<2.36	<2.36	<2.36	<2.36	<2.36	<2.36
<i>Black Crappie</i>												
BLC-1	5/2/07	Fillet	74	16.5	4/M	<4.93	<2.46	<2.46*	<2.46	<2.46	<2.46	<2.46
BLC-2	5/2/07	Fillet	125	18.5	5/M	5.2	<2.44	<2.44*	<2.44	<2.44	<2.44	<2.44
BLC-3	5/2/07	Fillet	94	18	5/M	<4.76	<2.38	<2.38*	<2.38	<2.38	<2.38	<2.38
BLC-4	5/2/07	Fillet	80	17	4/F	<4.90	<2.45	<2.45	<2.45	<2.45	<2.45	<2.45
BLC-5	5/2/07	Fillet	126	20	5/M	<4.98	<2.49	<2.49	<2.49	<2.49	<2.49	<2.49
<i>Largemouth Bass</i>												
LMB-1	5/2/07	Fillet	309	26.5	3/M	<4.67	<2.34	<2.34*	<2.34	<2.34	<2.34	<2.34
LMB-2	5/2/07	Fillet	301	28	3/M	<4.88	<2.44	<2.44*	<2.44	<2.44	<2.44	<2.44
LMB-3	5/2/07	Fillet	284	27.5	3/F	<4.81	<2.40	<2.40*	<2.40	<2.40	2.88	<2.40
LMB-4	5/2/07	Fillet	383	29.5	4/F	<5.00	<2.50	<2.50*	<2.50	<2.50	<2.50	<2.50
LMB-5	5/2/07	Fillet	316	28	3/M	<5.03	<2.51	<2.51*	<2.51	<2.51	<2.51	<2.51

White Bear Lake Fish PFC analysis												
Species & Sample ID	Sample Date	Tissue	Wt (g)	Ln (cm)	Age/sex (yrs)	PFOS (ng/g (ppb))	PFOA (ng/g (ppb))	PFBA (ng/g (ppb))	PFOSA (ng/g (ppb))	PFDA (ng/g (ppb))	PFUnA (ng/g (ppb))	PFDoA (ng/g (ppb))
<i>Bluegill</i>												
BG-2	5/2/07	Fillet	26	10	2/F	<4.88	<2.44	<2.44*	<2.44	<2.44	<2.44	<2.44
BG-3	5/2/07	Fillet	8	7	1/J	<8.13	<4.07	<4.07*	<4.07	<4.07	<4.07	<4.07
BG-5	5/2/07	Fillet	32	12	3/J	<4.81	<2.40	<2.40*	<2.40	<2.40	<2.40	<2.40
BG-7	5/2/07	Fillet	171	19	7/M	4.77	<2.28	<2.28*	<2.28	<2.28	<2.28	<2.28
BG-8	5/2/07	Fillet	111	25.5	5/F	5.08	<2.34	<2.34*	<2.34	<2.34	<2.34	<2.34
BG-comp	5/2/07	Fillet				6.06	<2.31	<2.31	<2.31	<2.31	<2.31	<2.31
<i>Black Crappie</i>												
BLC-1	5/2/07	Fillet	172	21	6/F	18.4	<2.44	<2.44*	<2.44	<2.44	<2.44	<2.44
BLC-2	5/2/07	Fillet	525	30	10/F	30.8	<2.54	<2.54*	<2.54	3.51	<2.54	<2.54
<i>Largemouth Bass</i>												
LMB-1	5/2/07	Fillet	811	35	6/M	<4.81	<2.40	<2.40*	<2.40	<2.40	<2.40	<2.40
LMB-2	5/2/07	Fillet	845	36.5	7/F	9.07	<2.49	<2.49*	<2.49	<2.49	<2.49	<2.49
LMB-3	5/2/07	Fillet	638	34	6/M	<4.76	<2.38	<2.38*	<2.38	<2.38	<2.38	<2.38
LMB-4	5/2/07	Fillet	515	31	5/M	<4.85	<2.43	<2.43*	<2.43	<2.43	<2.43	<2.43
LMB-5	5/2/07	Fillet	503	31	5/M	<4.85	<2.43	<2.43*	<2.43	<2.43	<2.43	<2.43

< = less than the detection limit; number following this symbol represents the detection limit

** estimated values with a negative bias

estimated values with a positive bias

For further information please contact Paul Hoff 651-296-7799 or Laura Solem 218-529-6254.

Samples were analyzed for the 13 different perfluorochemicals listed.

			CAS #
PFBA	C-4	perfluorobutanoic acid	375-22-4
PFBS	C-4	perfluorobutane sulfonate	375-73-5
PFPeA	C-5	perfluoropentanoic acid	
PFHxA	C-6	perfluorohexanoic acid	307-24-4
PFHxS	C-6	perfluorohexane sulfonate	355-46-4
PFHpA	C-7	perfluoroheptanoic acid	375-85-9
PFOA	C-8	perfluorooctanoic acid	335-67-1
PFOS	C-8	perfluorooctane sulfonate	1763-23-1
PFOSA	C-8	perfluorooctane sulfonamide	
PFNA	C-9	perfluorononanoic acid	375-95-1
PFDA	C-10	perfluorodecanoic acid	335-76-2
PFUnA	C-11	perfluoroundecanoic acid	
PFDoA	C-12	perfluorododecanoic acid	307-55-1

	Average PFOS Concentration [ng/g; ppb]				
	Bluegill	Bluegill (composite)	Black Crappie	Largemouth Bass	Northern Pike
<u>Bald Eagle</u>	<dl (5)	<dl (5)	8 (5)	6 (5)	ns
<u>Como</u>	26 (5)	28 (5)	66 (5)	30 (1)	42 (4)
<u>Demontreville</u>	12 (5)	8 (5)	ns	46 (5)	ns
<u>Elmo</u>	242 (5)	302 (5)	495 (5)	544 (5)	ns
<u>Gervais</u>	93 (5)	100 (5)	157 (5)	184 (5)	ns
<u>Olson</u>	17 (5)	15 (5)	ns	42 (5)	ns
<u>Phalen</u>	69 (5)	50 (5)	104 (3)	142 (5)	ns
<u>Ravine</u>	23 (5)	19 (5)	60 (5)	63 (5)	ns
<u>Square</u>	<dl (5)	<dl (5)	5 (5)	<dl (5)	ns
<u>White Bear</u>	5 (5)	6 (5)	25 (2)	9 (5)	ns

numbers listed are: PFOS concentration (# fish)

dl – detection limit \approx 5 ng/g

ns – not sampled

composite – tissue from several fish is combined then PFCs are measured

For information on the recommended meals per month for specific species, consult the Minnesota Department of Natural Resource's fish consumption reports for each lake.