

**Table G-1. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Arsenic in the St. Louis River Area of Concern**

Arsenic (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
<1.27	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	4.64	IT Corp. 1996
<1.27	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.13 mg growth	Not determined	4.64	IT Corp. 1996
<1.27	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	30 % survival	Toxic	4.64	IT Corp. 1996
<1.27	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.16 mg growth	Toxic	4.64	IT Corp. 1996
<1.52	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.2 mg growth	Not toxic	6.4	IT Corp. 1996
<1.52	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	87 % survival	Not toxic	6.4	IT Corp. 1996
<1.52	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.59 mg growth	Not toxic	6.4	IT Corp. 1996
<1.52	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	6.4	IT Corp. 1996
<1.62	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.8 mg growth	Toxic	8.08	IT Corp. 1996
<1.62	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	48 % survival	Toxic	8.08	IT Corp. 1996
<1.62	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	53 % survival	Toxic	8.08	IT Corp. 1996
<1.62	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.14 mg growth	Toxic	8.08	IT Corp. 1996
<2.04	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.11 mg growth	Toxic	11.76	IT Corp. 1996
<2.04	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	67 % survival	Not toxic	11.76	IT Corp. 1996
<2.04	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.02 mg growth	Toxic	11.76	IT Corp. 1996
<2.04	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	11.76	IT Corp. 1996
<2.15	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	Not determined	Not determined	50.12	IT Corp. 1996
<2.15	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0 % survival	Toxic	50.12	IT Corp. 1996
<2.15	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	8 % survival	Toxic	50.12	IT Corp. 1996
<2.15	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.09 mg growth	Not determined	50.12	IT Corp. 1996
<2.20	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	78 % survival	Not toxic	2.93	IT Corp. 1996
<2.20	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.04 mg growth	Toxic	2.93	IT Corp. 1996
<2.20	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.14 mg growth	Toxic	2.93	IT Corp. 1996
<2.20	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	97 % survival	Not toxic	2.93	IT Corp. 1996
<2.54	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	82 % survival	Not toxic	23.1	IT Corp. 1996
<2.54	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.2 mg growth	Not toxic	23.1	IT Corp. 1996
<2.54	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	23.1	IT Corp. 1996
<2.54	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.35 mg growth	Not toxic	23.1	IT Corp. 1996
<2.84	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	77 % survival	Not toxic	6.15	IT Corp. 1996
<2.84	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.84 mg growth	Toxic	6.15	IT Corp. 1996

**Table G-1. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Arsenic in the St. Louis River Area of Concern**

Arsenic (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
<2.84	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	83 % survival	Not toxic	6.15	IT Corp. 1996
<2.84	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.15 mg growth	Toxic	6.15	IT Corp. 1996
<3.45	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	83 % survival	Not toxic	26.54	IT Corp. 1996
<3.45	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.3 mg growth	Not toxic	26.54	IT Corp. 1996
<3.45	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	26.54	IT Corp. 1996
<3.45	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.18 mg growth	Toxic	26.54	IT Corp. 1996
3.70	D-S Harbor - NW of Lakehead Dock	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.04 mg growth	Not toxic	8.4	Wenck Associates Inc. 1995
3.70	D-S Harbor - NW of Lakehead Dock	48 hour	Cladoceran	<i>Ceriodaphnia dubia</i>	Adult	100 % survival	Not toxic	8.4	Wenck Associates Inc. 1995
3.70	D-S Harbor - NW of Lakehead Dock	10 day	Diptera	<i>Chironomus tentans</i>	LAR	100 % survival	Not toxic	8.4	Wenck Associates Inc. 1995
3.70	D-S Harbor - NW of Lakehead Dock	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	95 % survival	Not toxic	8.4	Wenck Associates Inc. 1995
<4.00	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.18 mg growth	Not toxic	100	IT Corp. 1996
<4.00	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.23 mg growth	Not toxic	100	IT Corp. 1996
<4.00	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	60 % survival	Toxic	100	IT Corp. 1996
<4.00	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	100	IT Corp. 1996
4.40	D-S Harbor - Hallett Coal Dock #6	48 hour	Cladoceran	<i>Daphnia magna</i>	Unknown	95 % survival	Not toxic	NR	Smith <i>et al.</i> 1992
4.40	D-S Harbor - NE of Sanitary District Plant	48 hour	Cladoceran	<i>Daphnia magna</i>	Unknown	100 % survival	Not toxic	NR	Smith <i>et al.</i> 1992
4.40	D-S Harbor - NE of Sanitary District Plant	10 day	Diptera	<i>Chironomus tentans</i>	Unknown	100 % survival	Not toxic	NR	Smith <i>et al.</i> 1992
4.40	D-S Harbor - Hallett Coal Dock #6	10 day	Diptera	<i>Chironomus tentans</i>	Unknown	86.6 % survival	Not toxic	NR	Smith <i>et al.</i> 1992
4.60	Superior Bay	48 hour	Cladoceran	<i>Ceriodaphnia dubia</i>	Adult	100 % survival	Not toxic	6.7	Wenck Associates Inc. 1995
4.60	Superior Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	6.7	Wenck Associates Inc. 1995
4.60	Superior Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	100 % survival	Not toxic	6.7	Wenck Associates Inc. 1995
4.60	Superior Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.57 mg growth	Not toxic	6.7	Wenck Associates Inc. 1995
4.80	D-S Harbor - North of MN Power & Light Dock	10 day	Diptera	<i>Chironomus tentans</i>	Unknown	100 % survival	Not toxic	NR	Smith <i>et al.</i> 1992
4.80	D-S Harbor - North of MN Power & Light Dock	48 hour	Cladoceran	<i>Daphnia magna</i>	Unknown	100 % survival	Not toxic	NR	Smith <i>et al.</i> 1992
5.40	D-S Harbor - Allouez Bay	48 hour	Cladoceran	<i>Daphnia magna</i>	Unknown	100 % survival	Not toxic	NR	Smith <i>et al.</i> 1992
5.40	D-S Harbor - Allouez Bay	10 day	Diptera	<i>Chironomus tentans</i>	Unknown	100 % survival	Not toxic	NR	Smith <i>et al.</i> 1992
8.21	D-S Harbor - Howards Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	95 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
8.21	D-S Harbor - Howards Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
8.70	Brule River - above Stones Bridge	48 hour	Cladoceran	<i>Daphnia magna</i>	Unknown	95 % survival	Not toxic	NR	Smith <i>et al.</i> 1992
8.70	Brule River - above Stones Bridge	10 day	Diptera	<i>Chironomus tentans</i>	Unknown	100 % survival	Not toxic	NR	Smith <i>et al.</i> 1992

**Table G-1. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Arsenic in the St. Louis River Area of Concern**

Arsenic (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
14.2	D-S Harbor - Howards Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
14.2	D-S Harbor - Howards Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	78 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
17.7	D-S Harbor - Howards Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
17.7	D-S Harbor - Howards Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	68 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
19.0	St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	93 % survival	Not toxic	9.58	MPCA 1993
19.3	D-S Harbor - Howards Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
19.3	D-S Harbor - Howards Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	52 % survival	Toxic	NR	Crane <i>et al.</i> 1997
20.2	St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	87 % survival	Not toxic	5.88	MPCA 1993
20.5	D-S Harbor - Howards Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	96 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
<21.1	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.07 mg growth	Not determined	NR	IT Corp. 1996
<21.1	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.24 mg growth	Not determined	NR	IT Corp. 1996
<21.1	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	30 % survival	Toxic	NR	IT Corp. 1996
<21.1	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	8 % survival	Toxic	NR	IT Corp. 1996
21.6	St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	63 % survival	Toxic	6.12	MPCA 1993
23.1	D-S Harbor - Howards Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
23.1	D-S Harbor - Howards Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	85 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
24.3	D-S Harbor - Howards Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
25.0	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.1 mg growth	Toxic	12.95	IT Corp. 1996
25.0	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	75 % survival	Toxic	12.95	IT Corp. 1996
25.0	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	30 % survival	Toxic	12.95	IT Corp. 1996
25.0	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.65 mg growth	Not determined	12.95	IT Corp. 1996
27.5	D-S Harbor - Howards Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	55 % survival	Toxic	NR	Crane <i>et al.</i> 1997
27.5	D-S Harbor - Howards Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
28.1	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.2 mg growth	Not toxic	3.42	IT Corp. 1996
28.1	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	52 % survival	Toxic	3.42	IT Corp. 1996
28.1	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	38 % survival	Toxic	3.42	IT Corp. 1996
28.1	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.56 mg growth	Not determined	3.42	IT Corp. 1996
30.9	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0 % survival	Toxic	11.16	IT Corp. 1996
30.9	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	11.16	IT Corp. 1996
30.9	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0 % survival	Toxic	11.16	IT Corp. 1996

**Table G-1. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Arsenic in the St. Louis River Area of Concern**

Arsenic (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
30.9	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	Not determined	Not determined	11.16	IT Corp. 1996
39.7	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	87 % survival	Not toxic	45.37	IT Corp. 1996
39.7	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.07 mg growth	Toxic	45.37	IT Corp. 1996
39.7	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.17 mg growth	Toxic	45.37	IT Corp. 1996
39.7	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	92 % survival	Not toxic	45.37	IT Corp. 1996

D-S = Duluth-Superior; LAR = larvae; JUV = juvenile; TOC = total organic carbon; NR = not reported.

**Table G-2. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Cadmium in the St. Louis River Area of Concern**

Cadmium (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
0.020	St. Louis River-Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.14 mg growth	Toxic	8.08
0.020	St. Louis River-Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	53 % survival	Toxic	8.08
0.020	St. Louis River-Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	48 % survival	Toxic	8.08
0.020	St. Louis River-Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.8 mg growth	Toxic	8.08
0.110*	St. Louis Bay-East of Erie Pier	10 day	Diptera	<i>Chironomus tentans</i>	LAR	90 % survival	Not toxic	0.28
0.110*	St. Louis Bay-East of Erie Pier	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	58 % survival	Toxic	0.28
0.124*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	90 % survival	Not toxic	0.16
0.124*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	22.95 red. biolum.^	Toxic	0.16
0.124*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	100 EC50 biolum.#	Not toxic	0.16
0.141*	Allouez Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	55 % survival	Not toxic	0.35
0.141*	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	11.24 EC50 biolum.#	Not toxic	0.35
0.141*	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	26.2 red. biolum.^	Toxic	0.35
0.150*	Spirit Lake-Grassy Point	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	0.89
0.150*	Spirit Lake-Grassy Point	10 day	Diptera	<i>Chironomus tentans</i>	LAR	92 % survival	Not toxic	0.89
0.177*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	84 % survival	Not toxic	1.69
0.177*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	12.1 red. biolum.^	Not toxic	1.69
0.177*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	4.29 EC50 biolum.#	Not toxic	1.69
0.200*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	82 % survival	Not toxic	0.4
0.200*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	3.4 red. biolum.^	Not toxic	0.12
0.200*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	88 % survival	Not toxic	0.4
0.200*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	100 EC50 biolum.#	Not toxic	0.4
0.200*	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	78 % survival	Not toxic	0.12
0.200*	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	95 % survival	Not toxic	0.12
0.200*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	39.7 red. biolum.^	Toxic	0.4
0.200*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	0.4
0.200*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	86 % survival	Not toxic	0.08
0.200*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	100 EC50 biolum.#	Not toxic	0.08
0.200*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	90 % survival	Not toxic	0.08
0.200	St. Louis River-Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.16 mg growth	Toxic	4.64
0.200	St. Louis River-Keene Creek	10 day	Amphipod	<i>Chironomus tentans</i>	JUV	92 % survival	Not toxic	4.64
0.200	St. Louis River-Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.13 mg growth	Not determined	4.64
0.200	St. Louis River-Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	30 % survival	Toxic	4.64
0.200*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	72 % survival	Not toxic	0.24
0.200*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	100 EC50 biolum.#	Not toxic	0.24
0.200*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	52 % survival	Not toxic	0.24
0.200*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	0.2
0.200*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	85 % survival	Not toxic	0.4

**Table G-2. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Cadmium in the St. Louis River Area of Concern**

Cadmium (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
0.200*	Allouez Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	0.59
0.200*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	67.3 red. biolum.^	Toxic	0.14
0.200*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	17.83 EC50 biolum.#	Not toxic	0.14
0.200*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	4.94 EC50 biolum.#	Not toxic	0.2
0.200*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	58 % survival	Not toxic	0.14
0.200*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	25.2 red. biolum.^	Toxic	0.2
0.200*	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 red. biolum.^	Not toxic	0.59
0.200*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	86 % survival	Not toxic	0.2
0.200*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	0.14
0.200*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	26.3 red. biolum.^	Toxic	0.08
0.200*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	82 % survival	Not toxic	0.14
0.200*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	45.3 red. biolum.^	Toxic	0.14
0.200*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	9.08 EC50 biolum.#	Not toxic	0.14
0.200*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	64 % survival	Not toxic	0.14
0.200*	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	3.96 EC50 biolum.#	Not toxic	0.59
0.201*	St. Louis River-Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	2.8 red. biolum.^	Not toxic	0.86
0.201*	St. Louis River-Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	14.18 EC50 biolum.#	Not toxic	0.86
0.201*	St. Louis River-Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	0.86
0.201*	St. Louis River-Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	0.86
0.204*	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	8.2 red. biolum.^	Not toxic	1.37
0.204*	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	52 % survival	Not toxic	1.37
0.204*	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	1.37
0.204*	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.57 mg growth	Not toxic	1.37
0.204*	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	3.52 EC50 biolum.#	Not toxic	1.37
0.217*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	89 % survival	Not toxic	0.81
0.217*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	18 % survival	Toxic	0.81
0.217*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	26.9 red. biolum.^	Toxic	0.81
0.217*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	2.06 EC50 biolum.#	Not toxic	0.81
0.243*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	88 % survival	Not toxic	1.65
0.243*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.53 mg growth	Not toxic	1.65
0.243*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	87 % survival	Not toxic	1.65
0.243*	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 red. biolum.^	Not toxic	1.65
0.243*	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	4.42 EC50 biolum.#	Not toxic	1.65
0.249*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	97 % survival	Not toxic	2.98
0.249*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.92 EC50 biolum.#	Not toxic	2.98
0.249*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	10.5 red. biolum.^	Not toxic	2.98
0.260*	Allouez Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	85 % survival	Not toxic	4.47

**Table G-2. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Cadmium in the St. Louis River Area of Concern**

Cadmium (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
0.260*	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	33.03 red. biolum.^	Toxic	4.47
0.260*	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.82 EC50 biolum.#	Not toxic	4.47
0.260*	Allouez Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	68 % survival	Not toxic	4.47
0.263*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.14 EC50 biolum.#	Not toxic	1.44
0.263*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	5.4 red. biolum.^	Not toxic	1.44
0.263*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	98 % survival	Not toxic	1.44
0.287*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	4.1 red. biolum.^	Not toxic	4.02
0.287*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.76 EC50 biolum.#	Not toxic	4.02
0.287*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	4.02
0.287*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	4.02
0.287*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	57 % survival	Toxic	4.02
0.288*	St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	67.5 % survival	Not toxic	0.56
0.288*	St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	12 red. biolum.^	Not toxic	0.56
0.288*	St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	2.12 EC50 biolum.#	Not toxic	0.56
0.288*	St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	97.5 % survival	Not toxic	0.56
0.308*	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	29.7 red. biolum.^	Toxic	1.02
0.308*	Allouez Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	1.02
0.308*	Allouez Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	1.02
0.308*	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.81 EC50 biolum.#	Not toxic	1.02
0.310	Superior Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	100 % survival	Not toxic	6.7
0.310	Superior Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.57 mg growth	Not toxic	6.7
0.310	Superior Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	6.7
0.310	Superior Bay	48-h	Cladoceran	<i>Ceriodaphnia dubia</i>	Adult	100 % survival	Not toxic	6.7
0.324*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	97.5 % survival	Not toxic	0.61
0.324*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	5.36 EC50 biolum.#	Not toxic	0.61
0.324*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	15.5 red. biolum.^	Not toxic	0.61
0.324*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	65 % survival	Not toxic	0.61
0.326*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	78 % survival	Not toxic	1.85
0.326*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.75 EC50 biolum.#	Not toxic	1.85
0.326*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	14.9 red. biolum.^	Not toxic	1.85
0.326*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	90 % survival	Not toxic	1.85
0.335*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	75 % survival	Not toxic	5.77
0.335*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	6.73 EC50 biolum.#	Not toxic	5.77
0.335*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	5.77
0.335*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	6.4 red. biolum.^	Not toxic	5.77
0.335*	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	42.1 red. biolum.^	Toxic	1.71
0.335*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.4 mg growth	Not toxic	1.71

**Table G-2. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Cadmium in the St. Louis River Area of Concern**

Cadmium (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
0.335*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	78 % survival	Not toxic	1.71
0.335*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	1.71
0.335*	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.27 EC50 biolum.#	Not toxic	1.71
0.356*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	-2.8 red. biolum.^	Not toxic	1.82
0.356*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	3.56 EC50 biolum.#	Not toxic	1.82
0.356*	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	1.82
0.356*	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	70 % survival	Not toxic	1.82
0.388*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.73 EC50 biolum.#	Not toxic	3.07
0.388*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	55 % survival	Not toxic	3.07
0.388*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	32.24 red. biolum.^	Toxic	3.07
0.409*	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.1 red. biolum.^	Not toxic	NR
0.409*	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	12 % survival	Toxic	NR
0.409*	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	60 % survival	Not toxic	NR
0.409*	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	2.4 EC50 biolum.#	Not toxic	NR
0.424*	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.44 mg growth	Not toxic	2.7
0.424*	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	2.7
0.424*	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.52 EC50 biolum.#	Not toxic	2.7
0.424*	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.56 mg growth	Not toxic	2.7
0.424*	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	12 red. biolum.^	Not toxic	2.7
0.424*	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	2.7
0.424*	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.52 EC50 biolum.#	Not toxic	2.7
0.424*	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	68 % survival	Not toxic	2.7
0.424*	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	5.3 red. biolum.^	Not toxic	2.7
0.424*	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	93 % survival	Not toxic	2.7
0.440	Duluth-Superior Harbor-Hallett Coal Dock #6	10 day	Diptera	<i>Chironomus tentans</i>	Unknown	86.6 % survival	Not toxic	NR
0.440	Duluth-Superior Harbor-Hallett Coal Dock #6	48-h	Cladoceran	<i>Daphnia magna</i>	Unknown	95 % survival	Not toxic	NR
0.450	Duluth-Superior Harbor-Northwest side of Lakehead Dock	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.04 mg growth	Not toxic	8.4
0.450	Duluth-Superior Harbor-Northwest side of Lakehead Dock	10 day	Diptera	<i>Chironomus tentans</i>	LAR	100 % survival	Not toxic	8.4
0.450	Duluth-Superior Harbor-Northwest side of Lakehead Dock	48-h	Cladoceran	<i>Ceriodaphnia dubia</i>	Adult	100 % survival	Not toxic	8.4
0.450	Duluth-Superior Harbor-Northwest side of Lakehead Dock	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	95 % survival	Not toxic	8.4
0.450*	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	82 % survival	Not toxic	2.4
0.450*	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	98 % survival	Not toxic	2.4
0.450*	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.46 EC50 biolum.#	Not toxic	2.4
0.450*	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	35.18 red. biolum.^	Toxic	2.4
0.469*	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	52.4 red. biolum.^	Toxic	1
0.469*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0 % survival	Toxic	1
0.469*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	1

**Table G-2. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Cadmium in the St. Louis River Area of Concern**

Cadmium (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
0.469*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	63 % survival	Toxic	1
0.469*	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.77 EC50 biolum.#	Not toxic	1
0.502*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	65 % survival	Not toxic	2.59
0.502*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.41 EC50 biolum.#	Toxic	2.59
0.502*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	97.5 % survival	Not toxic	2.59
0.502*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	7.4 red. biolum.^	Not toxic	2.59
0.511*	St. Louis River-Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	55 % survival	Not toxic	0.68
0.511*	St. Louis River-Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	2.83 EC50 biolum.#	Not toxic	0.68
0.511*	St. Louis River-Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	21.31 red. biolum.^	Toxic	0.68
0.514*	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.24 EC50 biolum.#	Toxic	1.75
0.514*	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	22.87 red. biolum.^	Toxic	1.75
0.514*	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	1.75
0.514*	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	95 % survival	Not toxic	1.75
0.530*	Duluth-Superior Harbor-Howards Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	1.8
0.530*	Duluth-Superior Harbor-Howards Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	95 % survival	Not toxic	1.8
0.532*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.05 EC50 biolum.#	Toxic	0.82
0.532*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	26.1 red. biolum.^	Toxic	0.82
0.532*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	59 % survival	Not toxic	0.82
0.532*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0 % survival	Toxic	0.82
0.555*	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	55 % survival	Not toxic	2.2
0.555*	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	70 % survival	Not toxic	2.2
0.555*	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	9.31 red. biolum.^	Not toxic	2.2
0.555*	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.96 EC50 biolum.#	Not toxic	2.2
0.566*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.1 EC50 biolum.#	Not toxic	3.2
0.566*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	45.6 red. biolum.^	Toxic	3.2
0.566*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	50 % survival	Not toxic	3.2
0.570	Duluth-Superior Harbor-Allouez Bay	48-h	Cladoceran	<i>Daphnia magna</i>	Unknown	100 % survival	Not toxic	NR
0.570	Duluth-Superior Harbor-Allouez Bay	10 day	Diptera	<i>Chironomus tentans</i>	Unknown	100 % survival	Not toxic	NR
0.590	Duluth-Superior Harbor-North of Minnesota	48-h	Cladoceran	<i>Daphnia magna</i>	Unknown	100 % survival	Not toxic	NR
0.590	Duluth-Superior Harbor-North of Minnesota	10 day	Diptera	<i>Chironomus tentans</i>	Unknown	100 % survival	Not toxic	NR
0.593*	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 red. biolum.^	Not toxic	3.02
0.593*	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	98 % survival	Not toxic	3.02
0.593*	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	3.02
0.593*	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.37 EC50 biolum.#	Toxic	3.02
0.599*	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.23 EC50 biolum.#	Toxic	2.82
0.599*	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	3.17 red. biolum.^	Not toxic	2.82
0.599*	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	95 % survival	Not toxic	2.82

**Table G-2. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Cadmium in the St. Louis River Area of Concern**

Cadmium (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
0.599*	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	67.5 % survival	Not toxic	2.82
0.608*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	27.4 red. biolum.^	Toxic	2.19
0.608*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	4.18 EC50 biolum.#	Not toxic	2.19
0.608*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	97.5 % survival	Not toxic	2.19
0.608*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	2.19
0.612*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	2.82
0.612*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.4 EC50 biolum.#	Toxic	2.82
0.612*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	10.2 red. biolum.^	Not toxic	2.82
0.612*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	70 % survival	Not toxic	2.82
0.630*	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	65 % survival	Not toxic	1.55
0.630*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	-0.7 red. biolum.^	Not toxic	1.55
0.630*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.47 EC50 biolum.#	Toxic	1.55
0.637*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.3 EC50 biolum.#	Not toxic	2.24
0.637*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	95 % survival	Not toxic	2.24
0.637*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.46 mg growth	Not toxic	2.24
0.637*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	98 % survival	Not toxic	2.24
0.637*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 red. biolum.^	Not toxic	2.24
0.656*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	62 % survival	Not toxic	1.1
0.656*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.82 EC50 biolum.#	Not toxic	1.1
0.656*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 red. biolum.^	Not toxic	1.1
0.656*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	1.1
0.662*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	94 % survival	Not toxic	3.69
0.662*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1 red. biolum.^	Not toxic	3.69
0.662*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	3.69
0.662*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.37 EC50 biolum.#	Toxic	3.69
0.668*	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	12.1 red. biolum.^	Not toxic	2.34
0.668*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	95 % survival	Not toxic	2.34
0.668*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.37 mg growth	Not toxic	2.34
0.668*	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.77 EC50 biolum.#	Not toxic	2.34
0.668*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	2.34
0.672*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	62 % survival	Not toxic	1.94
0.672*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	40.37 red. biolum.^	Toxic	1.94
0.672*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.58 EC50 biolum.#	Not toxic	1.94
0.672*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	98 % survival	Not toxic	1.94
0.673*	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.96 EC50 biolum.#	Not toxic	2.91
0.673*	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	90 % survival	Not toxic	2.91
0.673*	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	18.89 red. biolum.^	Not toxic	2.91

**Table G-2. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Cadmium in the St. Louis River Area of Concern**

Cadmium (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
0.673*	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	2.91
0.677*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	21.8 red. biolum.^	Toxic	1.87
0.677*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.53 mg growth	Not toxic	1.87
0.677*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	93 % survival	Not toxic	1.87
0.677*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	2.07 EC50 biolum.#	Not toxic	1.87
0.677*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	1.87
0.679*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.2 EC50 biolum.#	Toxic	8.4
0.679*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0 % survival	Toxic	8.4
0.679*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	3 % survival	Toxic	8.4
0.679*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	81.5 red. biolum.^	Toxic	8.4
0.679*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	88 % survival	Not toxic	3.85
0.679*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 red. biolum.^	Not toxic	3.85
0.679*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	3.82 EC50 biolum.#	Not toxic	3.85
0.679*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	3.85
0.679*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.64 mg growth	Not toxic	3.85
0.681*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.58 EC50 biolum.#	Not toxic	3.2
0.681*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	3.2
0.681*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	62 % survival	Not toxic	3.2
0.681*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 red. biolum.^	Not toxic	3.2
0.688*	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	88 % survival	Not toxic	6.72
0.688*	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.46 mg growth	Not toxic	6.72
0.688*	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	87 % survival	Not toxic	6.72
0.688*	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.35 EC50 biolum.#	Not toxic	6.72
0.688*	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 red. biolum.^	Not toxic	6.72
0.695*	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	28.9 red. biolum.^	Toxic	2.37
0.695*	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	2.37
0.695*	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	92 % survival	Not toxic	2.37
0.695*	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.64 EC50 biolum.#	Not toxic	2.37
0.700*	Spirit Lake-Grassy Point	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	80 % survival	Not toxic	7.1
0.700*	Spirit Lake-Grassy Point	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	7.1
0.725*	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	8.5 red. biolum.^	Not toxic	2.43
0.725*	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	95 % survival	Not toxic	2.43
0.725*	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.67 EC50 biolum.#	Not toxic	2.43
0.740*	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	4.36
0.740*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.96 EC50 biolum.#	Not toxic	4.36
0.740*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	-0.6 red. biolum.^	Not toxic	4.36
0.740*	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	68 % survival	Not toxic	4.36

**Table G-2. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Cadmium in the St. Louis River Area of Concern**

Cadmium (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
0.740*	St. Louis Bay-East of Erie Pier	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	67 % survival	Not toxic	2.9
0.740*	St. Louis Bay-East of Erie Pier	10 day	Diptera	<i>Chironomus tentans</i>	LAR	78 % survival	Not toxic	2.9
0.745*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	2.34
0.745*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	98 % survival	Not toxic	2.34
0.745*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.28 EC50 biolum.#	Toxic	2.34
0.745*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	15.82 red. biolum.^	Not toxic	2.34
0.750*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	3.88 EC50 biolum.#	Not toxic	13.81
0.750*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.1 red. biolum.^	Not toxic	13.81
0.750*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	62 % survival	Not toxic	13.81
0.750*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	98 % survival	Not toxic	13.81
0.757*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.74 EC50 biolum.#	Not toxic	3.4
0.757*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.49 mg growth	Not toxic	3.4
0.757*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.9 red. biolum.^	Not toxic	3.4
0.757*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.74 EC50 biolum.#	Not toxic	3.4
0.757*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	77 % survival	Not toxic	3.4
0.757*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.2 red. biolum.^	Not toxic	3.4
0.757*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	87 % survival	Not toxic	3.4
0.757*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.37 mg growth	Not toxic	3.4
0.757*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	3.4
0.757*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	87 % survival	Not toxic	3.4
0.766*	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.42 EC50 biolum.#	Toxic	3.25
0.766*	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	28.8 red. biolum.^	Toxic	3.25
0.766*	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	3.25
0.790*	St. Louis Bay-South of DM & IR Taconite Storage Facility	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	98 % survival	Not toxic	2.6
0.790*	St. Louis Bay-South of DM & IR Taconite Storage Facility	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	2.6
0.802*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	65 % survival	Not toxic	3.735
0.802*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.57 mg growth	Not toxic	3.735
0.802*	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 red. biolum.^	Not toxic	3.735
0.802*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	3.735
0.802*	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.06 EC50 biolum.#	Not toxic	3.735
0.820*	St. Louis Bay-South of DM & IR Taconite Storage Facility	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	95 % survival	Not toxic	2.3
0.820*	St. Louis Bay-South of DM & IR Taconite Storage Facility	10 day	Diptera	<i>Chironomus tentans</i>	LAR	88 % survival	Not toxic	2.3
0.850*	St. Louis Bay-South of DM & IR Taconite Storage Facility	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	70 % survival	Toxic	2.5
0.850*	St. Louis Bay-South of DM & IR Taconite Storage Facility	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Toxic	2.5
0.889*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	60 % survival	Not toxic	2.67
0.889*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	31.2 red. biolum.^	Toxic	2.67
0.889*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	91 % survival	Not toxic	2.67

**Table G-2. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Cadmium in the St. Louis River Area of Concern**

Cadmium (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
0.889*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.36 EC50 biolum.#	Toxic	2.67
0.890*	St. Louis Bay-South of DM & IR Taconite Storage Facility	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	2.9
0.890*	St. Louis Bay-South of DM & IR Taconite Storage Facility	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	82 % survival	Not toxic	2.9
0.900*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.72 EC50 biolum.#	Not toxic	3.32
0.900*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	8.1 red. biolum.^	Not toxic	3.32
0.900*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	55 % survival	Not toxic	3.32
0.900*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	88 % survival	Not toxic	3.32
0.905*	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	93.4 red. biolum.^	Toxic	13.91
0.905*	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.4 EC50 biolum.#	Toxic	13.91
0.905*	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	13.91
0.905*	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	13.91
0.905*	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	18 % survival	Toxic	13.91
0.913*	St. Louis River-Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.09 EC50 biolum.#	Toxic	4.84
0.913*	St. Louis River-Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	18.2 red. biolum.^	Not toxic	4.84
0.913*	St. Louis River-Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	4.84
0.913*	St. Louis River-Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	90 % survival	Not toxic	4.84
0.920*	St. Louis River-Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	3.14
0.920*	St. Louis River-Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.48 EC50 biolum.#	Toxic	3.14
0.920*	St. Louis River-Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	22.4 red. biolum.^	Toxic	3.14
0.921*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	75 % survival	Toxic	8.97
0.921*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.05 EC50 biolum.#	Toxic	8.97
0.921*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	8.97
0.921*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	3 % survival	Toxic	8.97
0.921*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	42.1 red. biolum.^	Toxic	8.97
0.924*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 red. biolum.^	Not toxic	1.35
0.924*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	1.35
0.924*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	1.35
0.924*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.96 EC50 biolum.#	Not toxic	1.35
0.938*	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	68 % survival	Not toxic	2.63
0.938*	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	75 % survival	Not toxic	2.63
0.938*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	33.45 red. biolum.^	Toxic	2.63
0.938*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.32 EC50 biolum.#	Toxic	2.63
0.940*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	60 % survival	Not toxic	1.42
0.940*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.72 EC50 biolum.#	Not toxic	1.42
0.940*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	41.98 red. biolum.^	Toxic	1.42
0.940*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	1.42
0.942*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.2 EC50 biolum.#	Toxic	3.07

**Table G-2. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Cadmium in the St. Louis River Area of Concern**

Cadmium (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
0.942*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	3.07
0.942*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	95 % survival	Not toxic	3.07
0.942*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 red. biolum.^	Not toxic	3.07
0.964*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	35 % survival	Not toxic	3.38
0.964*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	88 % survival	Not toxic	3.38
0.964*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	19.2 red. biolum.^	Not toxic	3.38
0.964*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.34 EC50 biolum.#	Toxic	3.38
0.970*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	68 % survival	Not toxic	4.41
0.970*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	2.8 red. biolum.^	Not toxic	4.41
0.970*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	4.41
0.970*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.3 EC50 biolum.#	Toxic	4.41
0.970*	Spirit Lake-Grassy Point	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	12
0.970*	Spirit Lake-Grassy Point	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	12
0.999*	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.49 mg growth	Not toxic	3.97
0.999*	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 red. biolum.^	Not toxic	3.97
0.999*	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	3.97
0.999*	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.77 EC50 biolum.#	Not toxic	3.97
0.999*	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	3.97
1.01	St. Louis River-Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.59 mg growth	Not toxic	6.4
1.01	St. Louis River-Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	6.4
1.01	St. Louis River-Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	87 % survival	Not toxic	6.4
1.01*	Duluth-Superior Harbor-Howards Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	3.9
1.01*	Duluth-Superior Harbor-Howards Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	85 % survival	Not toxic	3.9
1.01	St. Louis River-Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.2 mg growth	Not toxic	6.4
1.01*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	5.34
1.01*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	18.8 red. biolum.^	Not toxic	5.34
1.01*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.97 EC50 biolum.#	Not toxic	5.34
1.01*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	5.34
1.01*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	2.93
1.01*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	13.8 red. biolum.^	Not toxic	2.93
1.01*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.16 EC50 biolum.#	Toxic	2.93
1.02*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	4.13
1.02*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	4.13
1.02*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.35 EC50 biolum.#	Toxic	4.13
1.02*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	21.7 red. biolum.^	Toxic	4.13
1.03*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	4.24
1.03*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.12 EC50 biolum.#	Toxic	4.24

**Table G-2. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Cadmium in the St. Louis River Area of Concern**

Cadmium (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
1.03*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	41 % survival	Toxic	4.24
1.03*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	53.2 red. biolum.^	Toxic	4.24
1.04*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	86 % survival	Not toxic	3.99
1.04*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 red. biolum.^	Not toxic	3.99
1.04*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.5 EC50 biolum.#	Not toxic	3.99
1.04*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	6.77
1.04*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.02 EC50 biolum.#	Toxic	6.77
1.04*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	30.8 red. biolum.^	Toxic	6.77
1.04*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	18 % survival	Toxic	6.77
1.04*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	6.77
1.04*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	75 % survival	Not toxic	3.99
1.04*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	10 % survival	Toxic	3.99
1.04*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	66.5 red. biolum.^	Toxic	3.99
1.04*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.09 EC50 biolum.#	Toxic	3.99
1.04*	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.51 EC50 biolum.#	Not toxic	3.95
1.04*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	70 % survival	Toxic	3.95
1.04*	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.51 EC50 biolum.#	Not toxic	3.95
1.04*	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	23.7 red. biolum.^	Toxic	3.95
1.04*	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	30.7 red. biolum.^	Toxic	3.95
1.04*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	88 % survival	Not toxic	3.95
1.05*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.35 mg growth	Not toxic	4.05
1.05*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.4 EC50 biolum.#	Toxic	4.05
1.05*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	58 % survival	Not toxic	4.05
1.05*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	20.9 red. biolum.^	Toxic	4.05
1.05*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	85 % survival	Not toxic	4.05
1.07*	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.57 EC50 biolum.#	Not toxic	2.37
1.07*	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	77.5 % survival	Not toxic	2.37
1.07*	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	9.22 red. biolum.^	Not toxic	2.37
1.07*	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	95 % survival	Not toxic	2.37
1.08*	Duluth-Superior Harbor-Howards Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	3
1.08*	Duluth-Superior Harbor-Howards Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	68 % survival	Not toxic	3
1.10*	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	56 % survival	Not toxic	13.98
1.10*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	29.59 red. biolum.^	Toxic	13.98
1.10*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.38 EC50 biolum.#	Toxic	13.98
1.10*	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	82 % survival	Not toxic	13.98
1.13*	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	60 % survival	Not toxic	2.88
1.13*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.45 EC50 biolum.#	Toxic	2.88

**Table G-2. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Cadmium in the St. Louis River Area of Concern**

Cadmium (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
1.13*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 red. biolum.^	Not toxic	2.88
1.13*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	99.9 red. biolum.^	Toxic	8.26
1.13*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0 % survival	Toxic	8.26
1.13*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0 % survival	Toxic	8.26
1.13*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.06 EC50 biolum.#	Toxic	8.26
1.14*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.37 EC50 biolum.#	Toxic	3.98
1.14*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	3.98
1.14*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	3.98
1.14*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	8.6 red. biolum.^	Not toxic	3.98
1.15*	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	90 % survival	Not toxic	4.02
1.15*	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	4.02
1.15*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.58 EC50 biolum.#	Not toxic	4.02
1.15*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 red. biolum.^	Not toxic	4.02
1.17*	Duluth-Superior Harbor-Howards Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	2.8
1.21	St. Louis River-Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.56 mg growth	Not determined	3.42
1.21*	Duluth-Superior Harbor-Howards Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	96 % survival	Not toxic	3
1.21	St. Louis River-Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	38 % survival	Toxic	3.42
1.21	St. Louis River-Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.2 mg growth	Not toxic	3.42
1.21	St. Louis River-Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	52 % survival	Toxic	3.42
1.21*	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.41 EC50 biolum.#	Toxic	3.87
1.21*	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.1 red. biolum.^	Not toxic	3.87
1.21*	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	93 % survival	Not toxic	3.87
1.21*	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.23 mg growth	Toxic	3.87
1.21*	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	3.87
1.22	St. Louis River-Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.02 mg growth	Toxic	11.76
1.22	St. Louis River-Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	67 % survival	Not toxic	11.76
1.22	St. Louis River-Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.11 mg growth	Toxic	11.76
1.22	St. Louis River-Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	11.76
1.27*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	88 % survival	Not toxic	4.11
1.27*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	72 % survival	Not toxic	4.11
1.27*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	15.5 red. biolum.^	Not toxic	4.11
1.27*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.24 EC50 biolum.#	Toxic	4.11
1.27*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	98 % survival	Not toxic	4.11
1.27*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	68 % survival	Not toxic	4.11
1.28*	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	3.47
1.28*	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	94 % survival	Not toxic	3.47
1.28*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.48 EC50 biolum.#	Toxic	3.47

**Table G-2. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Cadmium in the St. Louis River Area of Concern**

Cadmium (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
1.28*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	20.18 red. biolum.^	Toxic	3.47
1.29*	Spirit Lake-Grassy Point	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	82 % survival	Not toxic	6.5
1.29*	Spirit Lake-Grassy Point	10 day	Diptera	<i>Chironomus tentans</i>	LAR	82 % survival	Not toxic	6.5
1.32*	Duluth-Superior Harbor-Howards Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	2.2
1.32*	Duluth-Superior Harbor-Howards Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	55 % survival	Toxic	2.2
1.34*	Duluth-Superior Harbor-Howards Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	5.2
1.34*	Duluth-Superior Harbor-Howards Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	78 % survival	Not toxic	5.2
1.39*	Spirit Lake-Grassy Point	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	5
1.39*	Spirit Lake-Grassy Point	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	75 % survival	Not toxic	5
1.41	St. Louis River-Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	11.16
1.41	St. Louis River-Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0 % survival	Toxic	11.16
1.41	St. Louis River-Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	Not determined	Not determined	11.16
1.41	St. Louis River-Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0 % survival	Toxic	11.16
1.42*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0 % survival	Toxic	11.975
1.42*	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.38 EC50 biolum.#	Toxic	11.975
1.42*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	11.975
1.42*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	12 % survival	Toxic	11.975
1.42*	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	84.7 red. biolum.^	Toxic	11.975
1.42*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	10.68
1.42*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.34 EC50 biolum.#	Toxic	10.68
1.42*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	14.8 red. biolum.^	Not toxic	10.68
1.42*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.36 EC50 biolum.#	Toxic	4.05
1.42*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	67 % survival	Not toxic	4.05
1.42*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	8.3 red. biolum.^	Not toxic	4.05
1.42*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	4.05
1.44	St. Louis River-Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	97 % survival	Not toxic	2.93
1.44	St. Louis River-Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.14 mg growth	Toxic	2.93
1.44	St. Louis River-Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	78 % survival	Not toxic	2.93
1.44	St. Louis River-Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.04 mg growth	Toxic	2.93
1.45*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	44 % survival	Not toxic	3.76
1.45*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	11.1 red. biolum.^	Not toxic	3.76
1.45*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	58 % survival	Not toxic	3.76
1.45*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.25 EC50 biolum.#	Toxic	3.76
1.46*	Spirit Lake-Grassy Point	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	6.6
1.46*	Spirit Lake-Grassy Point	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	65 % survival	Toxic	6.6
1.51*	Duluth-Superior Harbor-Howards Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	3.2
1.51*	Duluth-Superior Harbor-Howards Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	52 % survival	Toxic	3.2

**Table G-2. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Cadmium in the St. Louis River Area of Concern**

Cadmium (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
1.54*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	4 red. biolum.^	Not toxic	5.59
1.54*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	95 % survival	Not toxic	5.59
1.54*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	5.59
1.54*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.16 EC50 biolum.#	Toxic	5.59
1.56*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	5 % survival	Not toxic	4.54
1.56*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.05 EC50 biolum.#	Toxic	4.54
1.56*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	30 red. biolum.^	Toxic	4.54
1.56*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	69 % survival	Not toxic	4.54
1.57*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	29.6 red. biolum.^	Toxic	2.13
1.57*	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	86 % survival	Not toxic	2.13
1.57*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.47 EC50 biolum.#	Toxic	2.13
1.57*	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	82 % survival	Not toxic	2.13
1.62*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	85 % survival	Not toxic	6.03
1.62*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	58 red. biolum.^	Toxic	6.03
1.62*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	4.07 EC50 biolum.#	Not toxic	6.03
1.67*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	12.7 red. biolum.^	Not toxic	4.7
1.67*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	88 % survival	Not toxic	4.7
1.67*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	2.55 EC50 biolum.#	Not toxic	4.7
1.67*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	65 % survival	Not toxic	4.7
1.70	St. Louis River-Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	83 % survival	Not toxic	6.15
1.70	St. Louis River-Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.84 mg growth	Toxic	6.15
1.70	St. Louis River-Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	77 % survival	Not toxic	6.15
1.70	St. Louis River-Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.15 mg growth	Toxic	6.15
1.89*	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	45 % survival	Not toxic	29.84
1.89*	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.43 mg growth	Not toxic	29.84
1.89*	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	93 % survival	Not toxic	29.84
1.89*	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.12 EC50 biolum.#	Not toxic	29.84
1.89*	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	7.4 red. biolum.^	Not toxic	29.84
1.97*	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.29 EC50 biolum.#	Toxic	4.48
1.97*	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	16 % survival	Toxic	4.48
1.97*	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	20 red. biolum.^	Toxic	4.48
2.00	Duluth-Superior Harbor-NW of Western Lake Superior	10 day	Diptera	<i>Chironomus tentans</i>	Unknown	100 % survival	Not toxic	NR
2.00	Duluth-Superior Harbor-NW of Western Lake Superior	48-h	Cladoceran	<i>Daphnia magna</i>	Unknown	100 % survival	Not toxic	NR
2.27*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	75 % survival	Not toxic	17.49
2.27*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 red. biolum.^	Not toxic	17.49
2.27*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	17.49
2.27*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.49 EC50 biolum.#	Not toxic	17.49

**Table G-2. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Cadmium in the St. Louis River Area of Concern**

Cadmium (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
2.57	St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	87 % survival	Not toxic	5.88
2.66*	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0 % survival	Toxic	14.19
2.66*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.16 EC50 biolum.#	Toxic	14.19
2.66*	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	12 % survival	Toxic	14.19
2.66*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	67.9 red. biolum.^	Toxic	14.19
2.66	St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	63 % survival	Toxic	6.12
2.82	St. Louis River-Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.35 mg growth	Not toxic	23.1
2.82	St. Louis River-Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	23.1
2.82	St. Louis River-Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.2 mg growth	Not toxic	23.1
2.82	St. Louis River-Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	82 % survival	Not toxic	23.1
2.86	St. Louis River-Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.09 mg growth	Not determined	50.12
2.86	St. Louis River-Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0 % survival	Toxic	50.12
2.86	St. Louis River-Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	Not determined	Not determined	50.12
2.86	St. Louis River-Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	8 % survival	Toxic	50.12
3.01	St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	93 % survival	Not toxic	9.58
3.57	St. Louis River-Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.07 mg growth	Toxic	45.37
3.57	St. Louis River-Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	87 % survival	Not toxic	45.37
3.57	St. Louis River-Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	92 % survival	Not toxic	45.37
3.57	St. Louis River-Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.17 mg growth	Toxic	45.37
4.26	St. Louis River-Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	30 % survival	Toxic	12.95
4.26	St. Louis River-Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.65 mg growth	Not determined	12.95
4.26	St. Louis River-Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	75 % survival	Toxic	12.95
4.26	St. Louis River-Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.1 mg growth	Toxic	12.95
4.68	St. Louis River-Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.07 mg growth	Not determined	NR
4.68	St. Louis River-Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	30 % survival	Toxic	NR
4.68	St. Louis River-Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	8 % survival	Toxic	NR
4.68	St. Louis River-Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.24 mg growth	Not determined	NR
6.13	St. Louis River-Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	26.54
6.13	St. Louis River-Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.3 mg growth	Not toxic	26.54
6.13	St. Louis River-Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	83 % survival	Not toxic	26.54
6.13	St. Louis River-Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.18 mg growth	Toxic	26.54
7.00	St. Louis River-Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.18 mg growth	Not toxic	NR
7.00	St. Louis River-Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	NR
7.00	St. Louis River-Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.23 mg growth	Not toxic	NR
7.00	St. Louis River-Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	60 % survival	Toxic	NR

\* = SEM measurement; ^ = relative to control; D-S = Duluth-Superior; # = expressed as % DW sediment; red. Biolum. = reduced bioluminescence; EC50 = effective concentration affecting 50% of the population.

**Table G-2. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Cadmium in the St. Louis River Area of Concern**

---

<b>Cadmium (mg/kg)</b>	<b>Area</b>	<b>Test Duration</b>	<b>Test Organism</b>	<b>Species</b>	<b>Life Stage</b>	<b>End-Point Measured</b>	<b>Result</b>	<b>TOC (%)</b>
----------------------------	-------------	----------------------	--------------------------	----------------	-------------------	---------------------------	---------------	--------------------

---

LAR = larvae; JUV = juvenile; TOC = total organic carbon; NR = not reported.

---

**Reference**

---

IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
Crane *et al.* 1997  
Crane *et al.* 1997  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
Crane *et al.* 1997  
Crane *et al.* 1997  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b

---

MPCA 1997b

---

**Reference**

---

MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c

---

MPCA 1997c  
MPCA 1997b

---

**Reference**

---

MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
Wenck Associates Inc. 1995  
Wenck Associates Inc. 1995  
Wenck Associates Inc. 1995  
Wenck Associates Inc. 1995  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997c  
MPCA 1997c

---

---

**Reference**

---

MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
Smith *et al.* 1992  
Smith *et al.* 1992  
Wenck Associates Inc. 1995  
Wenck Associates Inc. 1995  
Wenck Associates Inc. 1995  
Wenck Associates Inc. 1995  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b

---

MPCA 1997b  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c

---

**Reference**

---

MPCA 1997c  
MPCA 1997c  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
Crane *et al.* 1997  
Crane *et al.* 1997  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
Smith *et al.* 1992  
Smith *et al.* 1992  
Smith *et al.* 1992  
Smith *et al.* 1992  
MPCA 1997b  
MPCA 1997b

---

MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b

---

**Reference**

---

MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997b

---

MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b

---

**Reference**

---

MPCA 1997b  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
Crane *et al.* 1997  
Crane *et al.* 1997

---

MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b

---

**Reference**

---

Crane *et al.* 1997  
Crane *et al.* 1997  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
Crane *et al.* 1997  
Crane *et al.* 1997  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c

---

MPCA 1997c  
Crane *et al.* 1997  
Crane *et al.* 1997  
Crane *et al.* 1997  
Crane *et al.* 1997  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b

---

**Reference**

---

MPCA 1997b  
Crane *et al.* 1997  
Crane *et al.* 1997  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b

---

MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b

---

**Reference**

---

MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
Crane *et al.* 1997  
Crane *et al.* 1997  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
Crane *et al.* 1997  
Crane *et al.* 1997  
IT Corp. 1996  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b

---

MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b

---

**Reference**

---

MPCA 1997b  
MPCA 1997b  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997b

---

MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
*Crane et al. 1997*  
*Crane et al. 1997*  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b

---

**Reference**

---

MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
Crane *et al.* 1997  
IT Corp. 1996  
Crane *et al.* 1997  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
IT Corp. 1996

---

IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b

---

**Reference**

---

MPCA 1997b  
Crane *et al.* 1997  
Crane *et al.* 1997  
Crane *et al.* 1997  
Crane *et al.* 1997  
Crane *et al.* 1997  
Crane *et al.* 1997  
Crane *et al.* 1997  
Crane *et al.* 1997  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b

---

MPCA 1997b  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
Crane *et al.* 1997  
Crane *et al.* 1997  
Crane *et al.* 1997  
Crane *et al.* 1997

---

**Reference**

---

MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996

---

MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
Smith *et al.* 1992  
Smith *et al.* 1992  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b

---

**Reference**

---

MPCA 1996  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
MPCA 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996

---

IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996

---

---

**Reference**

---

**Table G-3. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Chromium in the St. Louis River Area of Concern**

Chromium (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
3.10	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.1 mg growth	Toxic	12.95	IT Corp. 1996
3.10	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	75 % survival	Toxic	12.95	IT Corp. 1996
3.10	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.65 mg growth	Not determined	12.95	IT Corp. 1996
3.10	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	30 % survival	Toxic	12.95	IT Corp. 1996
4.50	St. Louis River - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.16 mg growth	Toxic	4.64	IT Corp. 1996
4.50	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	4.64	IT Corp. 1996
4.50	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.13 mg growth	Not determined	4.64	IT Corp. 1996
4.50	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	30 % survival	Toxic	4.64	IT Corp. 1996
22.9	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	52 % survival	Toxic	3.42	IT Corp. 1996
22.9	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.56 mg growth	Not determined	3.42	IT Corp. 1996
22.9	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.2 mg growth	Not toxic	3.42	IT Corp. 1996
22.9	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	38 % survival	Toxic	3.42	IT Corp. 1996
30.5	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.14 mg growth	Toxic	8.08	IT Corp. 1996
30.5	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.8 mg growth	Toxic	8.08	IT Corp. 1996
30.5	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	48 % survival	Toxic	8.08	IT Corp. 1996
30.5	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	53 % survival	Toxic	8.08	IT Corp. 1996
39.0	D-S Harbor - NW side of Lakehead Dock	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.04 mg growth	Not toxic	8.4	Wenck Associates Inc. 1995
39.0	D-S Harbor - NW side of Lakehead Dock	48 hour	Cladoceran	<i>Ceriodaphnia dubia</i>	ADT	100 % survival	Not toxic	8.4	Wenck Associates Inc. 1995
39.0	D-S Harbor - NW side of Lakehead Dock	10 day	Diptera	<i>Chironomus tentans</i>	LAR	100 % survival	Not toxic	8.4	Wenck Associates Inc. 1995
39.0	D-S Harbor - NW side of Lakehead Dock	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	95 % survival	Not toxic	8.4	Wenck Associates Inc. 1995
41.2	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0 % survival	Toxic	11.16	IT Corp. 1996
41.2	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0 % survival	Toxic	11.16	IT Corp. 1996
41.2	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	11.16	IT Corp. 1996
41.2	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	Not determined	Not determined	11.16	IT Corp. 1996
45.5	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	6.4	IT Corp. 1996
45.5	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.59 mg growth	Not toxic	6.4	IT Corp. 1996
45.5	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.2 mg growth	Not toxic	6.4	IT Corp. 1996
45.5	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	87 % survival	Not toxic	6.4	IT Corp. 1996
47.0	Superior Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	6.7	Wenck Associates Inc. 1995
47.0	Superior Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	100 % survival	Not toxic	6.7	Wenck Associates Inc. 1995
47.0	Superior Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.57 mg growth	Not toxic	6.7	Wenck Associates Inc. 1995
47.0	Superior Bay	48 hour	Cladoceran	<i>Ceriodaphnia dubia</i>	ADT	100 % survival	Not toxic	6.7	Wenck Associates Inc. 1995

**Table G-3. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Chromium in the St. Louis River Area of Concern**

Chromium (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
50.5	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	77 % survival	Not toxic	6.15	IT Corp. 1996
50.5	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.84 mg growth	Toxic	6.15	IT Corp. 1996
50.5	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.15 mg growth	Toxic	6.15	IT Corp. 1996
50.5	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	83 % survival	Not toxic	6.15	IT Corp. 1996
51.3	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.04 mg growth	Toxic	2.93	IT Corp. 1996
51.3	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	78 % survival	Not toxic	2.93	IT Corp. 1996
51.3	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.14 mg growth	Toxic	2.93	IT Corp. 1996
51.3	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	97 % survival	Not toxic	2.93	IT Corp. 1996
67.6	St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	87 % survival	Not toxic	5.88	MPCA 1993
74.0	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.23 mg growth	Not toxic	100	IT Corp. 1996
74.0	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	60 % survival	Toxic	100	IT Corp. 1996
74.0	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	100	IT Corp. 1996
74.0	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.18 mg growth	Not toxic	100	IT Corp. 1996
86.7	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	30 % survival	Toxic	NR	IT Corp. 1996
86.7	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.24 mg growth	Not determined	NR	IT Corp. 1996
86.7	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.07 mg growth	Not determined	NR	IT Corp. 1996
86.7	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	8 % survival	Toxic	NR	IT Corp. 1996
88.3	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.09 mg growth	Not determined	50.12	IT Corp. 1996
88.3	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	8 % survival	Toxic	50.12	IT Corp. 1996
88.3	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0 % survival	Toxic	50.12	IT Corp. 1996
88.3	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	Not determined	Not determined	50.12	IT Corp. 1996
90.5	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	11.76	IT Corp. 1996
90.5	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.11 mg growth	Toxic	11.76	IT Corp. 1996
90.5	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	67 % survival	Not toxic	11.76	IT Corp. 1996
90.5	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.02 mg growth	Toxic	11.76	IT Corp. 1996
104	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	23.1	IT Corp. 1996
104	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.2 mg growth	Not toxic	23.1	IT Corp. 1996
104	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	82 % survival	Not toxic	23.1	IT Corp. 1996
104	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.35 mg growth	Not toxic	23.1	IT Corp. 1996
111	St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	93 % survival	Not toxic	9.58	MPCA 1993
207	St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	63 % survival	Toxic	6.12	MPCA 1993
216	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	83 % survival	Not toxic	26.54	IT Corp. 1996

**Table G-3. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Chromium in the St. Louis River Area of Concern**

Chromium (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
216	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.18 mg growth	Toxic	26.54	IT Corp. 1996
216	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.3 mg growth	Not toxic	26.54	IT Corp. 1996
216	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	26.54	IT Corp. 1996
247	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.17 mg growth	Toxic	45.37	IT Corp. 1996
247	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	87 % survival	Not toxic	45.37	IT Corp. 1996
247	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.07 mg growth	Toxic	45.37	IT Corp. 1996
247	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	92 % survival	Not toxic	45.37	IT Corp. 1996

\* = SEM measurement; ^ = relative to control; D-S = Duluth-Superior; # = expressed as % DW sediment; LAR = larvae; JUV = juvenile; TOC = total organic carbon; NR = not reported.

**Table G-4. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Lead in the St. Louis River Area of Concern**

Lead (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
1.17*	St. Louis River-Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	2.83 EC50 biolum.#	Not toxic	0.68
1.17*	St. Louis River-Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	21.31 red. biolum.^	Toxic	0.68
1.17*	St. Louis River-Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	55 % survival	Not toxic	0.68
1.20*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	26.3 red. biolum.^	Toxic	0.08
1.20*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	90 % survival	Not toxic	0.08
1.20*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	86 % survival	Not toxic	0.08
1.20*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	100 EC50 biolum.#	Not toxic	0.08
1.80*	St. Louis River-Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	0.86
1.80*	St. Louis River-Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	2.8 red. biolum.^	Not toxic	0.86
1.80*	St. Louis River-Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	0.86
1.80*	St. Louis River-Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	4.18 EC50 biolum.:	Not toxic	0.86
1.85*	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	3.96 EC50 biolum.#	Not toxic	0.59
1.85*	Allouez Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	0.59
1.85*	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 red. biolum.^	Not toxic	0.59
2.17*	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.24 EC50 biolum.:	Not toxic	0.35
2.17*	Allouez Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	55 % survival	Not toxic	0.35
2.17*	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	26.2 red. biolum.^	Toxic	0.35
2.20*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	0.4
2.20*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	88 % survival	Not toxic	0.4
2.20*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	82 % survival	Not toxic	0.4
2.20*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	100 EC50 biolum.#	Not toxic	0.4
2.20*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	39.7 red. biolum.^	Toxic	0.4
2.20*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	85 % survival	Not toxic	0.4
2.23*	Allouez Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	1.02
2.23*	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.81 EC50 biolum.#	Not toxic	1.02
2.23*	Allouez Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	1.02
2.23*	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	29.7 red. biolum.^	Toxic	1.02
2.26*	St. Louis River-Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	97.5 % survival	Not toxic	0.56
2.26*	St. Louis River-Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	67.5 % survival	Not toxic	0.56
2.26*	St. Louis River-Lower St. Louis River	30 minute	Bacteria	<i>Chironomus tentans</i>	NA	12 red. biolum.^	Not toxic	0.56

**Table G-4. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Lead in the St. Louis River Area of Concern**

Lead (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
2.26*	St. Louis River-Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	2.12 EC50 biolum.#	Not toxic	0.56
2.29*	St. Louis Bay-East of Erie Pier	10 day	Diptera	<i>Chironomus tentans</i>	LAR	90 % survival	Not toxic	0.28
2.29*	St. Louis Bay-East of Erie Pier	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	58 % survival	Toxic	0.28
2.48*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	22.95 red. biolum.^	Toxic	0.16
2.48*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	90 % survival	Not toxic	0.16
2.48*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	100 EC50 biolum.#	Not toxic	0.16
2.60*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	86 % survival	Not toxic	0.2
2.60*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	4.94 EC50 biolum.#	Not toxic	0.2
2.60*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	25.2 red. biolum.^	Toxic	0.2
2.60*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	0.2
2.72*	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.57 mg growth	Not toxic	1.37
2.72*	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	1.37
2.72*	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	52 % survival	Not toxic	1.37
2.72*	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	3.52 EC50 biolum.#	Not toxic	1.37
2.72*	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	8.2 red. biolum.^	Not toxic	1.37
2.88*	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	95 % survival	Not toxic	0.12
2.88*	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	78 % survival	Not toxic	0.12
2.88*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	100 EC50 biolum.#	Not toxic	0.12
2.88*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	3.4 red. biolum.^	Not toxic	0.12
3.05*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	15.5 red. biolum.^	Not toxic	0.61
3.05*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	65 % survival	Not toxic	0.61
3.05*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	97.5 % survival	Not toxic	0.61
3.05*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	5.36 EC50 biolum.#	Not toxic	0.61
3.17*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	45.3 red. biolum.^	Toxic	0.14
3.17*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	64 % survival	Not toxic	0.14
3.17*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	9.08 EC50 biolum.#	Not toxic	0.14
3.17*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	82 % survival	Not toxic	0.14
3.71*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	4.18 EC50 biolum.#	Not toxic	2.19
3.71*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	27.4 red. biolum.^	Toxic	2.19
3.71*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	2.19

**Table G-4. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Lead in the St. Louis River Area of Concern**

Lead (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
3.71*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	97.5 % survival	Not toxic	2.19
3.72*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	72 % survival	Not toxic	0.24
3.72*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	100 EC50 biolum.#	Not toxic	0.24
3.72*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	23.05 red. biolum.^	Toxic	0.24
3.72*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	52 % survival	Not toxic	0.24
3.87*	Spirit Lake-Grassy Point	10 day	Diptera	<i>Chironomus tentans</i>	LAR	92 % survival	Not toxic	0.89
3.87*	Spirit Lake-Grassy Point	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	0.89
4.05*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.82 EC50 biolum.#	Not toxic	1.1
4.05*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 red. biolum.^	Not toxic	1.1
4.05*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	62 % survival	Not toxic	1.1
4.05*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	1.1
4.58*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	58 % survival	Not toxic	0.14
4.58*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	67.3 red. biolum.^	Toxic	0.14
4.58*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	7.83 EC50 biolum.#	Not toxic	0.14
4.58*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	0.14
4.79*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	1.42
4.79*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.72 EC50 biolum.#	Not toxic	1.42
4.79*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	60 % survival	Not toxic	1.42
4.79*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	41.98 red. biolum.^	Toxic	1.42
4.90*	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	68 % survival	Not toxic	2.7
4.90*	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	2.7
4.90*	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.52 EC50 biolum.#	Not toxic	2.7
4.90*	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.56 mg growth	Not toxic	2.7
4.90*	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	12 red. biolum.^	Not toxic	2.7
4.90*	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.52 EC50 biolum.#	Not toxic	2.7
4.90*	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	5.3 red. biolum.^	Not toxic	2.7
4.90*	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	93 % survival	Not toxic	2.7
4.90*	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.44 mg growth	Not toxic	2.7
4.90*	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	2.7
4.96*	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	1.82

**Table G-4. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Lead in the St. Louis River Area of Concern**

Lead (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
4.96*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	-2.8 red. biolum.^	Not toxic	1.82
4.96*	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	70 % survival	Not toxic	1.82
4.96*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	3.56 EC50 biolum.#	Not toxic	1.82
5.37*	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.46 EC50 biolum.#	Not toxic	2.4
5.37*	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	82 % survival	Not toxic	2.4
5.37*	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	35.18 red. biolum.^	Toxic	2.4
5.37*	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	98 % survival	Not toxic	2.4
5.40*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.2 EC50 biolum.#	Toxic	8.4
5.40*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	3 % survival	Toxic	8.4
5.40*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	81.5 red. biolum.^	Toxic	8.4
5.40*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0 % survival	Toxic	8.4
5.64*	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	55 % survival	Not toxic	2.2
5.64*	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	70 % survival	Not toxic	2.2
5.64*	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.96 EC50 biolum.#	Not toxic	2.2
5.64*	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	9.31 red. biolum.^	Not toxic	2.2
5.65*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	4.29 EC50 biolum.#	Not toxic	1.69
5.65*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	84 % survival	Not toxic	1.69
5.65*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	12.1 red. biolum.^	Not toxic	1.69
5.69*	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	22.87 red. biolum.^	Toxic	1.75
5.69*	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.24 EC50 biolum.#	Toxic	1.75
5.69*	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	95 % survival	Not toxic	1.75
5.69*	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	1.75
5.74*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	93 % survival	Not toxic	1.87
5.74*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	1.87
5.74*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	2.07 EC50 biolum.#	Not toxic	1.87
5.74*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	21.8 red. biolum.^	Toxic	1.87
5.74*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.53 mg growth	Not toxic	1.87
5.96*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.53 mg growth	Not toxic	1.65
5.96*	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	4.42 EC50 biolum.#	Not toxic	1.65
5.96*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	88 % survival	Not toxic	1.65

**Table G-4. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Lead in the St. Louis River Area of Concern**

Lead (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
5.96*	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 red. biolum.^	Not toxic	1.65
5.96*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	87 % survival	Not toxic	1.65
6.01*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 red. biolum.^	Not toxic	1.35
6.01*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	1.35
6.01*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	1.35
6.01*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.96 EC50 biolum.#	Not toxic	1.35
6.31*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	98 % survival	Not toxic	1.44
6.31*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	5.4 red. biolum.^	Not toxic	1.44
6.31*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.14 EC50 biolum.#	Not toxic	1.44
6.36*	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	3.17 red. biolum.^	Not toxic	2.82
6.36*	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	67.5 % survival	Not toxic	2.82
6.36*	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	95 % survival	Not toxic	2.82
6.36*	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.23 EC50 biolum.#	Toxic	2.82
6.43*	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	98 % survival	Not toxic	3.02
6.43*	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 red. biolum.^	Not toxic	3.02
6.43*	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.37 EC50 biolum.#	Toxic	3.02
6.43*	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	3.02
6.58*	Spirit Lake-Grassy Point	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	7.1
6.58*	Spirit Lake-Grassy Point	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	80 % survival	Not toxic	7.1
6.67*	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.1 red. biolum.^	Not toxic	NR
6.67*	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	2.4 EC50 biolum.#	Not toxic	NR
6.67*	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	60 % survival	Not toxic	NR
6.67*	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	12 % survival	Toxic	NR
6.68*	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.82 EC50 biolum.#	Not toxic	4.47
6.68*	Allouez Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	68 % survival	Not toxic	4.47
6.68*	Allouez Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	85 % survival	Not toxic	4.47
6.68*	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	33.03 red. biolum.^	Toxic	4.47
6.78*	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	2.91
6.78*	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.96 EC50 biolum.#	Not toxic	2.91
6.78*	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	18.89 red. biolum.^	Not toxic	2.91

**Table G-4. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Lead in the St. Louis River Area of Concern**

Lead (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
6.78*	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	90 % survival	Not toxic	2.91
6.82*	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	42.1 red. biolum.^	Toxic	1.71
6.82*	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.27 EC50 biolum.#	Not toxic	1.71
6.82*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	1.71
6.82*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.4 mg growth	Not toxic	1.71
6.82*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	78 % survival	Not toxic	1.71
7.03*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	78 % survival	Not toxic	1.85
7.03*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	90 % survival	Not toxic	1.85
7.03*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	14.9 red. biolum.^	Not toxic	1.85
7.03*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.75 EC50 biolum.#	Not toxic	1.85
7.06*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	6.73 EC50 biolum.#	Not toxic	5.77
7.06*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	6.4 red. biolum.^	Not toxic	5.77
7.06*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	5.77
7.06*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	75 % survival	Not toxic	5.77
7.27*	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	2.37
7.27*	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	92 % survival	Not toxic	2.37
7.27*	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	28.9 red. biolum.^	Toxic	2.37
7.27*	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.64 EC50 biolum.#	Not toxic	2.37
7.64*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	98 % survival	Not toxic	2.24
7.64*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.3 EC50 biolum.#	Not toxic	2.24
7.64*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.46 mg growth	Not toxic	2.24
7.64*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	95 % survival	Not toxic	2.24
7.64*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 red. biolum.^	Not toxic	2.24
7.94*	St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	22.4 red. biolum.^	Toxic	3.14
7.94*	St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.48 EC50 biolum.#	Toxic	3.14
7.94*	St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	3.14
8.47*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.4 EC50 biolum.#	Toxic	2.82
8.47*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	70 % survival	Not toxic	2.82
8.47*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	2.82
8.47*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	10.2 red. biolum.^	Not toxic	2.82

**Table G-4. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Lead in the St. Louis River Area of Concern**

Lead (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
8.47*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	55 % survival	Not toxic	3.07
8.47*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	32.24 red. biolum.^	Toxic	3.07
8.47*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.73 EC50 biolum.#	Not toxic	3.07
9.48*	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	28.8 red. biolum.^	Toxic	3.25
9.48*	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	3.25
9.48*	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.42 EC50 biolum.#	Toxic	3.25
9.78	St. Louis River-Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	78 % survival	Not toxic	2.93
9.78	St. Louis River-Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	97 % survival	Not toxic	2.93
9.78	St. Louis River-Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.14 mg growth	Toxic	2.93
9.78	St. Louis River-Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.04 mg growth	Toxic	2.93
9.90*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	-0.7 red. biolum.^	Not toxic	1.55
9.90*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.47 EC50 biolum.#	Toxic	1.55
9.90*	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	65 % survival	Not toxic	1.55
9.95*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	10.5 red. biolum.^	Not toxic	2.98
9.95*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.58 mg growth	Not toxic	2.98
9.95*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.92 EC50 biolum.#	Not toxic	2.98
9.95*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	97 % survival	Not toxic	2.98
9.95*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	2.98
10.6*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	88 % survival	Not toxic	3.85
10.6*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 red. biolum.^	Not toxic	3.85
10.6*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	3.85
10.6*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.64 mg growth	Not toxic	3.85
10.6*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	3.82 EC50 biolum.#	Not toxic	3.85
10.7	St. Louis River-Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	4.64
10.7	St. Louis River-Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	30 % survival	Toxic	4.64
10.7	St. Louis River-Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.16 mg growth	Toxic	4.64
10.7	St. Louis River-Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.13 mg growth	Not determined	4.64
10.9*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	89 % survival	Not toxic	0.81
10.9*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	26.9 red. biolum.^	Toxic	0.81
10.9*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	2.06 EC50 biolum.#	Not toxic	0.81

**Table G-4. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Lead in the St. Louis River Area of Concern**

Lead (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
10.9*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	18 % survival	Toxic	0.81
11.1*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	65 % survival	Not toxic	2.59
11.1*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	7.4 red. biolum.^	Not toxic	2.59
11.1*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.41 EC50 biolum.#	Toxic	2.59
11.1*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	97.5 % survival	Not toxic	2.59
11.1*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0 % survival	Toxic	8.26
11.1*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0 % survival	Toxic	8.26
11.1*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.06 EC50 biolum.#	Toxic	8.26
11.1*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	99.9 red. biolum.^	Toxic	8.26
11.7*	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	88 % survival	Not toxic	6.72
11.7*	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 red. biolum.^	Not toxic	6.72
11.7*	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.35 EC50 biolum.#	Not toxic	6.72
11.7*	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.46 mg growth	Not toxic	6.72
11.7*	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	87 % survival	Not toxic	6.72
12.0*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	62 % survival	Not toxic	3.2
12.0*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.58 EC50 biolum.#	Not toxic	3.2
12.0*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 red. biolum.^	Not toxic	3.2
12.0*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	3.2
12.5*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	40.37 red. biolum.^	Toxic	1.94
12.5*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	98 % survival	Not toxic	1.94
12.5*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	62 % survival	Not toxic	1.94
12.5*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.58 EC50 biolum.#	Not toxic	1.94
13.7*	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	95 % survival	Not toxic	2.37
13.7*	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.57 EC50 biolum.#	Not toxic	2.37
13.7*	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	77.5 % survival	Not toxic	2.37
13.7*	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	9.22 red. biolum.^	Not toxic	2.37
13.8*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	4.02
13.8*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	57 % survival	Toxic	4.02
13.8*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	4.1 red. biolum.^	Not toxic	4.02
13.8*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	4.02

**Table G-4. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Lead in the St. Louis River Area of Concern**

Lead (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
13.8*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.76 EC50 biolum.#	Not toxic	4.02
14.0*	St. Louis Bay-South of DM & IR Taconite Storage Facility	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	98 % survival	Not toxic	2.6
14.0*	St. Louis Bay-South of DM & IR Taconite Storage Facility	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	2.6
14.6*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 red. biolum.^	Not toxic	17.49
14.6*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	17.49
14.6*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	75 % survival	Not toxic	17.49
14.6*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.49 EC50 biolum.#	Not toxic	17.49
14.8*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	50 % survival	Not toxic	3.2
14.8*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.1 EC50 biolum.#	Not toxic	3.2
14.8*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	45.6 red. biolum.^	Toxic	3.2
15.4*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	15.82 red. biolum.^	Not toxic	2.34
15.4*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	98 % survival	Not toxic	2.34
15.4*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.28 EC50 biolum.#	Toxic	2.34
15.4*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	2.34
15.8*	St. Louis Bay-East of Erie Pier	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	67 % survival	Not toxic	2.9
15.8*	St. Louis Bay-East of Erie Pier	10 day	Diptera	<i>Chironomus tentans</i>	LAR	78 % survival	Not toxic	2.9
16.6*	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	12.1 red. biolum.^	Not toxic	2.34
16.6*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	95 % survival	Not toxic	2.34
16.6*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.37 mg growth	Not toxic	2.34
16.6*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	2.34
16.6*	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.77 EC50 biolum.#	Not toxic	2.34
16.8*	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.06 EC50 biolum.#	Not toxic	3.735
16.8*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	3.735
16.8*	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 red. biolum.^	Not toxic	3.735
16.8*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.57 mg growth	Not toxic	3.735
16.8*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	65 % survival	Not toxic	3.735
16.9*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	62 % survival	Not toxic	13.81
16.9*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	98 % survival	Not toxic	13.81
16.9*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.1 red. biolum.^	Not toxic	13.81
16.9*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	3.88 EC50 biolum.#	Not toxic	13.81

**Table G-4. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Lead in the St. Louis River Area of Concern**

Lead (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
17.6*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	55 % survival	Not toxic	3.32
17.6*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	88 % survival	Not toxic	3.32
17.6*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.72 EC50 biolum.#	Not toxic	3.32
17.6*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	8.1 red. biolum.^	Not toxic	3.32
18.0	Duluth-Superior Harbor-Allouez Bay	10 day	Diptera	<i>Chironomus tentans</i>	Unknown	100 % survival	Not toxic	NR
18.0	Duluth-Superior Harbor-Allouez Bay	48-h	Cladoceran	<i>Daphnia magna</i>	Unknown	100 % survival	Not toxic	NR
19.0*	St. Louis Bay-South of DM & IR Taconite Storage Facility	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	82 % survival	Not toxic	2.9
19.0*	St. Louis Bay-South of DM & IR Taconite Storage Facility	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	2.9
19.7*	St. Louis Bay-South of DM & IR Taconite Storage Facility	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	95 % survival	Not toxic	2.3
19.7*	St. Louis Bay-South of DM & IR Taconite Storage Facility	10 day	Diptera	<i>Chironomus tentans</i>	LAR	88 % survival	Not toxic	2.3
20.0	Superior Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	100 % survival	Not toxic	6.7
20.0	Superior Bay	48-h	Cladoceran	<i>Ceriodaphnia dubia</i>	Adult	100 % survival	Not toxic	6.7
20.0	Superior Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.57 mg growth	Not toxic	6.7
20.0	Superior Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	6.7
20.2*	St. Louis Bay-South of DM & IR Taconite Storage Facility	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	70 % survival	Toxic	2.5
20.2*	St. Louis Bay-South of DM & IR Taconite Storage Facility	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Toxic	2.5
20.6*	St. Louis River-Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	18.2 red. biolum.^	Not toxic	4.84
20.6*	St. Louis River-Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	90 % survival	Not toxic	4.84
20.6*	St. Louis River-Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	4.84
20.6*	St. Louis River-Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.09 EC50 biolum.#	Toxic	4.84
21.4*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	3.4
21.4*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	77 % survival	Not toxic	3.4
21.4*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.49 mg growth	Not toxic	3.4
21.4*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.9 red. biolum.^	Not toxic	3.4
21.4*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.74 EC50 biolum.#	Not toxic	3.4
21.4*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.74 EC50 biolum.#	Not toxic	3.4
21.4*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.2 red. biolum.^	Not toxic	3.4
21.4*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	87 % survival	Not toxic	3.4
21.4*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.37 mg growth	Not toxic	3.4
21.4*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	87 % survival	Not toxic	3.4

**Table G-4. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Lead in the St. Louis River Area of Concern**

Lead (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
22.2*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.16 EC50 biolum.#	Toxic	2.93
22.2*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	2.93
22.2*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	13.8 red. biolum.^	Not toxic	2.93
22.4*	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	4.02
22.4*	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	90 % survival	Not toxic	4.02
22.4*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.58 EC50 biolum.#	Not toxic	4.02
22.4*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 red. biolum.^	Not toxic	4.02
23.0	Duluth-Superior Harbor-North of Minnesota	10 day	Diptera	<i>Chironomus tentans</i>	Unknown	100 % survival	Not toxic	NR
23.0	Duluth-Superior Harbor-North of Minnesota	48-h	Cladoceran	<i>Daphnia magna</i>	Unknown	100 % survival	Not toxic	NR
23.1*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.2 EC50 biolum.#	Toxic	3.07
23.1*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 red. biolum.^	Not toxic	3.07
23.1*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	3.07
23.1*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	95 % survival	Not toxic	3.07
23.2*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.45 EC50 biolum.#	Toxic	2.88
23.2*	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	60 % survival	Not toxic	2.88
23.2*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 red. biolum.^	Not toxic	2.88
23.5*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	31.2 red. biolum.^	Toxic	2.67
23.5*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	60 % survival	Not toxic	2.67
23.5*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	91 % survival	Not toxic	2.67
23.5*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.36 EC50 biolum.#	Toxic	2.67
23.6	St. Louis River-Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.59 mg growth	Not toxic	6.4
23.6	St. Louis River-Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.2 mg growth	Not toxic	6.4
23.6	St. Louis River-Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	6.4
23.6	St. Louis River-Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	87 % survival	Not toxic	6.4
24.7*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	35 % survival	Not toxic	3.38
24.7*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	88 % survival	Not toxic	3.38
24.7*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.34 EC50 biolum.#	Toxic	3.38
24.7*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	19.2 red. biolum.^	Not toxic	3.38
25.0*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.96 EC50 biolum.#	Not toxic	4.36
25.0*	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	68 % survival	Not toxic	4.36

**Table G-4. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Lead in the St. Louis River Area of Concern**

Lead (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
25.0*	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	4.36
25.0*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	-0.6 red. biolum.^	Not toxic	4.36
25.0	Duluth-Superior Harbor-Hallett Coal Dock #6	10 day	Diptera	<i>Chironomus tentans</i>	Unknown	86.6 % survival	Not toxic	NR
25.0	Duluth-Superior Harbor-Hallett Coal Dock #6	48-h	Cladoceran	<i>Daphnia magna</i>	Unknown	95 % survival	Not toxic	NR
25.0*	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	93.4 red. biolum.^	Toxic	13.91
25.0*	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	18 % survival	Toxic	13.91
25.0*	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	13.91
25.0*	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	13.91
25.0*	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.4 EC50 biolum.#	Toxic	13.91
26.4*	Spirit Lake-Grassy Point	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	12
26.4*	Spirit Lake-Grassy Point	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	12
26.5*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	3.69
26.5*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1 red. biolum.^	Not toxic	3.69
26.5*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.37 EC50 biolum.#	Toxic	3.69
26.5*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	94 % survival	Not toxic	3.69
27.0*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.34 EC50 biolum.#	Toxic	10.68
27.0*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	10.68
27.0*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	14.8 red. biolum.^	Not toxic	10.68
27.0*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	88 % survival	Not toxic	3.95
27.0*	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	30.7 red. biolum.^	Toxic	3.95
27.0*	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.51 EC50 biolum.#	Not toxic	3.95
27.0*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	70 % survival	Toxic	3.95
27.0*	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.51 EC50 biolum.#	Not toxic	3.95
27.0*	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	23.7 red. biolum.^	Toxic	3.95
28.6*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	18.8 red. biolum.^	Not toxic	5.34
28.6*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	5.34
28.6*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.97 EC50 biolum.#	Not toxic	5.34
28.6*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	5.34
30.0*	Spirit Lake-Grassy Point	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	75 % survival	Not toxic	5
30.0*	Spirit Lake-Grassy Point	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	5

**Table G-4. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Lead in the St. Louis River Area of Concern**

Lead (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
31.6*	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	56 % survival	Not toxic	13.98
31.6*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.38 EC50 biolum.#	Toxic	13.98
31.6*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	29.59 red. biolum.^	Toxic	13.98
31.6*	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	82 % survival	Not toxic	13.98
32.4*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	8.97
32.4*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	75 % survival	Toxic	8.97
32.4*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	42.1 red. biolum.^	Toxic	8.97
32.4*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	3 % survival	Toxic	8.97
32.4*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.05 EC50 biolum.#	Toxic	8.97
33.0	Duluth-Superior Harbor-Northwest side of Lakehead Dock	10 day	Diptera	<i>Chironomus tentans</i>	LAR	100 % survival	Not toxic	8.4
33.0	Duluth-Superior Harbor-Northwest side of Lakehead Dock	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	95 % survival	Not toxic	8.4
33.0	Duluth-Superior Harbor-Northwest side of Lakehead Dock	48-h	Cladoceran	<i>Ceriodaphnia dubia</i>	Adult	100 % survival	Not toxic	8.4
33.0	Duluth-Superior Harbor-Northwest side of Lakehead Dock	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.04 mg growth	Not toxic	8.4
33.0*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	4.41
33.0*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.3 EC50 biolum.#	Toxic	4.41
33.0*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	68 % survival	Not toxic	4.41
33.0*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	2.8 red. biolum.^	Not toxic	4.41
33.8*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	41 % survival	Toxic	4.24
33.8*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.12 EC50 biolum.#	Toxic	4.24
33.8*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	4.24
33.8*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	53.2 red. biolum.^	Toxic	4.24
34.7*	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	93 % survival	Not toxic	3.87
34.7*	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.23 mg growth	Toxic	3.87
34.7*	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	3.87
34.7*	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.1 red. biolum.^	Not toxic	3.87
34.7*	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.41 EC50 biolum.#	Toxic	3.87
35.2*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.35 EC50 biolum.#	Toxic	4.13
35.2*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	4.13
35.2*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	4.13
35.2*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	21.7 red. biolum.^	Toxic	4.13

**Table G-4. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Lead in the St. Louis River Area of Concern**

Lead (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
36.5*	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.29 EC50 biolum.#	Toxic	4.48
36.5*	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	16 % survival	Toxic	4.48
36.5*	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	20 red. biolum.^	Toxic	4.48
37.7	St. Louis River-Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.14 mg growth	Toxic	8.08
37.7	St. Louis River-Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	53 % survival	Toxic	8.08
37.7	St. Louis River-Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	48 % survival	Toxic	8.08
37.7	St. Louis River-Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.8 mg growth	Toxic	8.08
39.2*	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.12 EC50 biolum.#	Not toxic	29.84
39.2*	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	45 % survival	Not toxic	29.84
39.2*	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	93 % survival	Not toxic	29.84
39.2*	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	7.4 red. biolum.^	Not toxic	29.84
39.2*	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.43 mg growth	Not toxic	29.84
39.7*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.02 EC50 biolum.#	Toxic	6.77
39.7*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	30.8 red. biolum.^	Toxic	6.77
39.7*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	18 % survival	Toxic	6.77
39.7*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	6.77
39.7*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	6.77
40.9*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	8.6 red. biolum.^	Not toxic	3.98
40.9*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	3.98
40.9*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	3.98
40.9*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.37 EC50 biolum.#	Toxic	3.98
43.6*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.36 EC50 biolum.#	Toxic	4.05
43.6*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	67 % survival	Not toxic	4.05
43.6*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	8.3 red. biolum.^	Not toxic	4.05
43.6*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	4.05
44.1*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	15.5 red. biolum.^	Not toxic	4.11
44.1*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	72 % survival	Not toxic	4.11
44.1*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	88 % survival	Not toxic	4.11
44.1*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	98 % survival	Not toxic	4.11
44.1*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.24 EC50 biolum.#	Toxic	4.11

**Table G-4. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Lead in the St. Louis River Area of Concern**

Lead (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
44.1*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	68 % survival	Not toxic	4.11
44.1*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.47 EC50 biolum.#	Toxic	2.13
44.1*	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	82 % survival	Not toxic	2.13
44.1*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	29.6 red. biolum.^	Toxic	2.13
44.1*	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	86 % survival	Not toxic	2.13
44.5*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.5 EC50 biolum.#	Not toxic	3.99
44.5*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 red. biolum.^	Not toxic	3.99
44.5*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	86 % survival	Not toxic	3.99
44.8*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	5 % survival	Not toxic	4.54
44.8*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	30 red. biolum.^	Toxic	4.54
44.8*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.05 EC50 biolum.#	Toxic	4.54
44.8*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	69 % survival	Not toxic	4.54
47.0	Duluth-Superior Harbor-Northeast of Western Lake Superior	48-h	Cladoceran	<i>Daphnia magna</i>	Unknown	100 % survival	Not toxic	NR
47.0	Duluth-Superior Harbor-Northeast of Western Lake Superior	10 day	Diptera	<i>Chironomus tentans</i>	Unknown	100 % survival	Not toxic	NR
49.3*	Spirit Lake-Grassy Point	10 day	Diptera	<i>Chironomus tentans</i>	LAR	82 % survival	Not toxic	6.5
49.3*	Spirit Lake-Grassy Point	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	82 % survival	Not toxic	6.5
49.5*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	75 % survival	Not toxic	3.99
49.5*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	66.5 red. biolum.^	Toxic	3.99
49.5*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.09 EC50 biolum.#	Toxic	3.99
49.5*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	10 % survival	Toxic	3.99
50.4*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	58 % survival	Not toxic	3.76
50.4*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.25 EC50 biolum.#	Toxic	3.76
50.4*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	11.1 red. biolum.^	Not toxic	3.76
50.4*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	44 % survival	Not toxic	3.76
51.1*	Spirit Lake-Grassy Point	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	6.6
51.1*	Spirit Lake-Grassy Point	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	65 % survival	Toxic	6.6
51.7*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.32 EC50 biolum.#	Toxic	2.63
51.7*	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	68 % survival	Not toxic	2.63
51.7*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	33.45 red. biolum.^	Toxic	2.63
51.7*	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	75 % survival	Not toxic	2.63

**Table G-4. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Lead in the St. Louis River Area of Concern**

Lead (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
56.2	St. Louis River-Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.56 mg growth	Not determined	3.42
56.2	St. Louis River-Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.2 mg growth	Not toxic	3.42
56.2	St. Louis River-Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	38 % survival	Toxic	3.42
56.2	St. Louis River-Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	52 % survival	Toxic	3.42
57.7*	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	12 % survival	Toxic	14.19
57.7*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.16 EC50 biolum.#	Toxic	14.19
57.7*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	67.9 red. biolum.^	Toxic	14.19
57.7*	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0 % survival	Toxic	14.19
57.8*	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 red. biolum.^	Not toxic	3.97
57.8*	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.49 mg growth	Not toxic	3.97
57.8*	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	3.97
57.8*	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.77 EC50 biolum.#	Not toxic	3.97
57.8*	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	3.97
66.6	St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	63 % survival	Toxic	6.12
66.9*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	20.9 red. biolum.^	Toxic	4.05
66.9*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	85 % survival	Not toxic	4.05
66.9*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.4 EC50 biolum.#	Toxic	4.05
66.9*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	58 % survival	Not toxic	4.05
66.9*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.35 mg growth	Not toxic	4.05
71.3	St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	93 % survival	Not toxic	9.58
72.3*	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	3.47
72.3*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	20.18 red. biolum.^	Toxic	3.47
72.3*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.48 EC50 biolum.#	Toxic	3.47
72.3*	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	94 % survival	Not toxic	3.47
77.1*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.16 EC50 biolum.#	Toxic	5.59
77.1*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	5.59
77.1*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	4 red. biolum.^	Not toxic	5.59
77.1*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	95 % survival	Not toxic	5.59
81.2	St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	87 % survival	Not toxic	5.88
82.1*	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	8.5 red. biolum.^	Not toxic	2.43

**Table G-4. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Lead in the St. Louis River Area of Concern**

Lead (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
82.1*	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	95 % survival	Not toxic	2.43
82.1*	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.67 EC50 biolum.#	Not toxic	2.43
86.8*	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.38 EC50 biolum.#	Toxic	11.975
86.8*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	12 % survival	Toxic	11.975
86.8*	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	84.7 red. biolum.^	Toxic	11.975
86.8*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0 % survival	Toxic	11.975
86.8*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	11.975
94.5	Duluth-Superior Harbor-Howards Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	95 % survival	Not toxic	1.8
94.5	Duluth-Superior Harbor-Howards Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	1.8
96.0	St. Louis River-Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0 % survival	Toxic	11.16
96.0	St. Louis River-Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	Not determined	Not determined	11.16
96.0	St. Louis River-Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	11.16
96.0	St. Louis River-Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0 % survival	Toxic	11.16
101	St. Louis River-Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.84 mg growth	Toxic	6.15
101	St. Louis River-Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	77 % survival	Not toxic	6.15
101	St. Louis River-Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.15 mg growth	Toxic	6.15
101	St. Louis River-Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	83 % survival	Not toxic	6.15
104	Duluth-Superior Harbor-Howards Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	85 % survival	Not toxic	3.9
104	Duluth-Superior Harbor-Howards Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	3.9
113	Duluth-Superior Harbor-Howards Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	2.8
130*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	4.07 EC50 biolum.#	Not toxic	6.03
130*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	58 red. biolum.^	Toxic	6.03
130*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	85 % survival	Not toxic	6.03
131*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0 % survival	Toxic	0.82
131*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	59 % survival	Not toxic	0.82
131*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	26.1 red. biolum.^	Toxic	0.82
131*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.05 EC50 biolum.#	Toxic	0.82
132	Duluth-Superior Harbor-Howards Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	2.2
132	Duluth-Superior Harbor-Howards Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	55 % survival	Toxic	2.2
136*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	12.7 red. biolum.^	Not toxic	4.7

**Table G-4. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Lead in the St. Louis River Area of Concern**

Lead (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
136*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	2.55 EC50 biolum.#	Not toxic	4.7
136*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	88 % survival	Not toxic	4.7
136*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	65 % survival	Not toxic	4.7
144	St. Louis River-Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	82 % survival	Not toxic	23.1
144	St. Louis River-Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.35 mg growth	Not toxic	23.1
144	St. Louis River-Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	23.1
144	St. Louis River-Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.2 mg growth	Not toxic	23.1
163	Duluth-Superior Harbor-Howards Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	96 % survival	Not toxic	3
176	St. Louis River-Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.11 mg growth	Toxic	11.76
176	St. Louis River-Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.02 mg growth	Toxic	11.76
176	St. Louis River-Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	67 % survival	Not toxic	11.76
176	St. Louis River-Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	11.76
194*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	1
194*	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.77 EC50 biolum.#	Not toxic	1
194*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	63 % survival	Toxic	1
194*	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	52.4 red. biolum.^	Toxic	1
194*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0 % survival	Toxic	1
194	Duluth-Superior Harbor-Howards Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	5.2
194	Duluth-Superior Harbor-Howards Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	78 % survival	Not toxic	5.2
215	Duluth-Superior Harbor-Howards Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	3
215	Duluth-Superior Harbor-Howards Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	68 % survival	Not toxic	3
234	St. Louis River-Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.07 mg growth	Not determined	NR
234	St. Louis River-Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	8 % survival	Toxic	NR
234	St. Louis River-Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.24 mg growth	Not determined	NR
234	St. Louis River-Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	30 % survival	Toxic	NR
239	St. Louis River-Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.65 mg growth	Not determined	12.95
239	St. Louis River-Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	75 % survival	Toxic	12.95
239	St. Louis River-Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.1 mg growth	Toxic	12.95
239	St. Louis River-Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	30 % survival	Toxic	12.95
269	Duluth-Superior Harbor-Howards Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	3.2

**Table G-4. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Lead in the St. Louis River Area of Concern**

Lead (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
269	Duluth-Superior Harbor-Howards Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	52 % survival	Toxic	3.2
308	St. Louis River-Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.18 mg growth	Toxic	26.54
308	St. Louis River-Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.3 mg growth	Not toxic	26.54
308	St. Louis River-Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	26.54
308	St. Louis River-Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	83 % survival	Not toxic	26.54
370	St. Louis River-Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.17 mg growth	Toxic	45.37
370	St. Louis River-Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	92 % survival	Not toxic	45.37
370	St. Louis River-Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.07 mg growth	Toxic	45.37
370	St. Louis River-Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	87 % survival	Not toxic	45.37
389	St. Louis River-Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.23 mg growth	Not toxic	NR
389	St. Louis River-Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	NR
389	St. Louis River-Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.18 mg growth	Not toxic	NR
389	St. Louis River-Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	60 % survival	Toxic	NR
668	St. Louis River-Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	8 % survival	Toxic	50.12
668	St. Louis River-Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.09 mg growth	Not determined	50.12
668	St. Louis River-Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0 % survival	Toxic	50.12
668	St. Louis River-Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	Not determined	Not determined	50.12

\* = SEM measurement; ^ = relative to control; D-S = Duluth-Superior; # = expressed as % DW sediment; red. Biolum. = reduced bioluminescence; EC50 = effective concentration affecting 50% of the population. LAR = larvae; JUV = juvenile; TOC = total organic carbon; NR = not reported.



---

**Reference**

---

MPCA 1997b

Crane *et al.* 1997

Crane *et al.* 1997

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997c

MPCA 1997c

MPCA 1997c

MPCA 1997c

MPCA 1997c

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

---

---

**Reference**

---

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

Crane *et al.* 1997

Crane *et al.* 1997

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997c

MPCA 1997c

MPCA 1997c

MPCA 1997c

MPCA 1997c

MPCA 1997c

MPCA 1997c

MPCA 1997c

MPCA 1997c

MPCA 1997c

MPCA 1997b

---

---

**Reference**

---

MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c

---

---

**Reference**

---

MPCA 1997c

MPCA 1997c

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997c

MPCA 1997c

MPCA 1997c

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

Crane *et al.* 1997

Crane *et al.* 1997

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

---

---

**Reference**

---

MPCA 1997b  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b

---

---

**Reference**

---

MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b

---

---

**Reference**

---

MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c

---

---

**Reference**

---

MPCA 1997c  
Crane *et al.* 1997  
Crane *et al.* 1997  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
Crane *et al.* 1997  
Crane *et al.* 1997  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b

---

---

**Reference**

---

MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
Smith *et al.* 1992  
Smith *et al.* 1992  
Crane *et al.* 1997  
Crane *et al.* 1997  
Crane *et al.* 1997  
Crane *et al.* 1997  
Wenck Associates Inc. 1995  
Wenck Associates Inc. 1995  
Wenck Associates Inc. 1995  
Wenck Associates Inc. 1995  
Crane *et al.* 1997  
Crane *et al.* 1997  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c

---

---

**Reference**

---

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

Smith *et al.* 1992

Smith *et al.* 1992

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

IT Corp. 1996

IT Corp. 1996

IT Corp. 1996

IT Corp. 1996

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

---

---

**Reference**

---

MPCA 1997b  
MPCA 1997b  
Smith *et al.* 1992  
Smith *et al.* 1992  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
Crane *et al.* 1997  
Crane *et al.* 1997  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
Crane *et al.* 1997  
Crane *et al.* 1997

---

---

**Reference**

---

MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
Wenck Associates Inc. 1995  
Wenck Associates Inc. 1995  
Wenck Associates Inc. 1995  
Wenck Associates Inc. 1995  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b

---

---

**Reference**

---

MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b

---

---

**Reference**

---

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997c

MPCA 1997c

MPCA 1997c

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

Smith *et al.* 1992

Smith *et al.* 1992

Crane *et al.* 1997

Crane *et al.* 1997

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

Crane *et al.* 1997

Crane *et al.* 1997

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

---

---

**Reference**

---

IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1996  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1996  
MPCA 1997c

---

---

**Reference**

---

MPCA 1997c

MPCA 1997c

MPCA 1997c

MPCA 1997c

MPCA 1997c

MPCA 1997c

MPCA 1997c

Crane *et al.* 1997

Crane *et al.* 1997

IT Corp. 1996

IT Corp. 1996

IT Corp. 1996

IT Corp. 1996

IT Corp. 1996

IT Corp. 1996

IT Corp. 1996

IT Corp. 1996

Crane *et al.* 1997

Crane *et al.* 1997

Crane *et al.* 1997

MPCA 1997c

MPCA 1997c

MPCA 1997c

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

Crane *et al.* 1997

Crane *et al.* 1997

MPCA 1997b

---

---

**Reference**

---

MPCA 1997b

MPCA 1997b

MPCA 1997b

IT Corp. 1996

IT Corp. 1996

IT Corp. 1996

IT Corp. 1996

*Crane et al.* 1997

IT Corp. 1996

IT Corp. 1996

IT Corp. 1996

IT Corp. 1996

MPCA 1997c

MPCA 1997c

MPCA 1997c

MPCA 1997c

MPCA 1997c

*Crane et al.* 1997

*Crane et al.* 1997

*Crane et al.* 1997

*Crane et al.* 1997

IT Corp. 1996

IT Corp. 1996

IT Corp. 1996

IT Corp. 1996

IT Corp. 1996

IT Corp. 1996

IT Corp. 1996

IT Corp. 1996

*Crane et al.* 1997

---

---

**Reference**

---

Crane *et al.* 1997

IT Corp. 1996

IT Corp. 1996

IT Corp. 1996

IT Corp. 1996

IT Corp. 1996

IT Corp. 1996

IT Corp. 1996

IT Corp. 1996

IT Corp. 1996

IT Corp. 1996

IT Corp. 1996

IT Corp. 1996

IT Corp. 1996

IT Corp. 1996

IT Corp. 1996

IT Corp. 1996

---

**Table G-5. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Copper in the St. Louis River Area of Concern**

Copper (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
0.578*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	86 % survival	Not toxic	0.2
0.578*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	25.2 red. biolum.^	Toxic	0.2
0.578*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	0.2
0.578*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	4.94 EC50 biolum.#	Not toxic	0.2
0.592*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	18 % survival	Toxic	6.77
0.592*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.02 EC50 biolum.#	Toxic	6.77
0.592*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	30.8 red. biolum.^	Toxic	6.77
0.592*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	6.77
0.592*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	6.77
0.715*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	86 % survival	Not toxic	0.08
0.715*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	100 EC50 biolum.#	Not toxic	0.08
0.715*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	26.3 red. biolum.^	Toxic	0.08
0.715*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	90 % survival	Not toxic	0.08
0.873*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	3 % survival	Toxic	8.4
0.873*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.2 EC50 biolum.#	Toxic	8.4
0.873*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0 % survival	Toxic	8.4
0.873*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	81.5 red. biolum.^	Toxic	8.4
0.906*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	58 % survival	Not toxic	0.14
0.906*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	67.3 red. biolum.^	Toxic	0.14
0.906*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	0.14
0.906*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	17.83 EC50 biolum.#	Not toxic	0.14
0.981*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.06 EC50 biolum.#	Toxic	8.26
0.981*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0 % survival	Toxic	8.26
0.981*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	99.9 red. biolum.^	Toxic	8.26
0.981*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0 % survival	Toxic	8.26
1.50*	St. Louis Bay-East of Erie Pier	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	58 % survival	Toxic	0.28
1.50*	St. Louis Bay-East of Erie Pier	10 day	Diptera	<i>Chironomus tentans</i>	LAR	90 % survival	Not toxic	0.28
1.70*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	22.95 red. biolum.^	Toxic	0.16
1.70*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	90 % survival	Not toxic	0.16
1.70*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Chironomus tentans</i>	NA	100 EC50 biolum.#	Not toxic	0.16
1.98*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.47 EC50 biolum.#	Toxic	1.55

**Table G-5. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Copper in the St. Louis River Area of Concern**

Copper (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
1.98*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	-0.7 red. biolum.^	Not toxic	1.55
1.98*	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	65 % survival	Not toxic	1.55
2.01*	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	95 % survival	Not toxic	0.12
2.01*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	100 EC50 biolum.#	Not toxic	0.12
2.01*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	3.4 red. biolum.^	Not toxic	0.12
2.01*	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	78 % survival	Not toxic	0.12
2.01*	Allouez Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	55 % survival	Not toxic	0.35
2.01*	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	11.24 EC50 biolum.#	Not toxic	0.35
2.01*	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	26.2 red. biolum.^	Toxic	0.35
2.01*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	87 % survival	Not toxic	1.65
2.01*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.53 mg growth	Not toxic	1.65
2.01*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	88 % survival	Not toxic	1.65
2.01*	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 red. biolum.^	Not toxic	1.65
2.01*	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	4.42 EC50 biolum.#	Not toxic	1.65
2.04*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	82 % survival	Not toxic	0.4
2.04*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	39.7 red. biolum.^	Toxic	0.4
2.04*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	88 % survival	Not toxic	0.4
2.04*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	100 EC50 biolum.#	Not toxic	0.4
2.04*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	85 % survival	Not toxic	0.4
2.04*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	0.4
2.15*	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	3.96 EC50 biolum.#	Not toxic	0.59
2.15*	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 red. biolum.^	Not toxic	0.59
2.15*	Allouez Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	0.59
2.49*	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.29 EC50 biolum.#	Toxic	4.48
2.49*	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	16 % survival	Toxic	4.48
2.49*	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	20 red. biolum.^	Toxic	4.48
2.51*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	9.08 EC50 biolum.#	Not toxic	0.14
2.51*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	64 % survival	Not toxic	0.14
2.51*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	82 % survival	Not toxic	0.14
2.51*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	45.3 red. biolum.^	Toxic	0.14
2.59*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.4 mg growth	Not toxic	1.71

**Table G-5. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Copper in the St. Louis River Area of Concern**

Copper (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
2.59*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	78 % survival	Not toxic	1.71
2.59*	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	42.1 red. biolum.^	Toxic	1.71
2.59*	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.27 EC50 biolum.#	Not toxic	1.71
2.59*	Spirit Lake	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	90 % survival	Not toxic	1.71
2.64*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	100 EC50 biolum.#	Not toxic	0.24
2.64*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	52 % survival	Not toxic	0.24
2.64*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	72 % survival	Not toxic	0.24
2.64*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	23.05 red. biolum.^	Toxic	0.24
2.90*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	12.1 red. biolum.^	Not toxic	1.69
2.90*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	84 % survival	Not toxic	1.69
2.90*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	4.29 EC50 biolum.#	Not toxic	1.69
3.08*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	5.4 red. biolum.^	Not toxic	1.44
3.08*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	98 % survival	Not toxic	1.44
3.08*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.14 EC50 biolum.#	Not toxic	1.44
3.27*	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	52 % survival	Not toxic	1.37
3.27*	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	3.52 EC50 biolum.#	Not toxic	1.37
3.27*	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.57 mg growth	Not toxic	1.37
3.27*	Lower St. Louis River	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	92 % survival	Not toxic	1.37
3.27*	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	8.2 red. biolum.^	Not toxic	1.37
3.45*	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.82 EC50 biolum.#	Not toxic	4.47
3.45*	Allouez Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	68 % survival	Not toxic	4.47
3.45*	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	33.03 red. biolum.^	Toxic	4.47
3.45*	Allouez Bay	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	85 % survival	Not toxic	4.47
3.70*	St. Louis River-Lower St. Louis River	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	90 % survival	Not toxic	0.86
3.70*	St. Louis River-Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	0.86
3.70*	St. Louis River-Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	14.18 EC50 biolum.#	Not toxic	0.86
3.70*	St. Louis River-Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	2.8 red. biolum.^	Not toxic	0.86
3.76*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	5.36 EC50 biolum.#	Not toxic	0.61
3.76*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	15.5 red. biolum.^	Not toxic	0.61
3.76*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	65 % survival	Not toxic	0.61
3.76*	Spirit Lake	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	97.5 % survival	Not toxic	0.61

**Table G-5. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Copper in the St. Louis River Area of Concern**

Copper (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
3.90*	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 red. biolum.^	Not toxic	6.72
3.90*	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.46 mg growth	Not toxic	6.72
3.90*	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	87 % survival	Not toxic	6.72
3.90*	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.35 EC50 biolum.#	Not toxic	6.72
3.90*	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	88 % survival	Not toxic	6.72
3.93*	Spirit Lake-Grassy Point	10 day	Diptera	<i>Chironomus tentans</i>	LAR	92 % survival	Not toxic	0.89
3.93*	Spirit Lake-Grassy Point	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	0.89
3.94*	St. Louis River-Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	21.31 red. biolum.^	Toxic	0.68
3.94*	St. Louis River-Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	55 % survival	Not toxic	0.68
3.94*	St. Louis River-Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	2.83 EC50 biolum.#	Not toxic	0.68
4.31*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	57 % survival	Toxic	4.02
4.31*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	4.02
4.31*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.76 EC50 biolum.#	Not toxic	4.02
4.31*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	4.1 red. biolum.^	Not toxic	4.02
4.31*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	4.02
4.44*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	75 % survival	Toxic	8.97
4.44*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	3 % survival	Toxic	8.97
4.44*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.05 EC50 biolum.#	Toxic	8.97
4.44*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	8.97
4.44*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	42.1 red. biolum.^	Toxic	8.97
4.54*	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.52 EC50 biolum.#	Not toxic	2.7
4.54*	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.52 EC50 biolum.#	Not toxic	2.7
4.54*	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	12 red. biolum.^	Not toxic	2.7
4.54*	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	2.7
4.54*	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.56 mg growth	Not toxic	2.7
4.54*	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	2.7
4.54*	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	5.3 red. biolum.^	Not toxic	2.7
4.54*	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	93 % survival	Not toxic	2.7
4.54*	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	68 % survival	Not toxic	2.7
4.54*	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.44 mg growth	Not toxic	2.7
4.70*	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	13.91

**Table G-5. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Copper in the St. Louis River Area of Concern**

Copper (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
4.70*	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	93.4 red. biolum.^	Toxic	13.91
4.70*	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	13.91
4.70*	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.4 EC50 biolum.#	Toxic	13.91
4.70*	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	18 % survival	Toxic	13.91
5.21*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.58 mg growth	Not toxic	2.98
5.21*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	97 % survival	Not toxic	2.98
5.21*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.92 EC50 biolum.#	Not toxic	2.98
5.21*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	2.98
5.21*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	10.5 red. biolum.^	Not toxic	2.98
5.53*	St. Louis River-Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	97.5 % survival	Not toxic	0.56
5.53*	St. Louis River-Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	12 red. biolum.^	Not toxic	0.56
5.53*	St. Louis River-Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	2.12 EC50 biolum.#	Not toxic	0.56
5.53*	St. Louis River-Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	67.5 % survival	Not toxic	0.56
5.57*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	32.24 red. biolum.^	Toxic	3.07
5.57*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	55 % survival	Not toxic	3.07
5.57*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.73 EC50 biolum.#	Not toxic	3.07
5.61*	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	70 % survival	Not toxic	1.82
5.61*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	3.56 EC50 biolum.#	Not toxic	1.82
5.61*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	-2.8 red. biolum.^	Not toxic	1.82
5.61*	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	1.82
5.78*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	62 % survival	Not toxic	3.2
5.78*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.58 EC50 biolum.#	Not toxic	3.2
5.78*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	3.2
5.78*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 red. biolum.^	Not toxic	3.2
5.94*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	75 % survival	Not toxic	17.49
5.94*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.49 EC50 biolum.#	Not toxic	17.49
5.94*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	17.49
5.94*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 red. biolum.^	Not toxic	17.49
6.06*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	26.9 red. biolum.^	Toxic	0.81
6.06*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	18 % survival	Toxic	0.81
6.06*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	2.06 EC50 biolum.#	Not toxic	0.81

**Table G-5. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Copper in the St. Louis River Area of Concern**

Copper (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
6.06*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	89 % survival	Not toxic	0.81
6.22*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.75 EC50 biolum.#	Not toxic	1.85
6.22*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	78 % survival	Not toxic	1.85
6.22*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	14.9 red. biolum.^	Not toxic	1.85
6.22*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	90 % survival	Not toxic	1.85
7.01*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	27.4 red. biolum.^	Toxic	2.19
7.01*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	2.19
7.01*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	97.5 % survival	Not toxic	2.19
7.01*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	4.18 EC50 biolum.#	Not toxic	2.19
7.22*	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	28.8 red. biolum.^	Toxic	3.25
7.22*	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	3.25
7.22*	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.42 EC50 biolum.#	Toxic	3.25
7.42*	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.46 EC50 biolum.#	Not toxic	2.4
7.42*	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	98 % survival	Not toxic	2.4
7.42*	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	82 % survival	Not toxic	2.4
7.42*	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	35.18 red. biolum.^	Toxic	2.4
7.45	St. Louis River-Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	4.64
7.45	St. Louis River-Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.16 mg growth	Toxic	4.64
7.45	St. Louis River-Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.13 mg growth	Not determined	4.64
7.45	St. Louis River-Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	30 % survival	Toxic	4.64
7.52*	Allouez Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	1.02
7.52*	Allouez Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	1.02
7.52*	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	29.7 red. biolum.^	Toxic	1.02
7.52*	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.81 EC50 biolum.#	Not toxic	1.02
7.90*	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	2.4 EC50 biolum.#	Not toxic	NR
7.90*	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.1 red. biolum.^	Not toxic	NR
7.90*	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	12 % survival	Toxic	NR
7.90*	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	60 % survival	Not toxic	NR
7.97*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 red. biolum.^	Not toxic	3.85
7.97*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	88 % survival	Not toxic	3.85
7.97*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.64 mg growth	Not toxic	3.85

**Table G-5. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Copper in the St. Louis River Area of Concern**

Copper (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
7.97*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	3.85
7.97*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	3.82 EC50 biolum.#	Not toxic	3.85
8.18*	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.24 EC50 biolum.#	Toxic	1.75
8.18*	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	1.75
8.18*	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	95 % survival	Not toxic	1.75
8.18*	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	22.87 red. biolum.^	Toxic	1.75
8.39*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 red. biolum.^	Not toxic	2.24
8.39*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	98 % survival	Not toxic	2.24
8.39*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.46 mg growth	Not toxic	2.24
8.39*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.3 EC50 biolum.#	Not toxic	2.24
8.39*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	95 % survival	Not toxic	2.24
8.49*	Spirit Lake-Grassy Point	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	80 % survival	Not toxic	7.1
8.49*	Spirit Lake-Grassy Point	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	7.1
8.67*	St. Louis Bay-South of DM & IR Taconite Storage Facility	10 day	Diptera	<i>Chironomus tentans</i>	LAR	88 % survival	Not toxic	2.3
8.67*	St. Louis Bay-South of DM & IR Taconite Storage Facility	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	95 % survival	Not toxic	2.3
8.86*	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0 % survival	Toxic	14.19
8.86*	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	12 % survival	Toxic	14.19
8.86*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	67.9 red. biolum.^	Toxic	14.19
8.86*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.16 EC50 biolum.#	Toxic	14.19
9.19*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	3.735
9.19*	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.06 EC50 biolum.#	Not toxic	3.735
9.19*	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 red. biolum.^	Not toxic	3.735
9.19*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	65 % survival	Not toxic	3.735
9.19*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.57 mg growth	Not toxic	3.735
9.23*	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.37 EC50 biolum.#	Toxic	3.02
9.23*	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 red. biolum.^	Not toxic	3.02
9.23*	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	98 % survival	Not toxic	3.02
9.23*	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	3.02
9.42*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	6.73 EC50 biolum.#	Not toxic	5.77
9.42*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	5.77
9.42*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	75 % survival	Not toxic	5.77

**Table G-5. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Copper in the St. Louis River Area of Concern**

Copper (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
9.42*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	6.4 red. biolum.^	Not toxic	5.77
9.48*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0 % survival	Toxic	11.975
9.48*	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	84.7 red. biolum.^	Toxic	11.975
9.48*	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.38 EC50 biolum.#	Toxic	11.975
9.48*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	11.975
9.48*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	12 % survival	Toxic	11.975
9.84*	St. Louis River-Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	22.4 red. biolum.^	Toxic	3.14
9.84*	St. Louis River-Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	3.14
9.84*	St. Louis River-Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.48 EC50 biolum.#	Toxic	3.14
10.2*	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	68 % survival	Not toxic	4.36
10.2*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	-0.6 red. biolum.^	Not toxic	4.36
10.2*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.96 EC50 biolum.#	Not toxic	4.36
10.2*	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	4.36
10.4*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.74 EC50 biolum.#	Not toxic	3.4
10.4*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.37 mg growth	Not toxic	3.4
10.4*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	87 % survival	Not toxic	3.4
10.4*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.2 red. biolum.^	Not toxic	3.4
10.4*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	77 % survival	Not toxic	3.4
10.4*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.74 EC50 biolum.#	Not toxic	3.4
10.4*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	87 % survival	Not toxic	3.4
10.4*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.49 mg growth	Not toxic	3.4
10.4*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.9 red. biolum.^	Not toxic	3.4
10.4*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	3.4
10.7*	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	2.37
10.7*	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.64 EC50 biolum.#	Not toxic	2.37
10.7*	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	92 % survival	Not toxic	2.37
10.7*	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	28.9 red. biolum.^	Toxic	2.37
10.8*	St. Louis Bay-East of Erie Pier	10 day	Diptera	<i>Chironomus tentans</i>	LAR	78 % survival	Not toxic	2.9
10.8*	St. Louis Bay-East of Erie Pier	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	67 % survival	Not toxic	2.9
10.8*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.82 EC50 biolum.#	Not toxic	1.1
10.8*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 red. biolum.^	Not toxic	1.1

**Table G-5. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Copper in the St. Louis River Area of Concern**

Copper (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
10.8*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	62 % survival	Not toxic	1.1
10.8*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	1.1
10.9*	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	70 % survival	Not toxic	2.2
10.9*	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	9.31 red. biolum.^	Not toxic	2.2
10.9*	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	55 % survival	Not toxic	2.2
10.9*	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.96 EC50 biolum.#	Not toxic	2.2
11.9*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	21.8 red. biolum.^	Toxic	1.87
11.9*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.53 mg growth	Not toxic	1.87
11.9*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	2.07 EC50 biolum.#	Not toxic	1.87
11.9*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	93 % survival	Not toxic	1.87
11.9*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	1.87
12.0*	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.1 red. biolum.^	Not toxic	3.87
12.0*	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	93 % survival	Not toxic	3.87
12.0*	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.41 EC50 biolum.#	Toxic	3.87
12.0*	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.23 mg growth	Toxic	3.87
12.0*	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	3.87
12.0*	St. Louis River-Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.09 EC50 biolum.#	Toxic	4.84
12.0*	St. Louis River-Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	4.84
12.0*	St. Louis River-Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	90 % survival	Not toxic	4.84
12.0*	St. Louis River-Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	18.2 red. biolum.^	Not toxic	4.84
12.3*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	98 % survival	Not toxic	13.81
12.3*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.1 red. biolum.^	Not toxic	13.81
12.3*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	62 % survival	Not toxic	13.81
12.3*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	3.88 EC50 biolum.#	Not toxic	13.81
12.4*	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	3.17 red. biolum.^	Not toxic	2.82
12.4*	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.23 EC50 biolum.#	Toxic	2.82
12.4*	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	95 % survival	Not toxic	2.82
12.4*	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	67.5 % survival	Not toxic	2.82
12.4*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	50 % survival	Not toxic	3.2
12.4*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.1 EC50 biolum.#	Not toxic	3.2
12.4*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	45.6 red. biolum.^	Toxic	3.2

**Table G-5. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Copper in the St. Louis River Area of Concern**

Copper (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
12.6*	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.96 EC50 biolum.#	Not toxic	2.91
12.6*	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	18.89 red. biolum.^	Not toxic	2.91
12.6*	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	2.91
12.6*	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	90 % survival	Not toxic	2.91
12.8*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	10.68
12.8*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.34 EC50 biolum.#	Toxic	10.68
12.8*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	14.8 red. biolum.^	Not toxic	10.68
12.9*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1 red. biolum.^	Not toxic	3.69
12.9*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	3.69
12.9*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	94 % survival	Not toxic	3.69
12.9*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.37 EC50 biolum.#	Toxic	3.69
13.1*	St. Louis Bay-South of DM & IR Taconite Storage Facility	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	70 % survival	Toxic	2.5
13.1*	St. Louis Bay-South of DM & IR Taconite Storage Facility	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Toxic	2.5
13.3*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	5.34
13.3*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	5.34
13.3*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.97 EC50 biolum.#	Not toxic	5.34
13.3*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	18.8 red. biolum.^	Not toxic	5.34
13.3*	Duluth-Superior Harbor-Howards Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	95 % survival	Not toxic	1.8
13.3*	Duluth-Superior Harbor-Howards Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	1.8
13.4*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	88 % survival	Not toxic	3.32
13.4*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	8.1 red. biolum.^	Not toxic	3.32
13.4*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	55 % survival	Not toxic	3.32
13.4*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.72 EC50 biolum.#	Not toxic	3.32
13.4*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.58 EC50 biolum.#	Not toxic	1.94
13.4*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	62 % survival	Not toxic	1.94
13.4*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	98 % survival	Not toxic	1.94
13.4*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	40.37 red. biolum.^	Toxic	1.94
13.7*	Spirit Lake-Grassy Point	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	12
13.7*	Spirit Lake-Grassy Point	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	12
14.4*	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	8.5 red. biolum.^	Not toxic	2.43
14.4*	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	95 % survival	Not toxic	2.43

**Table G-5. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Copper in the St. Louis River Area of Concern**

Copper (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
14.4*	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.67 EC50 biolum.#	Not toxic	2.43
14.4	St. Louis River-Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.56 mg growth	Not determined	3.42
14.4	St. Louis River-Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	52 % survival	Toxic	3.42
14.4	St. Louis River-Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.2 mg growth	Not toxic	3.42
14.4	St. Louis River-Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	38 % survival	Toxic	3.42
14.5*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 red. biolum.^	Not toxic	3.99
14.5*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	86 % survival	Not toxic	3.99
14.5*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.5 EC50 biolum.#	Not toxic	3.99
15.0*	St. Louis Bay-South of DM & IR Taconite Storage Facility	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	2.6
15.0*	St. Louis Bay-South of DM & IR Taconite Storage Facility	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	98 % survival	Not toxic	2.6
15.3*	St. Louis Bay-South of DM & IR Taconite Storage Facility	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	82 % survival	Not toxic	2.9
15.3*	St. Louis Bay-South of DM & IR Taconite Storage Facility	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	2.9
15.4*	Spirit Lake-Grassy Point	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	75 % survival	Not toxic	5
15.4*	Spirit Lake-Grassy Point	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	5
15.5*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	88 % survival	Not toxic	3.95
15.5*	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.51 EC50 biolum.#	Not toxic	3.95
15.5*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	70 % survival	Toxic	3.95
15.5*	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.51 EC50 biolum.#	Not toxic	3.95
15.5*	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	23.7 red. biolum.^	Toxic	3.95
15.5*	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	30.7 red. biolum.^	Toxic	3.95
15.5*	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	12.1 red. biolum.^	Not toxic	2.34
15.5*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.37 mg growth	Not toxic	2.34
15.5*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	95 % survival	Not toxic	2.34
15.5*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	2.34
15.5*	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.77 EC50 biolum.#	Not toxic	2.34
15.8*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 red. biolum.^	Not toxic	2.88
15.8*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.45 EC50 biolum.#	Toxic	2.88
15.8*	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	60 % survival	Not toxic	2.88
15.8*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	1.35
15.8*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	1.35
15.8*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 red. biolum.^	Not toxic	1.35

**Table G-5. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Copper in the St. Louis River Area of Concern**

Copper (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
15.8*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.96 EC50 biolum.#	Not toxic	1.35
16.0*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	60 % survival	Not toxic	1.42
16.0*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.72 EC50 biolum.#	Not toxic	1.42
16.0*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	41.98 red. biolum.^	Toxic	1.42
16.0*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	1.42
16.0*	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	77.5 % survival	Not toxic	2.37
16.0*	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	9.22 red. biolum.^	Not toxic	2.37
16.0*	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	95 % survival	Not toxic	2.37
16.0*	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.57 EC50 biolum.#	Not toxic	2.37
16.2*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	4.13
16.2*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	21.7 red. biolum.^	Toxic	4.13
16.2*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	4.13
16.2*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.35 EC50 biolum.#	Toxic	4.13
16.3*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	2.34
16.3*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	98 % survival	Not toxic	2.34
16.3*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.28 EC50 biolum.#	Toxic	2.34
16.3*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	15.82 red. biolum.^	Not toxic	2.34
16.7*	St. Louis Bay-St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.43 mg growth	Not toxic	29.84
16.7*	St. Louis Bay-St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	7.4 red. biolum.^	Not toxic	29.84
16.7*	St. Louis Bay-St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	45 % survival	Not toxic	29.84
16.7*	St. Louis Bay-St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	93 % survival	Not toxic	29.84
16.7*	St. Louis Bay-St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.12 EC50 biolum.#	Not toxic	29.84
16.7*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	4.05
16.7*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	67 % survival	Not toxic	4.05
16.7*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	8.3 red. biolum.^	Not toxic	4.05
16.7*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.36 EC50 biolum.#	Toxic	4.05
17.2*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.36 EC50 biolum.#	Toxic	2.67
17.2*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	60 % survival	Not toxic	2.67
17.2*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	91 % survival	Not toxic	2.67
17.2*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	31.2 red. biolum.^	Toxic	2.67
17.4*	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	90 % survival	Not toxic	4.02

**Table G-5. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Copper in the St. Louis River Area of Concern**

Copper (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
17.4*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 red. biolum.^	Not toxic	4.02
17.4*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.58 EC50 biolum.#	Not toxic	4.02
17.4*	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	4.02
17.6*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	97.5 % survival	Not toxic	2.59
17.6*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	65 % survival	Not toxic	2.59
17.6*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.41 EC50 biolum.#	Toxic	2.59
17.6*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	7.4 red. biolum.^	Not toxic	2.59
18.8*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.3 EC50 biolum.#	Toxic	4.41
18.8*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	68 % survival	Not toxic	4.41
18.8*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	4.41
18.8*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	2.8 red. biolum.^	Not toxic	4.41
18.8*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.37 EC50 biolum.#	Toxic	3.98
18.8*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	3.98
18.8*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	3.98
18.8*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	8.6 red. biolum.^	Not toxic	3.98
18.9*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.16 EC50 biolum.#	Toxic	2.93
18.9*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	13.8 red. biolum.^	Not toxic	2.93
18.9*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	2.93
19.0*	Spirit Lake-Grassy Point	10 day	Diptera	<i>Chironomus tentans</i>	LAR	82 % survival	Not toxic	6.5
19.0*	Spirit Lake-Grassy Point	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	82 % survival	Not toxic	6.5
19.9*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.38 EC50 biolum.#	Toxic	13.98
19.9*	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	56 % survival	Not toxic	13.98
19.9*	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	82 % survival	Not toxic	13.98
19.9*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	29.59 red. biolum.^	Toxic	13.98
20.0*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	3.07
20.0*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 red. biolum.^	Not toxic	3.07
20.0*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.2 EC50 biolum.#	Toxic	3.07
20.0*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	95 % survival	Not toxic	3.07
20.4	St. Louis River-Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.1 mg growth	Toxic	12.95
20.4	St. Louis River-Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	30 % survival	Toxic	12.95
20.4	St. Louis River-Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	75 % survival	Toxic	12.95

**Table G-5. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Copper in the St. Louis River Area of Concern**

Copper (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
20.4	St. Louis River-Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.65 mg growth	Not determined	12.95
20.9*	Spirit Lake-Grassy Point	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	6.6
20.9*	Spirit Lake-Grassy Point	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	65 % survival	Toxic	6.6
20.9*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	10.2 red. biolum.^	Not toxic	2.82
20.9*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.4 EC50 biolum.#	Toxic	2.82
20.9*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	70 % survival	Not toxic	2.82
20.9*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	2.82
21.1*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	15.5 red. biolum.^	Not toxic	4.11
21.1*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	72 % survival	Not toxic	4.11
21.1*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	88 % survival	Not toxic	4.11
21.1*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	98 % survival	Not toxic	4.11
21.1*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	68 % survival	Not toxic	4.11
21.1*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.24 EC50 biolum.#	Toxic	4.11
21.6*	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	86 % survival	Not toxic	2.13
21.6*	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	82 % survival	Not toxic	2.13
21.6*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	29.6 red. biolum.^	Toxic	2.13
21.6*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.47 EC50 biolum.#	Toxic	2.13
22.6*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.34 EC50 biolum.#	Toxic	3.38
22.6*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	19.2 red. biolum.^	Not toxic	3.38
22.6*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	88 % survival	Not toxic	3.38
22.6*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	35 % survival	Not toxic	3.38
23.7*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	58 % survival	Not toxic	3.76
23.7*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	11.1 red. biolum.^	Not toxic	3.76
23.7*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	44 % survival	Not toxic	3.76
23.7*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.25 EC50 biolum.#	Toxic	3.76
24.1*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	95 % survival	Not toxic	5.59
24.1*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	5.59
24.1*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	4 red. biolum.^	Not toxic	5.59
24.1*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.16 EC50 biolum.#	Toxic	5.59
24.2*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	58 % survival	Not toxic	4.05
24.2*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.4 EC50 biolum.#	Toxic	4.05

**Table G-5. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Copper in the St. Louis River Area of Concern**

Copper (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
24.2*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	85 % survival	Not toxic	4.05
24.2*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.35 mg growth	Not toxic	4.05
24.2*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	20.9 red. biolum.^	Toxic	4.05
24.5*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	41 % survival	Toxic	4.24
24.5*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	4.24
24.5*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.12 EC50 biolum.#	Toxic	4.24
24.5*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	53.2 red. biolum.^	Toxic	4.24
25.1	St. Louis River-Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	48 % survival	Toxic	8.08
25.1	St. Louis River-Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.8 mg growth	Toxic	8.08
25.1	St. Louis River-Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.14 mg growth	Toxic	8.08
25.1	St. Louis River-Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	53 % survival	Toxic	8.08
25.3	St. Louis River-Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	6.4
25.3	St. Louis River-Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.59 mg growth	Not toxic	6.4
25.3	St. Louis River-Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	87 % survival	Not toxic	6.4
25.3	St. Louis River-Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.2 mg growth	Not toxic	6.4
25.5*	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.49 mg growth	Not toxic	3.97
25.5*	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	3.97
25.5*	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.77 EC50 biolum.#	Not toxic	3.97
25.5*	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	3.97
25.5*	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 red. biolum.^	Not toxic	3.97
25.6*	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	68 % survival	Not toxic	2.63
25.6*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	33.45 red. biolum.^	Toxic	2.63
25.6*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.32 EC50 biolum.#	Toxic	2.63
25.6*	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	75 % survival	Not toxic	2.63
26.7*	Duluth-Superior Harbor-Howards Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	3.9
26.7*	Duluth-Superior Harbor-Howards Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	85 % survival	Not toxic	3.9
26.9	St. Louis River-Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	97 % survival	Not toxic	2.93
26.9	St. Louis River-Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.14 mg growth	Toxic	2.93
26.9	St. Louis River-Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.04 mg growth	Toxic	2.93
26.9	St. Louis River-Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	78 % survival	Not toxic	2.93
29.1*	Duluth-Superior Harbor-Howards Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	2.2

**Table G-5. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Copper in the St. Louis River Area of Concern**

Copper (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
29.1*	Duluth-Superior Harbor-Howards Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	55 % survival	Toxic	2.2
29.4*	Duluth-Superior Harbor-Howards Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	5.2
29.4*	Duluth-Superior Harbor-Howards Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	78 % survival	Not toxic	5.2
32.6*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	10 % survival	Toxic	3.99
32.6*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	75 % survival	Not toxic	3.99
32.6*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.09 EC50 biolum.#	Toxic	3.99
32.6*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	66.5 red. biolum.^	Toxic	3.99
39.3*	Duluth-Superior Harbor-Howards Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	96 % survival	Not toxic	3
40.1*	Duluth-Superior Harbor-Howards Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	3
40.1*	Duluth-Superior Harbor-Howards Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	68 % survival	Not toxic	3
40.2*	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	94 % survival	Not toxic	3.47
40.2*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	20.18 red. biolum.^	Toxic	3.47
40.2*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.48 EC50 biolum.#	Toxic	3.47
40.2*	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	3.47
42.7*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	5 % survival	Not toxic	4.54
42.7*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	30 red. biolum.^	Toxic	4.54
42.7*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	69 % survival	Not toxic	4.54
42.7*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.05 EC50 biolum.#	Toxic	4.54
53.2	St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	63 % survival	Toxic	6.12
54.6*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	4.07 EC50 biolum.#	Not toxic	6.03
54.6*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	58 red. biolum.^	Toxic	6.03
54.6*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	85 % survival	Not toxic	6.03
61.2	St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	93 % survival	Not toxic	9.58
61.9	St. Louis River-Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	11.16
61.9	St. Louis River-Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	Not determined	Not determined	11.16
61.9	St. Louis River-Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0 % survival	Toxic	11.16
61.9	St. Louis River-Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0 % survival	Toxic	11.16
63.2*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	88 % survival	Not toxic	4.7
63.2*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	2.55 EC50 biolum.#	Not toxic	4.7
63.2*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	65 % survival	Not toxic	4.7
63.2*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	12.7 red. biolum.^	Not toxic	4.7

**Table G-5. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Copper in the St. Louis River Area of Concern**

Copper (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
64.6	St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	87 % survival	Not toxic	5.88
65.3*	Duluth-Superior Harbor-Howards Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	3.2
65.3*	Duluth-Superior Harbor-Howards Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	52 % survival	Toxic	3.2
72.6	St. Louis River-Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.15 mg growth	Toxic	6.15
72.6	St. Louis River-Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.84 mg growth	Toxic	6.15
72.6	St. Louis River-Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	83 % survival	Not toxic	6.15
72.6	St. Louis River-Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	77 % survival	Not toxic	6.15
73.6*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	26.1 red. biolum.^	Toxic	0.82
73.6*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.05 EC50 biolum.#	Toxic	0.82
73.6*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	59 % survival	Not toxic	0.82
73.6*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0 % survival	Toxic	0.82
78.0*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	63 % survival	Toxic	1
78.0*	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.77 EC50 biolum.#	Not toxic	1
78.0*	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	52.4 red. biolum.^	Toxic	1
78.0*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	1
78.0*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0 % survival	Toxic	1
101	St. Louis River-Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.18 mg growth	Not toxic	NR
101	St. Louis River-Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.23 mg growth	Not toxic	NR
101	St. Louis River-Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	NR
101	St. Louis River-Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	60 % survival	Toxic	NR
121	St. Louis River-Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	82 % survival	Not toxic	23.1
121	St. Louis River-Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.2 mg growth	Not toxic	23.1
121	St. Louis River-Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	23.1
121	St. Louis River-Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.35 mg growth	Not toxic	23.1
122	St. Louis River-Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0 % survival	Toxic	50.12
122	St. Louis River-Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	Not determined	Not determined	50.12
122	St. Louis River-Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	8 % survival	Toxic	50.12
122	St. Louis River-Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.09 mg growth	Not determined	50.12
187	St. Louis River-Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	8 % survival	Toxic	NR
187	St. Louis River-Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.24 mg growth	Not determined	NR
187	St. Louis River-Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	30 % survival	Toxic	NR

**Table G-5. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Copper in the St. Louis River Area of Concern**

Copper (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
187	St. Louis River-Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.07 mg growth	Not determined	NR
194*	Duluth-Superior Harbor-Howards Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	2.8
199	St. Louis River-Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	67 % survival	Not toxic	11.76
199	St. Louis River-Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.11 mg growth	Toxic	11.76
199	St. Louis River-Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.02 mg growth	Toxic	11.76
199	St. Louis River-Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	11.76
248	St. Louis River-Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	26.54
248	St. Louis River-Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.3 mg growth	Not toxic	26.54
248	St. Louis River-Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.18 mg growth	Toxic	26.54
248	St. Louis River-Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	83 % survival	Not toxic	26.54
291	St. Louis River-Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	92 % survival	Not toxic	45.37
291	St. Louis River-Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.17 mg growth	Toxic	45.37
291	St. Louis River-Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	87 % survival	Not toxic	45.37
291	St. Louis River-Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.07 mg growth	Toxic	45.37

\* = SEM measurement; ^ = relative to control; D-S = Duluth-Superior; # = expressed as % DW sediment; red. Biolum. = reduced bioluminescence; EC50 = effective concentration affecting 50% of the population.

LAR = larvae; JUV = juvenile; TOC = total organic carbon; NR = not reported.

---

**Reference**

---

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997c

MPCA 1997c

MPCA 1997c

MPCA 1997c

MPCA 1997c

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

Crane et al. 1997

Crane et al. 1997

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

---

---

**Reference**

---

MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997c

---

---

**Reference**

---

MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b

---





---

**Reference**

---

MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c

---

---

**Reference**

---

MPCA 1997c  
MPCA 1997c  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
Crane et al. 1997  
Crane et al. 1997  
Crane et al. 1997  
Crane et al. 1997  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b

---

---

**Reference**

---

MPCA 1997b  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
Crane et al. 1997  
Crane et al. 1997  
MPCA 1997b  
MPCA 1997b

---



---

**Reference**

---

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

Crane et al. 1997

Crane et al. 1997

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

Crane et al. 1997

Crane et al. 1997

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

Crane et al. 1997

Crane et al. 1997

MPCA 1997c

MPCA 1997c

---

---

**Reference**

---

MPCA 1997c  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
Crane et al. 1997  
Crane et al. 1997  
Crane et al. 1997  
Crane et al. 1997  
Crane et al. 1997  
Crane et al. 1997  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b

---

---

**Reference**

---

MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b

---

---

**Reference**

---

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

Crane et al. 1997

Crane et al. 1997

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

IT Corp. 1996

IT Corp. 1996

IT Corp. 1996

---

---

**Reference**

---

IT Corp. 1996  
Crane et al. 1997  
Crane et al. 1997  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997c  
MPCA 1997c

---

---

**Reference**

---

MPCA 1997c

MPCA 1997c

MPCA 1997c

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

IT Corp. 1996

IT Corp. 1996

IT Corp. 1996

IT Corp. 1996

IT Corp. 1996

IT Corp. 1996

IT Corp. 1996

IT Corp. 1996

MPCA 1997c

MPCA 1997c

MPCA 1997c

MPCA 1997c

MPCA 1997c

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

Crane et al. 1997

Crane et al. 1997

IT Corp. 1996

IT Corp. 1996

IT Corp. 1996

IT Corp. 1996

Crane et al. 1997

---

---

**Reference**

---

Crane et al. 1997  
Crane et al. 1997  
Crane et al. 1997  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
Crane et al. 1997  
Crane et al. 1997  
Crane et al. 1997  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1996  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b

---

---

## Reference

---

MPCA 1996  
Crane et al. 1997  
Crane et al. 1997  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996

---

---

**Reference**

---

IT Corp. 1996  
Crane et al. 1997  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996

---

**Table G-6. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Mercury in the St. Louis River Area of Concern**

Mercury (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
<0.004	Allouez Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	55 % survival	Not toxic	0.35
<0.004	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	26.2 % red. biolum.^	Toxic	0.35
<0.004	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	11.24 mg growth	Not toxic	0.35
0.005	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	78 % survival	Not toxic	2.93
0.005	St. Louis River - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.14 mg growth	Toxic	2.93
0.005	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.04 mg growth	Toxic	2.93
0.005	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	97 % survival	Not toxic	2.93
<0.005	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	100 EC50 biolum.#	Not toxic	0.12
<0.005	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	95 % survival	Not toxic	0.12
<0.005	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	3.4 % red. biolum.^	Not toxic	0.12
<0.005	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	78 % survival	Not toxic	0.12
<0.006	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	100 EC50 biolum.#	Not toxic	0.16
<0.006	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	22.95 % red. biolum.^	Toxic	0.16
<0.006	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	90 % survival	Not toxic	0.16
<0.008	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	3.96 EC50 biolum.#	Not toxic	0.59
<0.008	Allouez Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	0.59
<0.008	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	0.59
<0.009	St. Louis River - Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	2.83 EC50 biolum.#	Not toxic	0.68
<0.009	St. Louis River - Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	55 % survival	Not toxic	0.68
<0.009	St. Louis River - Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	21.31 % red. biolum.^	Toxic	0.68
<0.010	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	26.3 % red. biolum.^	Toxic	0.08
<0.010	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	90 % survival	Not toxic	0.08
<0.010	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	86 % survival	Not toxic	0.08
<0.010	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	100 EC50 biolum.#	Not toxic	0.08
<0.013	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	23.05 % red. biolum.^	Toxic	0.24
<0.013	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	72 % survival	Not toxic	0.24
<0.013	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	52 % survival	Not toxic	0.24
<0.013	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	100 EC50 biolum.#	Not toxic	0.24
<0.014	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	4.94 EC50 biolum.#	Not toxic	0.2
<0.014	D-S Harbor	10 day	Amphipod	<i>Chironomus tentans</i>	JUV	86 % survival	Not toxic	0.2
<0.014	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	0.2

**Table G-6. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Mercury in the St. Louis River Area of Concern**

Mercury (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
<0.014	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	25.2 % red. biolum.^	Toxic	0.2
<0.015	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	39.7 % red. biolum.^	Toxic	0.4
<0.015	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	85 % survival	Not toxic	0.4
<0.015	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	88 % survival	Not toxic	0.4
<0.015	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	0.4
<0.015	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	100 EC50 biolum.#	Not toxic	0.4
<0.015	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	82 % survival	Not toxic	0.4
<0.017	St. Louis River - Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	12 % red. biolum.^	Not toxic	0.56
<0.017	St. Louis River - Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	2.12 EC50 biolum.#	Not toxic	0.56
<0.017	St. Louis River - Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	97.5 % survival	Not toxic	0.56
<0.017	St. Louis River - Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	67.5 % survival	Not toxic	0.56
<0.02	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	9.08 EC50 biolum.#	Not toxic	0.14
<0.02	Superior Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	100 % survival	Not toxic	6.7
<0.02	Superior Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	6.7
<0.02	Superior Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.57 mg growth	Not toxic	6.7
<0.02	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	82 % survival	Not toxic	0.14
<0.02	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	45.3 % red. biolum.^	Toxic	0.14
<0.02	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	64 % survival	Not toxic	0.14
<0.02	Superior Bay	48 hour	Cladoceran	<i>Ceriodaphnia dubia</i>	ADT	100 % survival	Not toxic	6.7
<0.023	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	67.3 % red. biolum.^	Toxic	0.14
<0.023	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	58 % survival	Not toxic	0.14
<0.023	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	17.83 EC50 biolum.#	Not toxic	0.14
<0.023	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	0.14
0.025	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	1.1
0.025	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	62 % survival	Not toxic	1.1
0.025	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.82 EC50 biolum.#	Not toxic	1.1
0.025	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	1.1
0.026	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	29.7 % red. biolum.^	Toxic	1.02
0.026	Allouez Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	1.02
0.026	Allouez Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	1.02
0.026	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.81 EC50 biolum.#	Not toxic	1.02

**Table G-6. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Mercury in the St. Louis River Area of Concern**

Mercury (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
0.026	St. Louis River - Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	14.18 EC50 biolum.#	Not toxic	0.86
0.026	St. Louis River - Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	0.86
0.026	St. Louis River - Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	2.8 % red. biolum.^	Not toxic	0.86
0.026	St. Louis River - Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	0.86
0.028	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.72 EC50 biolum.#	Not toxic	1.42
0.028	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	41.98 % red. biolum.^	Toxic	1.42
0.028	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	60 % survival	Not toxic	1.42
0.028	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	1.42
0.028	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	12.1 % red. biolum.^	Not toxic	1.69
0.028	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	84 % survival	Not toxic	1.69
0.028	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	4.29 EC50 biolum.#	Not toxic	1.69
0.030	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.13 mg growth	Not determined	4.64
0.030	Spirit Lake - Grassy Point	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	NR
0.030	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	4.64
0.030	Spirit Lake - Grassy Point	10 day	Diptera	<i>Chironomus tentans</i>	LAR	92 % survival	Not toxic	NR
0.030	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.16 mg growth	Toxic	4.64
0.030	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	30 % survival	Toxic	4.64
0.032	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	1.87
0.032	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	93 % survival	Not toxic	1.87
0.032	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	2.07 EC50 biolum.#	Not toxic	1.87
0.032	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	21.8 % red. biolum.^	Toxic	1.87
0.032	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.53 mg growth	Not toxic	1.87
0.034	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	5.36 EC50 biolum.#	Not toxic	0.61
0.034	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	65 % survival	Not toxic	0.61
0.034	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	97.5 % survival	Not toxic	0.61
0.034	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	15.5 % red. biolum.^	Not toxic	0.61
0.034	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	75 % survival	Not toxic	5.77
0.034	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	5.77
0.034	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	6.73 EC50 biolum.#	Not toxic	5.77
0.034	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	6.4 % red. biolum.^	Not toxic	5.77
0.040	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	52 % survival	Toxic	3.42

**Table G-6. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Mercury in the St. Louis River Area of Concern**

Mercury (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
0.040	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.2 mg growth	Not toxic	3.42
0.040	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.56 mg growth	Not determined	3.42
0.040	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	38 % survival	Toxic	3.42
0.041	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	4.18 EC50 biolum.#	Not toxic	2.19
0.041	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	97.5 % survival	Not toxic	2.19
0.041	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	27.4 % red. biolum.^	Toxic	2.19
0.041	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	2.19
0.044	Spirit Lake - Grassy Point	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	80 % survival	Not toxic	NR
0.044	Spirit Lake - Grassy Point	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	NR
0.049	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	70 % survival	Not toxic	1.82
0.049	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	-2.8 % red. biolum.^	Not toxic	1.82
0.049	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	1.82
0.049	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	3.56 EC50 biolum.#	Not toxic	1.82
0.050	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.46 EC50 biolum.#	Not toxic	2.4
0.050	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	82 % survival	Not toxic	2.4
0.050	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	35.18 % red. biolum.^	Toxic	2.4
0.050	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	98 % survival	Not toxic	2.4
0.050	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.96 EC50 biolum.#	Not toxic	2.2
0.050	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	55 % survival	Not toxic	2.2
0.050	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	9.31 % red. biolum.^	Not toxic	2.2
0.050	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	70 % survival	Not toxic	2.2
0.051	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	88 % survival	Not toxic	1.65
0.051	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	1.65
0.051	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	87 % survival	Not toxic	1.65
0.051	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	4.42 EC50 biolum.#	Not toxic	1.65
0.051	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.53 mg growth	Not toxic	1.65
0.052	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.96 EC50 biolum.#	Not toxic	1.35
0.052	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	1.35
0.052	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	1.35
0.052	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	1.35
0.052	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	55 % survival	Not toxic	3.07

**Table G-6. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Mercury in the St. Louis River Area of Concern**

Mercury (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
0.052	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	32.24 % red. biolum.^	Toxic	3.07
0.052	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.73 EC50 biolum.#	Not toxic	3.07
0.055	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	1.71
0.055	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.27 EC50 biolum.#	Not toxic	1.71
0.055	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	42.1 % red. biolum.^	Toxic	1.71
0.055	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	78 % survival	Not toxic	1.71
0.055	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.4 mg growth	Not toxic	1.71
0.056	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	2.06 EC50 biolum.#	Not toxic	0.81
0.056	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	18 % survival	Toxic	0.81
0.056	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	89 % survival	Not toxic	0.81
0.056	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	26.9 % red. biolum.^	Toxic	0.81
0.057	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	3.02
0.057	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	3.02
0.057	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	98 % survival	Not toxic	3.02
0.057	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.37 EC50 biolum.#	Toxic	3.02
0.058	Allouez Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	85 % survival	Not toxic	4.47
0.058	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.82 EC50 biolum.#	Not toxic	4.47
0.058	Allouez Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	68 % survival	Not toxic	4.47
0.058	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	33.03 % red. biolum.^	Toxic	4.47
0.059	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.23 EC50 biolum.#	Toxic	2.82
0.059	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	67.5 % survival	Not toxic	2.82
0.059	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	3.17 % red. biolum.^	Not toxic	2.82
0.059	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	95 % survival	Not toxic	2.82
0.064	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	52 % survival	Not toxic	1.37
0.064	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	3.52 EC50 biolum.#	Not toxic	1.37
0.064	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.57 mg growth	Not toxic	1.37
0.064	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	1.37
0.064	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	8.2 % red. biolum.^	Not toxic	1.37
0.066	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	92 % survival	Not toxic	2.37
0.066	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	2.37
0.066	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	28.9 % red. biolum.^	Toxic	2.37

**Table G-6. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Mercury in the St. Louis River Area of Concern**

Mercury (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
0.066	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.64 EC50 biolum.#	Not toxic	2.37
0.069	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	10 % survival	Toxic	3.99
0.069	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	66.5 % red. biolum.^	Toxic	3.99
0.069	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	75 % survival	Not toxic	3.99
0.069	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.09 EC50 biolum.#	Toxic	3.99
0.069	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	60 % survival	Not toxic	NR
0.069	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	2.4 EC50 biolum.#	Not toxic	NR
0.069	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.1 % red. biolum.^	Not toxic	NR
0.069	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	12 % survival	Toxic	NR
0.071	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.14 EC50 biolum.#	Not toxic	1.44
0.071	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	98 % survival	Not toxic	1.44
0.071	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	5.4 % red. biolum.^	Not toxic	1.44
0.072	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.77 EC50 biolum.#	Not toxic	1
0.072	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	52.4 % red. biolum.^	Toxic	1
0.072	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	63 % survival	Toxic	1
0.072	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0 % survival	Toxic	1
0.072	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	1
0.072	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	78 % survival	Not toxic	1.85
0.072	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.75 EC50 biolum.#	Not toxic	1.85
0.072	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	90 % survival	Not toxic	1.85
0.072	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	14.9 % red. biolum.^	Not toxic	1.85
0.076	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.4 EC50 biolum.#	Toxic	2.82
0.076	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	70 % survival	Not toxic	2.82
0.076	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	2.82
0.076	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	10.2 % red. biolum.^	Not toxic	2.82
0.076	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.92 EC50 biolum.#	Not toxic	2.98
0.076	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.58 mg growth	Not toxic	2.98
0.076	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	10.5 % red. biolum.^	Not toxic	2.98
0.076	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	2.98
0.076	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	97 % survival	Not toxic	2.98
0.077	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	2.24

**Table G-6. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Mercury in the St. Louis River Area of Concern**

Mercury (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
0.077	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.46 mg growth	Not toxic	2.24
0.077	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	98 % survival	Not toxic	2.24
0.077	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	95 % survival	Not toxic	2.24
0.077	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.3 EC50 biolum.#	Not toxic	2.24
0.078	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	18.89 % red. biolum.^	Not toxic	2.91
0.078	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	90 % survival	Not toxic	2.91
0.078	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	2.91
0.078	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.96 EC50 biolum.#	Not toxic	2.91
0.078	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.41 EC50 biolum.#	Toxic	2.59
0.078	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	7.4 % red. biolum.^	Not toxic	2.59
0.078	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	65 % survival	Not toxic	2.59
0.078	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	97.5 % survival	Not toxic	2.59
0.080	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.24 EC50 biolum.#	Toxic	1.75
0.080	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	1.75
0.080	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	22.87 % red. biolum.^	Toxic	1.75
0.080	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	95 % survival	Not toxic	1.75
0.088	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	12 % red. biolum.^	Not toxic	2.7
0.088	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	2.7
0.088	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.52 EC50 biolum.#	Not toxic	2.7
0.088	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	93 % survival	Not toxic	2.7
0.088	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.44 mg growth	Not toxic	2.7
0.088	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	2.7
0.088	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	68 % survival	Not toxic	2.7
0.088	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	5.3 % red. biolum.^	Not toxic	2.7
0.088	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.56 mg growth	Not toxic	2.7
0.088	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.52 EC50 biolum.#	Not toxic	2.7
0.089	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	3.82 EC50 biolum.#	Not toxic	3.85
0.089	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	3.85
0.089	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	3.85
0.089	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.64 mg growth	Not toxic	3.85
0.089	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	88 % survival	Not toxic	3.85

**Table G-6. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Mercury in the St. Louis River Area of Concern**

Mercury (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
0.089	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	-0.7 % red. biolum.^	Not toxic	1.55
0.089	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.47 EC50 biolum.#	Toxic	1.55
0.089	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	65 % survival	Not toxic	1.55
0.093	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.37 mg growth	Not toxic	2.34
0.093	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	95 % survival	Not toxic	2.34
0.093	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	2.34
0.093	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.77 EC50 biolum.#	Not toxic	2.34
0.093	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	12.1 % red. biolum.^	Not toxic	2.34
0.094	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	3 % survival	Toxic	8.4
0.094	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.2 EC50 biolum.#	Toxic	8.4
0.094	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0 % survival	Toxic	8.4
0.094	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	81.5 % red. biolum.^	Toxic	8.4
0.096	St. Louis River - Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.48 EC50 biolum.#	Toxic	3.14
0.096	St. Louis River - Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	22.4 % red. biolum.^	Toxic	3.14
0.096	St. Louis River - Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	3.14
0.100	St. Louis River - Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.09 EC50 biolum.#	Toxic	4.84
0.100	St. Louis River - Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	4.84
0.100	St. Louis River - Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	90 % survival	Not toxic	4.84
0.100	St. Louis River - Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	18.2 % red. biolum.^	Not toxic	4.84
0.101	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	98 % survival	Not toxic	13.81
0.101	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.1 % red. biolum.^	Not toxic	13.81
0.101	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	62 % survival	Not toxic	13.81
0.101	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	3.88 EC50 biolum.#	Not toxic	13.81
0.104	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	62 % survival	Not toxic	1.94
0.104	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	40.37 % red. biolum.^	Toxic	1.94
0.104	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	98 % survival	Not toxic	1.94
0.104	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.58 EC50 biolum.#	Not toxic	1.94
0.121	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	98 % survival	Not toxic	2.34
0.121	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.28 EC50 biolum.#	Toxic	2.34
0.121	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	2.34
0.121	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	15.82 % red. biolum.^	Not toxic	2.34

**Table G-6. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Mercury in the St. Louis River Area of Concern**

Mercury (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
0.122	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	26.1 % red. biolum.^	Toxic	0.82
0.122	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0 % survival	Toxic	0.82
0.122	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	59 % survival	Not toxic	0.82
0.122	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.05 EC50 biolum.#	Toxic	0.82
0.128	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	3.2
0.128	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	62 % survival	Not toxic	3.2
0.128	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.58 EC50 biolum.#	Not toxic	3.2
0.128	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	3.2
0.130	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	3.25
0.130	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.42 EC50 biolum.#	Toxic	3.25
0.130	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	28.8 % red. biolum.^	Toxic	3.25
0.137	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	45.6 % red. biolum.^	Toxic	3.2
0.137	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.1 EC50 biolum.#	Not toxic	3.2
0.137	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	50 % survival	Not toxic	3.2
0.150	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.59 mg growth	Not toxic	6.4
0.150	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	6.4
0.150	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	87 % survival	Not toxic	6.4
0.150	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.2 mg growth	Not toxic	6.4
0.159	St. Louis Bay - St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	75 % survival	Not toxic	2.63
0.159	St. Louis Bay - St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.32 EC50 biolum.#	Toxic	2.63
0.159	St. Louis Bay - St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	33.45 % red. biolum.^	Toxic	2.63
0.159	St. Louis Bay - St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	68 % survival	Not toxic	2.63
0.160	D-S Harbor - North of MN Power & Light Dock	10 day	Diptera	<i>Chironomus tentans</i>	?	100 % survival	Not toxic	NR
0.160	D-S Harbor - North of MN Power & Light Dock	48 hour	Cladoceran	<i>Daphnia magna</i>	?	100 % survival	Not toxic	NR
0.160	Brule River - above Stones Bridge	48 hour	Cladoceran	<i>Daphnia magna</i>	?	95 % survival	Not toxic	NR
0.160	Brule River - above Stones Bridge	10 day	Diptera	<i>Chironomus tentans</i>	?	100 % survival	Not toxic	NR
0.161	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	13.91
0.161	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	93.4 % red. biolum.^	Toxic	13.91
0.161	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	13.91
0.161	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.4 EC50 biolum.#	Toxic	13.91
0.161	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	18 % survival	Toxic	13.91

**Table G-6. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Mercury in the St. Louis River Area of Concern**

Mercury (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
0.168	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.06 EC50 biolum.#	Not toxic	3.74
0.168	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	3.74
0.168	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	3.74
0.168	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.57 mg growth	Not toxic	3.74
0.168	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	65 % survival	Not toxic	3.74
0.180	D-S Harbor - Hallett Coal Dock #6	48 hour	Cladoceran	<i>Daphnia magna</i>	?	95 % survival	Not toxic	NR
0.180	D-S Harbor - Hallett Coal Dock #6	10 day	Diptera	<i>Chironomus tentans</i>	?	86.6 % survival	Not toxic	NR
0.182	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.35 EC50 biolum.#	Not toxic	6.72
0.182	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	88 % survival	Not toxic	6.72
0.182	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.46 mg growth	Not toxic	6.72
0.182	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	6.72
0.182	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	87 % survival	Not toxic	6.72
0.184	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.2 EC50 biolum.#	Toxic	3.07
0.184	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	95 % survival	Not toxic	3.07
0.184	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	3.07
0.184	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	3.07
0.188	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.45 EC50 biolum.#	Toxic	2.88
0.188	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	60 % survival	Not toxic	2.88
0.188	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	2.88
0.189	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	17.49
0.189	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	75 % survival	Not toxic	17.49
0.189	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.49 EC50 biolum.#	Not toxic	17.49
0.189	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	17.49
0.190	D-S Harbor - NW side of Lakehead Dock	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.04 mg growth	Not toxic	8.4
0.190	D-S Harbor - NW side of Lakehead Dock	48 hour	Cladoceran	<i>Ceriodaphnia dubia</i>	ADT	100 % survival	Not toxic	8.4
0.190	D-S Harbor - NW side of Lakehead Dock	10 day	Diptera	<i>Chironomus tentans</i>	LAR	100 % survival	Not toxic	8.4
0.190	D-S Harbor - NW side of Lakehead Dock	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	95 % survival	Not toxic	8.4
0.194	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.72 EC50 biolum.#	Not toxic	3.32
0.194	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	55 % survival	Not toxic	3.32
0.194	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	8.1 % red. biolum.^	Not toxic	3.32
0.194	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	88 % survival	Not toxic	3.32

**Table G-6. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Mercury in the St. Louis River Area of Concern**

Mercury (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
0.200	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	2.93
0.200	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	13.8 % red. biolum.^	Not toxic	2.93
0.200	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.16 EC50 biolum.#	Toxic	2.93
0.209	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.34 EC50 biolum.#	Toxic	3.38
0.209	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	19.2 % red. biolum.^	Not toxic	3.38
0.209	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	35 % survival	Not toxic	3.38
0.209	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	88 % survival	Not toxic	3.38
0.210	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.51 EC50 biolum.#	Not toxic	3.95
0.210	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.51 EC50 biolum.#	Not toxic	3.95
0.210	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	70 % survival	Toxic	3.95
0.210	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	23.7 % red. biolum.^	Toxic	3.95
0.210	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	88 % survival	Not toxic	3.95
0.210	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	30.7 % red. biolum.^	Toxic	3.95
0.210	D-S Harbor - Howards Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	95 % survival	Not toxic	NR
0.210	D-S Harbor - Howards Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	NR
0.211	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.74 EC50 biolum.#	Not toxic	3.4
0.211	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.37 mg growth	Not toxic	3.4
0.211	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	87 % survival	Not toxic	3.4
0.211	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.2 % red. biolum.^	Not toxic	3.4
0.211	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.74 EC50 biolum.#	Not toxic	3.4
0.211	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	87 % survival	Not toxic	3.4
0.211	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.49 mg growth	Not toxic	3.4
0.211	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	3.4
0.211	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.9 % red. biolum.^	Not toxic	3.4
0.211	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	77 % survival	Not toxic	3.4
0.215	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	4.02
0.215	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	90 % survival	Not toxic	4.02
0.215	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	4.02
0.215	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.58 EC50 biolum.#	Not toxic	4.02
0.220	D-S Harbor - City of Superior WWTP	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	79 % survival	Not toxic	NR
0.220	D-S Harbor - Slip C	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	96 % survival	Not toxic	NR

**Table G-6. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Mercury in the St. Louis River Area of Concern**

Mercury (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
0.221	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0 % survival	Toxic	8.26
0.221	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0 % survival	Toxic	8.26
0.221	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.06 EC50 biolum.#	Toxic	8.26
0.221	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	99.9 % red. biolum.^	Toxic	8.26
0.224	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	14.8 % red. biolum.^	Not toxic	10.68
0.224	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	10.68
0.224	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.34 EC50 biolum.#	Toxic	10.68
0.229	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.96 EC50 biolum.#	Not toxic	4.36
0.229	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	4.36
0.229	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	-0.6 % red. biolum.^	Not toxic	4.36
0.229	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	68 % survival	Not toxic	4.36
0.230	D-S Harbor - City of Superior WWTP	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	96 % survival	Not toxic	NR
0.233	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	91 % survival	Not toxic	2.67
0.233	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.36 EC50 biolum.#	Toxic	2.67
0.233	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	31.2 % red. biolum.^	Toxic	2.67
0.233	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	60 % survival	Not toxic	2.67
0.240	D-S Harbor - Slip C	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	NR
0.240	D-S Harbor - Slip C	10 day	Diptera	<i>Chironomus tentans</i>	LAR	55 % survival	Toxic	NR
0.240	Spirit Lake - Grassy Point	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	NR
0.240	Spirit Lake - Grassy Point	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	75 % survival	Not toxic	NR
0.250	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	23.1
0.250	D-S Harbor - Allouez Bay	10 day	Diptera	<i>Chironomus tentans</i>	?	100 % survival	Not toxic	NR
0.250	D-S Harbor - Allouez Bay	48 hour	Cladoceran	<i>Daphnia magna</i>	?	100 % survival	Not toxic	NR
0.250	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.35 mg growth	Not toxic	23.1
0.250	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	82 % survival	Not toxic	23.1
0.250	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.2 mg growth	Not toxic	23.1
0.252	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	9.22 % red. biolum.^	Not toxic	2.37
0.252	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.57 EC50 biolum.#	Not toxic	2.37
0.252	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	95 % survival	Not toxic	2.37
0.252	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	77.5 % survival	Not toxic	2.37
0.260	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	NR

**Table G-6. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Mercury in the St. Louis River Area of Concern**

Mercury (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
0.260	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Diptera	<i>Chironomus tentans</i>	LAR	68 % survival	Toxic	NR
0.260	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	85 % survival	Not toxic	NR
0.260	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Diptera	<i>Chironomus tentans</i>	LAR	90 % survival	Not toxic	NR
0.262	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1 % red. biolum.^	Not toxic	3.69
0.262	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	3.69
0.262	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	94 % survival	Not toxic	3.69
0.262	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.37 EC50 biolum.#	Toxic	3.69
0.264	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	3.97
0.264	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	3.97
0.264	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.77 EC50 biolum.#	Not toxic	3.97
0.264	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	3.97
0.264	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.49 mg growth	Not toxic	3.97
0.269	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.16 EC50 biolum.#	Toxic	5.59
0.269	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	95 % survival	Not toxic	5.59
0.269	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	5.59
0.269	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	4 % red. biolum.^	Not toxic	5.59
0.269	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	85 % survival	Not toxic	4.05
0.269	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	20.9 % red. biolum.^	Toxic	4.05
0.269	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.35 mg growth	Not toxic	4.05
0.269	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	58 % survival	Not toxic	4.05
0.269	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.4 EC50 biolum.#	Toxic	4.05
0.280	D-S Harbor - Slip C	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	85 % survival	Not toxic	NR
0.280	D-S Harbor - Slip C	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	NR
0.288	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.38 EC50 biolum.#	Toxic	13.98
0.288	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	82 % survival	Not toxic	13.98
0.288	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	29.59 % red. biolum.^	Toxic	13.98
0.288	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	56 % survival	Not toxic	13.98
0.291	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	41 % survival	Toxic	4.24
0.291	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	53.2 % red. biolum.^	Toxic	4.24
0.291	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.12 EC50 biolum.#	Toxic	4.24
0.291	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	4.24

**Table G-6. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Mercury in the St. Louis River Area of Concern**

Mercury (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
0.309	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	8.5 % red. biolum.^	Not toxic	2.43
0.309	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	95 % survival	Not toxic	2.43
0.309	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.67 EC50 biolum.#	Not toxic	2.43
0.310	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.8 mg growth	Toxic	8.08
0.310	D-S Harbor - Howards Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	55 % survival	Toxic	NR
0.310	D-S Harbor - Howards Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	NR
0.310	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	48 % survival	Toxic	8.08
0.310	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.14 mg growth	Toxic	8.08
0.310	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	53 % survival	Toxic	8.08
0.312	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.76 EC50 biolum.#	Not toxic	4.02
0.312	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	4.1 % red. biolum.^	Not toxic	4.02
0.312	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	57 % survival	Toxic	4.02
0.312	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	4.02
0.312	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	4.02
0.319	St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	87 % survival	Not toxic	5.88
0.336	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.35 EC50 biolum.#	Toxic	4.13
0.336	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	4.13
0.336	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	4.13
0.336	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	21.7 % red. biolum.^	Toxic	4.13
0.348	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0 % survival	Toxic	11.98
0.348	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.38 EC50 biolum.#	Toxic	11.98
0.348	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	84.7 % red. biolum.^	Toxic	11.98
0.348	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	12 % survival	Toxic	11.98
0.348	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	-9 mg growth	Not determined	11.98
0.350	D-S Harbor - Howards Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	NR
0.350	D-S Harbor - Howards Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	85 % survival	Not toxic	NR
0.360	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.02 mg growth	Toxic	11.76
0.360	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	72 % survival	Not toxic	NR
0.360	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	NR
0.360	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	11.76
0.360	D-S Harbor - Minnesota Slip	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	NR

**Table G-6. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Mercury in the St. Louis River Area of Concern**

Mercury (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
0.360	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	67 % survival	Not toxic	11.76
0.360	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.11 mg growth	Toxic	11.76
0.364	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	8.6 % red. biolum.^	Not toxic	3.98
0.364	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	3.98
0.364	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	3.98
0.364	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.37 EC50 biolum.#	Toxic	3.98
0.370	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	75 % survival	Toxic	12.95
0.370	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.65 mg growth	Not determined	12.95
0.370	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.1 mg growth	Toxic	12.95
0.370	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	30 % survival	Toxic	12.95
0.389	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	20.18 % red. biolum.^	Toxic	3.47
0.389	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	3.47
0.389	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.48 EC50 biolum.#	Toxic	3.47
0.389	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	94 % survival	Not toxic	3.47
0.398	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.97 EC50 biolum.#	Not toxic	5.34
0.398	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	5.34
0.398	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	5.34
0.398	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	18.8 % red. biolum.^	Not toxic	5.34
0.413	St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	63 % survival	Toxic	6.12
0.430	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.12 EC50 biolum.#	Not toxic	29.84
0.430	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	93 % survival	Not toxic	29.84
0.430	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.43 mg growth	Not toxic	29.84
0.430	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	45 % survival	Not toxic	29.84
0.430	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	7.4 % red. biolum.^	Not toxic	29.84
0.432	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	85 % survival	Not toxic	6.03
0.432	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	58 % red. biolum.^	Toxic	6.03
0.432	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	4.07 EC50 biolum.#	Not toxic	6.03
0.433	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	93 % survival	Not toxic	3.87
0.433	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.1 % red. biolum.^	Not toxic	3.87
0.433	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.23 mg growth	Toxic	3.87
0.433	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.41 EC50 biolum.#	Toxic	3.87

**Table G-6. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Mercury in the St. Louis River Area of Concern**

Mercury (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
0.433	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	3.87
0.440	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	88 % survival	Not toxic	4.7
0.440	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	2.55 EC50 biolum.#	Not toxic	4.7
0.440	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	12.7 % red. biolum.^	Not toxic	4.7
0.440	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	65 % survival	Not toxic	4.7
0.440	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.15 mg growth	Toxic	6.15
0.440	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	77 % survival	Not toxic	6.15
0.440	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	83 % survival	Not toxic	6.15
0.440	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.84 mg growth	Toxic	6.15
0.460	Spirit Lake - Grassy Point	10 day	Diptera	<i>Chironomus tentans</i>	LAR	82 % survival	Not toxic	NR
0.460	Spirit Lake - Grassy Point	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	82 % survival	Not toxic	NR
0.463	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	69 % survival	Not toxic	4.54
0.463	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	5 % survival	Not toxic	4.54
0.463	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	30 % red. biolum.^	Toxic	4.54
0.463	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.05 EC50 biolum.#	Toxic	4.54
0.490	D-S Harbor - Minnesota Slip	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	89 % survival	Not toxic	NR
0.500	Spirit Lake - Grassy Point	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	65 % survival	Toxic	NR
0.500	D-S Harbor - Howards Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	96 % survival	Not toxic	NR
0.500	Spirit Lake - Grassy Point	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	NR
0.502	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	3 % survival	Toxic	8.97
0.502	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	42.1 % red. biolum.^	Toxic	8.97
0.502	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.05 EC50 biolum.#	Toxic	8.97
0.502	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	8.97
0.502	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	75 % survival	Toxic	8.97
0.520	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	NR
0.520	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	NR
0.529	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	15.5 % red. biolum.^	Not toxic	4.11
0.529	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.24 EC50 biolum.#	Toxic	4.11
0.529	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	98 % survival	Not toxic	4.11
0.529	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	68 % survival	Not toxic	4.11
0.540	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Diptera	<i>Chironomus tentans</i>	LAR	78 % survival	Not toxic	NR

**Table G-6. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Mercury in the St. Louis River Area of Concern**

Mercury (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
0.540	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	98 % survival	Not toxic	NR
0.540	D-S Harbor - Howards Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	68 % survival	Not toxic	NR
0.540	D-S Harbor - Howards Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	NR
0.559	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.02 EC50 biolum.#	Toxic	6.77
0.559	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	18 % survival	Toxic	6.77
0.559	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	6.77
0.559	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	6.77
0.559	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	30.8 % red. biolum.^	Toxic	6.77
0.573	D-S Harbor - Howards Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	NR
0.573	D-S Harbor - Howards Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	78 % survival	Not toxic	NR
0.589	St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	93 % survival	Not toxic	9.58
0.611	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.5 EC50 biolum.#	Not toxic	3.99
0.611	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	3.99
0.611	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	86 % survival	Not toxic	3.99
0.611	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	11.1 % red. biolum.^	Not toxic	3.76
0.611	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	44 % survival	Not toxic	3.76
0.611	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.25 EC50 biolum.#	Toxic	3.76
0.611	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	58 % survival	Not toxic	3.76
0.656	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.36 EC50 biolum.#	Toxic	4.05
0.656	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	8.3 % red. biolum.^	Not toxic	4.05
0.656	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	67 % survival	Not toxic	4.05
0.656	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	4.05
0.671	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	88 % survival	Not toxic	4.11
0.671	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	2.8 % red. biolum.^	Not toxic	4.41
0.671	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	68 % survival	Not toxic	4.41
0.671	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	72 % survival	Not toxic	4.11
0.671	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	4.41
0.671	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.3 EC50 biolum.#	Toxic	4.41
0.700	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	60 % survival	Toxic	100
0.700	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.23 mg growth	Not toxic	100
0.700	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.18 mg growth	Not toxic	100

**Table G-6. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Mercury in the St. Louis River Area of Concern**

Mercury (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
0.700	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	100
0.702	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	29.6 % red. biolum.^	Toxic	2.13
0.702	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.47 EC50 biolum.#	Toxic	2.13
0.702	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	86 % survival	Not toxic	2.13
0.702	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	82 % survival	Not toxic	2.13
0.710	Spirit Lake - Grassy Point	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	NR
0.710	Spirit Lake - Grassy Point	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	NR
0.720	D-S Harbor - Howards Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	NR
0.720	D-S Harbor - Howards Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	52 % survival	Toxic	NR
0.720	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	96 % survival	Not toxic	NR
0.750	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	96 % survival	Not toxic	NR
0.760	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	11.16
0.760	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0 % survival	Toxic	11.16
0.760	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	Not determined	Not determined	11.16
0.760	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0 % survival	Toxic	11.16
0.790	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	96 % survival	Not toxic	NR
0.870	D-S Harbor - City of Superior WWTP	10 day	Diptera	<i>Chironomus tentans</i>	LAR	62 % survival	Not toxic	NR
0.870	D-S Harbor - City of Superior WWTP	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	80 % survival	Not toxic	NR
0.920	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	93 % survival	Not toxic	NR
0.966	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	12 % survival	Toxic	14.19
0.966	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0 % survival	Toxic	14.19
0.966	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.16 EC50 biolum.#	Toxic	14.19
0.966	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	67.9 % red. biolum.^	Toxic	14.19
0.980	D-S Harbor - Howards Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	NR
0.980	D-S Harbor - NE of Sanitary District Plant	10 day	Diptera	<i>Chironomus tentans</i>	?	100 % survival	Not toxic	NR
0.980	D-S Harbor - NE of Sanitary District Plant	48 hour	Cladoceran	<i>Daphnia magna</i>	?	100 % survival	Not toxic	NR
1.26	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	20 % red. biolum.^	Toxic	4.48
1.26	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.29 EC50 biolum.#	Toxic	4.48
1.26	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	16 % survival	Toxic	4.48
1.31	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.07 mg growth	Not determined	NR
1.31	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	30 % survival	Toxic	NR

**Table G-6. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Mercury in the St. Louis River Area of Concern**

Mercury (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
1.31	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	8 % survival	Toxic	NR
1.31	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.24 mg growth	Not determined	NR
1.42	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.3 mg growth	Not toxic	26.54
1.42	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.18 mg growth	Toxic	26.54
1.42	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	83 % survival	Not toxic	26.54
1.42	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	26.54
1.50	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	NR
1.50	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	NR
2.15	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0 % survival	Toxic	50.12
2.15	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.09 mg growth	Not determined	50.12
2.15	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	8 % survival	Toxic	50.12
2.15	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	Not determined	Not determined	50.12
2.73	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.17 mg growth	Toxic	45.37
2.73	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	92 % survival	Not toxic	45.37
2.73	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.07 mg growth	Toxic	45.37
2.73	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	87 % survival	Not toxic	45.37

\* = SEM measurement; ^ = relative to control; D-S = Duluth-Superior; # = expressed as % DW sediment; red. biolum. = reduced bioluminescence; EC50 = effective concentration affecting 50% of the population.

LAR = larvae; JUV = juvenile; TOC = total organic carbon; NR = not reported.



---

**Reference**

---

MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
Wenck Associates Inc. 1995  
Wenck Associates Inc. 1995  
Wenck Associates Inc. 1995  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
Wenck Associates Inc. 1995  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b

---

---

**Reference**

---

MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
IT Corp. 1996  
Crane *et al.* 1997  
IT Corp. 1996  
Crane *et al.* 1997  
IT Corp. 1996  
IT Corp. 1996  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
IT Corp. 1996

---

---

**Reference**

---

IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
Crane *et al.* 1997  
Crane *et al.* 1997  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b

---

---

**Reference**

---

MPCA 1997b  
MPCA 1997b  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b

---

---

**Reference**

---

MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c

---

---

**Reference**

---

MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c

---



---

**Reference**

---

MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
Smith *et al.* 1992  
Smith *et al.* 1992  
Smith *et al.* 1992  
Smith *et al.* 1992  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c

---

---

**Reference**

---

MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
Smith *et al.* 1992  
Smith *et al.* 1992  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
Wenck Associates Inc. 1995  
Wenck Associates Inc. 1995  
Wenck Associates Inc. 1995  
Wenck Associates Inc. 1995  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b

---

---

**Reference**

---

MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
Crane *et al.* 1997  
Crane *et al.* 1997  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
Crane *et al.* 1997  
Crane *et al.* 1997

---

---

**Reference**

---

MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
Crane *et al.* 1997  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
Crane *et al.* 1997  
Crane *et al.* 1997  
Crane *et al.* 1997  
Crane *et al.* 1997  
IT Corp. 1996  
Smith *et al.* 1992  
Smith *et al.* 1992  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
Crane *et al.* 1997

---

---

**Reference**

---

Crane *et al.* 1997

Crane *et al.* 1997

Crane *et al.* 1997

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997c

MPCA 1997c

MPCA 1997c

MPCA 1997c

MPCA 1997c

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997c

MPCA 1997c

MPCA 1997c

MPCA 1997c

MPCA 1997c

Crane *et al.* 1997

Crane *et al.* 1997

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

---

---

**Reference**

---

MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
IT Corp. 1996  
Crane *et al.* 1997  
Crane *et al.* 1997  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1993  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
Crane *et al.* 1997  
Crane *et al.* 1997  
IT Corp. 1996  
Crane *et al.* 1997  
Crane *et al.* 1997  
IT Corp. 1996  
Crane *et al.* 1997

---

---

**Reference**

---

IT Corp. 1996  
IT Corp. 1996  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c

---

---

**Reference**

---

MPCA 1997c  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
Crane *et al.* 1997  
Crane *et al.* 1997  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
Crane *et al.* 1997  
Crane *et al.* 1997  
Crane *et al.* 1997  
Crane *et al.* 1997  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
Crane *et al.* 1997  
Crane *et al.* 1997  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
Crane *et al.* 1997

---



---

**Reference**

---

IT Corp. 1996  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
Crane *et al.* 1997  
Crane *et al.* 1997  
Crane *et al.* 1997  
Crane *et al.* 1997  
Crane *et al.* 1997  
Crane *et al.* 1997  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
Crane *et al.* 1997  
Crane *et al.* 1997  
Crane *et al.* 1997  
Crane *et al.* 1997  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
Crane *et al.* 1997  
Smith *et al.* 1992  
Smith *et al.* 1992  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
IT Corp. 1996  
IT Corp. 1996

---

---

**Reference**

---

IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
Crane *et al.* 1997  
Crane *et al.* 1997  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996

---

**Table G-7. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Zinc in the St. Louis River Area of Concern**

Zinc (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
4.35*	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	11.24 EC50 biolum.#	Not toxic	0.35	MPCA 1997b
4.35*	Allouez Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	55 % survival	Not toxic	0.35	MPCA 1997b
4.35*	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	26.2 red. biolum.^	Toxic	0.35	MPCA 1997b
5.24*	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	3.96 EC50 biolum.#	Not toxic	0.59	MPCA 1997b
5.24*	Allouez Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	0.59	MPCA 1997b
5.24*	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 red. biolum.^	Not toxic	0.59	MPCA 1997b
6.19*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	22.95 red. biolum.^	Toxic	0.16	MPCA 1997b
6.19*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	100 EC50 biolum.#	Not toxic	0.16	MPCA 1997b
6.19*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	90 % survival	Not toxic	0.16	MPCA 1997b
6.73*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	26.3 red. biolum.^	Toxic	0.08	MPCA 1997b
6.73*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	90 % survival	Not toxic	0.08	MPCA 1997b
6.73*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	86 % survival	Not toxic	0.08	MPCA 1997b
6.73*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	100 EC50 biolum.#	Not toxic	0.08	MPCA 1997b
7.76*	St. Louis River-Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	21.31 red. biolum.^	Toxic	0.68	MPCA 1997b
7.76*	St. Louis River-Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	2.83 EC50 biolum.#	Not toxic	0.68	MPCA 1997b
7.76*	St. Louis River-Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	55 % survival	Not toxic	0.68	MPCA 1997b
7.79*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	0.4	MPCA 1997b
7.79*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	82 % survival	Not toxic	0.4	MPCA 1997b
7.79*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	88 % survival	Not toxic	0.4	MPCA 1997b
7.79*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	39.7 red. biolum.^	Toxic	0.4	MPCA 1997b
7.79*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	85 % survival	Not toxic	0.4	MPCA 1997b
7.79*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	100 EC50 biolum.#	Not toxic	0.4	MPCA 1997b
7.90*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	25.2 red. biolum.^	Toxic	0.2	MPCA 1997b
7.90*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	0.2	MPCA 1997b
7.90*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	86 % survival	Not toxic	0.2	MPCA 1997b
7.90*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	4.94 EC50 biolum.#	Not toxic	0.2	MPCA 1997b
9.17*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	67.3 red. biolum.^	Toxic	0.14	MPCA 1997b
9.17*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	17.83 EC50 biolum.#	Not toxic	0.14	MPCA 1997b
9.17*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	0.14	MPCA 1997b
9.17*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	58 % survival	Not toxic	0.14	MPCA 1997b
10.2*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	23.05 red. biolum.^	Toxic	0.24	MPCA 1997b
10.2*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	72 % survival	Not toxic	0.24	MPCA 1997b
10.2*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	52 % survival	Not toxic	0.24	MPCA 1997b

**Table G-7. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Zinc in the St. Louis River Area of Concern**

Zinc (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
10.2*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	100 EC50 biolum.#	Not toxic	0.24	MPCA 1997b
11.1*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	45.3 red. biolum.^	Toxic	0.14	MPCA 1997b
11.1*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	9.08 EC50 biolum.#	Not toxic	0.14	MPCA 1997b
11.1*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	64 % survival	Not toxic	0.14	MPCA 1997b
11.1*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	82 % survival	Not toxic	0.14	MPCA 1997b
11.2*	St. Louis Bay-East of Erie Pier	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	58 % survival	Toxic	0.28	Crane <i>et al.</i> 1997
11.2*	St. Louis Bay-East of Erie Pier	10 day	Diptera	<i>Chironomus tentans</i>	LAR	90 % survival	Not toxic	0.28	Crane <i>et al.</i> 1997
13.5*	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	8.2 red. biolum.^	Not toxic	1.37	MPCA 1997c
13.5*	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.57 mg growth	Not toxic	1.37	MPCA 1997c
13.5*	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	1.37	MPCA 1997c
13.5*	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	52 % survival	Not toxic	1.37	MPCA 1997c
13.5*	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	3.52 EC50 biolum.#	Not toxic	1.37	MPCA 1997c
14.8*	Spirit Lake-Grassy Point	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	0.89	Crane <i>et al.</i> 1997
14.8*	Spirit Lake-Grassy Point	10 day	Diptera	<i>Chironomus tentans</i>	LAR	92 % survival	Not toxic	0.89	Crane <i>et al.</i> 1997
15.0*	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	29.7 red. biolum.^	Toxic	1.02	MPCA 1997b
15.0*	Allouez Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	1.02	MPCA 1997b
15.0*	Allouez Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	1.02	MPCA 1997b
15.0*	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.81 EC50 biolum.#	Not toxic	1.02	MPCA 1997b
16.6*	St. Louis River-Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	14.18 EC50 biolum.#	Not toxic	0.86	MPCA 1997b
16.6*	St. Louis River-Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	2.8 red. biolum.^	Not toxic	0.86	MPCA 1997b
16.6*	St. Louis River-Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	0.86	MPCA 1997b
16.6*	St. Louis River-Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	0.86	MPCA 1997b
16.7*	St. Louis River-Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	12 red. biolum.^	Not toxic	0.56	MPCA 1997b
16.7*	St. Louis River-Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	67.5 % survival	Not toxic	0.56	MPCA 1997b
16.7*	St. Louis River-Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	97.5 % survival	Not toxic	0.56	MPCA 1997b
16.7*	St. Louis River-Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	2.12 EC50 biolum.#	Not toxic	0.56	MPCA 1997b
16.7*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	5.4 red. biolum.^	Not toxic	1.44	MPCA 1997c
16.7*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.14 EC50 biolum.#	Not toxic	1.44	MPCA 1997c
16.7*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	98 % survival	Not toxic	1.44	MPCA 1997c
17.4*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 red. biolum.^	Not toxic	1.1	MPCA 1997b
17.4*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.82 EC50 biolum.#	Not toxic	1.1	MPCA 1997b
17.4*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	1.1	MPCA 1997b
17.4*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	62 % survival	Not toxic	1.1	MPCA 1997b

**Table G-7. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Zinc in the St. Louis River Area of Concern**

Zinc (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
18.3*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	93 % survival	Not toxic	1.87	MPCA 1997c
18.3*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.53 mg growth	Not toxic	1.87	MPCA 1997c
18.3*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	21.8 red. biolum.^	Toxic	1.87	MPCA 1997c
18.3*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	1.87	MPCA 1997c
18.3*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	2.07 EC50 biolum.#	Not toxic	1.87	MPCA 1997c
18.4*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	12.1 red. biolum.^	Not toxic	1.69	MPCA 1997c
18.4*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	84 % survival	Not toxic	1.69	MPCA 1997c
18.4*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	4.29 EC50 biolum.#	Not toxic	1.69	MPCA 1997c
19.9*	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	95 % survival	Not toxic	0.12	MPCA 1997b
19.9*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	3.4 red. biolum.^	Not toxic	0.12	MPCA 1997b
19.9*	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	78 % survival	Not toxic	0.12	MPCA 1997b
19.9*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	100 EC50 biolum.#	Not toxic	0.12	MPCA 1997b
20.0*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	97.5 % survival	Not toxic	0.61	MPCA 1997b
20.0*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	5.36 EC50 biolum.#	Not toxic	0.61	MPCA 1997b
20.0*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	65 % survival	Not toxic	0.61	MPCA 1997b
20.0*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	15.5 red. biolum.^	Not toxic	0.61	MPCA 1997b
22.5*	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.82 EC50 biolum.#	Not toxic	4.47	MPCA 1997b
22.5*	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	33.03 red. biolum.^	Toxic	4.47	MPCA 1997b
22.5*	Allouez Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	68 % survival	Not toxic	4.47	MPCA 1997b
22.5*	Allouez Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	85 % survival	Not toxic	4.47	MPCA 1997b
25.2*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	6.73 EC50 biolum.#	Not toxic	5.77	MPCA 1997b
25.2*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	6.4 red. biolum.^	Not toxic	5.77	MPCA 1997b
25.2*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	5.77	MPCA 1997b
25.2*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	75 % survival	Not toxic	5.77	MPCA 1997b
26.7*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	2.98	MPCA 1997c
26.7*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.58 mg growth	Not toxic	2.98	MPCA 1997c
26.7*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.92 EC50 biolum.#	Not toxic	2.98	MPCA 1997c
26.7*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	10.5 red. biolum.^	Not toxic	2.98	MPCA 1997c
26.7*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	97 % survival	Not toxic	2.98	MPCA 1997c
27.8*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.72 EC50 biolum.#	Not toxic	1.42	MPCA 1997b
27.8*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	41.98 red. biolum.^	Toxic	1.42	MPCA 1997b
27.8*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	60 % survival	Not toxic	1.42	MPCA 1997b
27.8*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	1.42	MPCA 1997b

**Table G-7. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Zinc in the St. Louis River Area of Concern**

Zinc (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
28.4*	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	65 % survival	Not toxic	1.55	MPCA 1997b
28.4*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.47 EC50 biolum.#	Toxic	1.55	MPCA 1997b
28.4*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	-0.7 red. biolum.^	Not toxic	1.55	MPCA 1997b
28.4*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	89 % survival	Not toxic	0.81	MPCA 1997b
28.4*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	18 % survival	Toxic	0.81	MPCA 1997b
28.4*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	26.9 red. biolum.^	Toxic	0.81	MPCA 1997b
28.4*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	2.06 EC50 biolum.#	Not toxic	0.81	MPCA 1997b
28.5*	Spirit Lake-Grassy Point	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	7.1	Crane <i>et al.</i> 1997
28.5*	Spirit Lake-Grassy Point	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	80 % survival	Not toxic	7.1	Crane <i>et al.</i> 1997
29.3*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	-2.8 red. biolum.^	Not toxic	1.82	MPCA 1997b
29.3*	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	1.82	MPCA 1997b
29.3*	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	70 % survival	Not toxic	1.82	MPCA 1997b
29.3*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	3.56 EC50 biolum.#	Not toxic	1.82	MPCA 1997b
29.5*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	88 % survival	Not toxic	1.65	MPCA 1997c
29.5*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	87 % survival	Not toxic	1.65	MPCA 1997c
29.5*	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 red. biolum.^	Not toxic	1.65	MPCA 1997c
29.5*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.53 mg growth	Not toxic	1.65	MPCA 1997c
29.5*	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	4.42 EC50 biolum.#	Not toxic	1.65	MPCA 1997c
29.7*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	95 % survival	Not toxic	2.24	MPCA 1997c
29.7*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.46 mg growth	Not toxic	2.24	MPCA 1997c
29.7*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	98 % survival	Not toxic	2.24	MPCA 1997c
29.7*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.3 EC50 biolum.#	Not toxic	2.24	MPCA 1997c
29.7*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 red. biolum.^	Not toxic	2.24	MPCA 1997c
32.0*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.4 mg growth	Not toxic	1.71	MPCA 1997c
32.0*	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	42.1 red. biolum.^	Toxic	1.71	MPCA 1997c
32.0*	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.27 EC50 biolum.#	Not toxic	1.71	MPCA 1997c
32.0*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	1.71	MPCA 1997c
32.0*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	78 % survival	Not toxic	1.71	MPCA 1997c
32.8*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	78 % survival	Not toxic	1.85	MPCA 1997b
32.8*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.75 EC50 biolum.#	Not toxic	1.85	MPCA 1997b
32.8*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	90 % survival	Not toxic	1.85	MPCA 1997b
32.8*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	14.9 red. biolum.^	Not toxic	1.85	MPCA 1997b
33.7*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.76 EC50 biolum.#	Not toxic	4.02	MPCA 1997c

**Table G-7. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Zinc in the St. Louis River Area of Concern**

Zinc (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
33.7*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	4.1 red. biolum.^	Not toxic	4.02	MPCA 1997c
33.7*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	57 % survival	Toxic	4.02	MPCA 1997c
33.7*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	4.02	MPCA 1997c
33.7*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	4.02	MPCA 1997c
34.3*	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	2.4 EC50 biolum.#	Not toxic	NR	MPCA 1997b
34.3*	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	12 % survival	Toxic	NR	MPCA 1997b
34.3*	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.1 red. biolum.^	Not toxic	NR	MPCA 1997b
34.3*	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	60 % survival	Not toxic	NR	MPCA 1997b
34.9*	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	2.7	MPCA 1997c
34.9*	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	12 red. biolum.^	Not toxic	2.7	MPCA 1997c
34.9*	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.56 mg growth	Not toxic	2.7	MPCA 1997c
34.9*	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	2.7	MPCA 1997c
34.9*	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	93 % survival	Not toxic	2.7	MPCA 1997c
34.9*	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.52 EC50 biolum.#	Not toxic	2.7	MPCA 1997c
34.9*	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	68 % survival	Not toxic	2.7	MPCA 1997c
34.9*	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	5.3 red. biolum.^	Not toxic	2.7	MPCA 1997c
34.9*	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.44 mg growth	Not toxic	2.7	MPCA 1997c
34.9*	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.52 EC50 biolum.#	Not toxic	2.7	MPCA 1997c
37.4*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	1.35	MPCA 1997b
37.4*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 red. biolum.^	Not toxic	1.35	MPCA 1997b
37.4*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	1.35	MPCA 1997b
37.4*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.96 EC50 biolum.#	Not toxic	1.35	MPCA 1997b
40.5*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.73 EC50 biolum.#	Not toxic	3.07	MPCA 1997b
40.5*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	55 % survival	Not toxic	3.07	MPCA 1997b
40.5*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	32.24 red. biolum.^	Toxic	3.07	MPCA 1997b
40.5*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	27.4 red. biolum.^	Toxic	2.19	MPCA 1997b
40.5*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	4.18 EC50 biolum.#	Not toxic	2.19	MPCA 1997b
40.5*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	2.19	MPCA 1997b
40.5*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	97.5 % survival	Not toxic	2.19	MPCA 1997b
43.7*	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	1.75	MPCA 1997b
43.7*	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	22.87 red. biolum.^	Toxic	1.75	MPCA 1997b
43.7*	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.24 EC50 biolum.#	Toxic	1.75	MPCA 1997b
43.7*	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	95 % survival	Not toxic	1.75	MPCA 1997b

**Table G-7. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Zinc in the St. Louis River Area of Concern**

Zinc (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
45.4*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.64 mg growth	Not toxic	3.85	MPCA 1997c
45.4*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	3.82 EC50 biolum.#	Not toxic	3.85	MPCA 1997c
45.4*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	88 % survival	Not toxic	3.85	MPCA 1997c
45.4*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	3.85	MPCA 1997c
45.4*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 red. biolum.^	Not toxic	3.85	MPCA 1997c
46.6*	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	70 % survival	Not toxic	2.2	MPCA 1997b
46.6*	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.96 EC50 biolum.#	Not toxic	2.2	MPCA 1997b
46.6*	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	55 % survival	Not toxic	2.2	MPCA 1997b
46.6*	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	9.31 red. biolum.^	Not toxic	2.2	MPCA 1997b
47.9*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 red. biolum.^	Not toxic	3.2	MPCA 1997b
47.9*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	3.2	MPCA 1997b
47.9*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	62 % survival	Not toxic	3.2	MPCA 1997b
47.9*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.58 EC50 biolum.#	Not toxic	3.2	MPCA 1997b
49.2*	St. Louis River-Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	22.4 red. biolum.^	Toxic	3.14	MPCA 1997b
49.2*	St. Louis River-Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.48 EC50 biolum.#	Toxic	3.14	MPCA 1997b
49.2*	St. Louis River-Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	3.14	MPCA 1997b
50.0*	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.42 EC50 biolum.#	Toxic	3.25	MPCA 1997c
50.0*	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	3.25	MPCA 1997c
50.0*	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	28.8 red. biolum.^	Toxic	3.25	MPCA 1997c
51.0*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	10.2 red. biolum.^	Not toxic	2.82	MPCA 1997b
51.0*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.4 EC50 biolum.#	Toxic	2.82	MPCA 1997b
51.0*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	70 % survival	Not toxic	2.82	MPCA 1997b
51.0*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	2.82	MPCA 1997b
51.6*	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	88 % survival	Not toxic	6.72	MPCA 1997c
51.6*	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.35 EC50 biolum.#	Not toxic	6.72	MPCA 1997c
51.6*	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	87 % survival	Not toxic	6.72	MPCA 1997c
51.6*	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.46 mg growth	Not toxic	6.72	MPCA 1997c
51.6*	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 red. biolum.^	Not toxic	6.72	MPCA 1997c
52.1*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	7.4 red. biolum.^	Not toxic	2.59	MPCA 1997b
52.1*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	97.5 % survival	Not toxic	2.59	MPCA 1997b
52.1*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.41 EC50 biolum.#	Toxic	2.59	MPCA 1997b
52.1*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	65 % survival	Not toxic	2.59	MPCA 1997b
53.7*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	62 % survival	Not toxic	1.94	MPCA 1997b

**Table G-7. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Zinc in the St. Louis River Area of Concern**

Zinc (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
53.7*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	40.37 red. biolum.^	Toxic	1.94	MPCA 1997b
53.7*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	98 % survival	Not toxic	1.94	MPCA 1997b
53.7*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.58 EC50 biolum.#	Not toxic	1.94	MPCA 1997b
54.0*	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.46 EC50 biolum.#	Not toxic	2.4	MPCA 1997b
54.0*	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	35.18 red. biolum.^	Toxic	2.4	MPCA 1997b
54.0*	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	98 % survival	Not toxic	2.4	MPCA 1997b
54.0*	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	82 % survival	Not toxic	2.4	MPCA 1997b
55.1*	Duluth-Superior Harbor-Howards Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	95 % survival	Not toxic	1.8	Crane <i>et al.</i> 1997
55.1*	Duluth-Superior Harbor-Howards Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	1.8	Crane <i>et al.</i> 1997
57.6*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	95 % survival	Not toxic	2.34	MPCA 1997c
57.6*	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	12.1 red. biolum.^	Not toxic	2.34	MPCA 1997c
57.6*	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.77 EC50 biolum.#	Not toxic	2.34	MPCA 1997c
57.6*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	2.34	MPCA 1997c
57.6*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.37 mg growth	Not toxic	2.34	MPCA 1997c
57.7	St. Louis River-Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	30 % survival	Toxic	4.64	IT Corp. 1996
57.7	St. Louis River-Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.13 mg growth	Not determined	4.64	IT Corp. 1996
57.7	St. Louis River-Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	4.64	IT Corp. 1996
57.7	St. Louis River-Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.16 mg growth	Toxic	4.64	IT Corp. 1996
58.7*	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	3.17 red. biolum.^	Not toxic	2.82	MPCA 1997b
58.7*	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	67.5 % survival	Not toxic	2.82	MPCA 1997b
58.7*	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	95 % survival	Not toxic	2.82	MPCA 1997b
58.7*	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.23 EC50 biolum.#	Toxic	2.82	MPCA 1997b
59.7*	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	2.91	MPCA 1997b
59.7*	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.96 EC50 biolum.#	Not toxic	2.91	MPCA 1997b
59.7*	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	18.89 red. biolum.^	Not toxic	2.91	MPCA 1997b
59.7*	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	90 % survival	Not toxic	2.91	MPCA 1997b
62.3*	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	98 % survival	Not toxic	3.02	MPCA 1997b
62.3*	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	3.02	MPCA 1997b
62.3*	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 red. biolum.^	Not toxic	3.02	MPCA 1997b
62.3*	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.37 EC50 biolum.#	Toxic	3.02	MPCA 1997b
62.4*	St. Louis Bay-South of DM & IR Taconite Storage Facility	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	2.6	Crane <i>et al.</i> 1997
62.4*	St. Louis Bay-South of DM & IR Taconite Storage Facility	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	98 % survival	Not toxic	2.6	Crane <i>et al.</i> 1997
64.6*	St. Louis Bay-South of DM & IR Taconite Storage Facility	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	70 % survival	Toxic	2.5	Crane <i>et al.</i> 1997

**Table G-7. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Zinc in the St. Louis River Area of Concern**

Zinc (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
64.6*	St. Louis Bay-South of DM & IR Taconite Storage Facility	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Toxic	2.5	Crane <i>et al.</i> 1997
66.0*	St. Louis River-Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	18.2 red. biolum.^	Not toxic	4.84	MPCA 1997b
66.0*	St. Louis River-Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.09 EC50 biolum.#	Toxic	4.84	MPCA 1997b
66.0*	St. Louis River-Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	4.84	MPCA 1997b
66.0*	St. Louis River-Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	90 % survival	Not toxic	4.84	MPCA 1997b
66.4*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	75 % survival	Not toxic	17.49	MPCA 1997b
66.4*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.49 EC50 biolum.#	Not toxic	17.49	MPCA 1997b
66.4*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 red. biolum.^	Not toxic	17.49	MPCA 1997b
66.4*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	17.49	MPCA 1997b
68.3*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	15.82 red. biolum.^	Not toxic	2.34	MPCA 1997b
68.3*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	2.34	MPCA 1997b
68.3*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	98 % survival	Not toxic	2.34	MPCA 1997b
68.3*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.28 EC50 biolum.#	Toxic	2.34	MPCA 1997b
68.6*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	3 % survival	Toxic	8.4	MPCA 1997b
68.6*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0 % survival	Toxic	8.4	MPCA 1997b
68.6*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.2 EC50 biolum.#	Toxic	8.4	MPCA 1997b
68.6*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	81.5 red. biolum.^	Toxic	8.4	MPCA 1997b
69.2*	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	28.9 red. biolum.^	Toxic	2.37	MPCA 1997b
69.2*	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	2.37	MPCA 1997b
69.2*	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	92 % survival	Not toxic	2.37	MPCA 1997b
69.2*	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.64 EC50 biolum.#	Not toxic	2.37	MPCA 1997b
69.2*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0 % survival	Toxic	8.26	MPCA 1997b
69.2*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0 % survival	Toxic	8.26	MPCA 1997b
69.2*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.06 EC50 biolum.#	Toxic	8.26	MPCA 1997b
69.2*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	99.9 red. biolum.^	Toxic	8.26	MPCA 1997b
71.5*	St. Louis Bay-South of DM & IR Taconite Storage Facility	10 day	Diptera	<i>Chironomus tentans</i>	LAR	88 % survival	Not toxic	2.3	Crane <i>et al.</i> 1997
71.5*	St. Louis Bay-South of DM & IR Taconite Storage Facility	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	95 % survival	Not toxic	2.3	Crane <i>et al.</i> 1997
71.8*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	3.735	MPCA 1997c
71.8*	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.06 EC50 biolum.#	Not toxic	3.735	MPCA 1997c
71.8*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.57 mg growth	Not toxic	3.735	MPCA 1997c
71.8*	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 red. biolum.^	Not toxic	3.735	MPCA 1997c
71.8*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	65 % survival	Not toxic	3.735	MPCA 1997c
73.3*	St. Louis Bay-East of Erie Pier	10 day	Diptera	<i>Chironomus tentans</i>	LAR	78 % survival	Not toxic	2.9	Crane <i>et al.</i> 1997

**Table G-7. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Zinc in the St. Louis River Area of Concern**

Zinc (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
73.3*	St. Louis Bay-East of Erie Pier	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	67 % survival	Not toxic	2.9	Crane <i>et al.</i> 1997
73.4*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.49 mg growth	Not toxic	3.4	MPCA 1997c
73.4*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	87 % survival	Not toxic	3.4	MPCA 1997c
73.4*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.74 EC50 biolum.#	Not toxic	3.4	MPCA 1997c
73.4*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.9 red. biolum.^	Not toxic	3.4	MPCA 1997c
73.4*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.74 EC50 biolum.#	Not toxic	3.4	MPCA 1997c
73.4*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	77 % survival	Not toxic	3.4	MPCA 1997c
73.4*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.37 mg growth	Not toxic	3.4	MPCA 1997c
73.4*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.2 red. biolum.^	Not toxic	3.4	MPCA 1997c
73.4*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	87 % survival	Not toxic	3.4	MPCA 1997c
73.4*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	3.4	MPCA 1997c
73.7*	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	95 % survival	Not toxic	2.43	MPCA 1997c
73.7*	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	8.5 red. biolum.^	Not toxic	2.43	MPCA 1997c
73.7*	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.67 EC50 biolum.#	Not toxic	2.43	MPCA 1997c
76.9*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	3.88 EC50 biolum.#	Not toxic	13.81	MPCA 1997b
76.9*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.1 red. biolum.^	Not toxic	13.81	MPCA 1997b
76.9*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	98 % survival	Not toxic	13.81	MPCA 1997b
76.9*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	62 % survival	Not toxic	13.81	MPCA 1997b
77.5*	St. Louis Bay-South of DM & IR Taconite Storage Facility	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	82 % survival	Not toxic	2.9	Crane <i>et al.</i> 1997
77.5*	St. Louis Bay-South of DM & IR Taconite Storage Facility	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	2.9	Crane <i>et al.</i> 1997
77.6*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	50 % survival	Not toxic	3.2	MPCA 1997b
77.6*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.1 EC50 biolum.#	Not toxic	3.2	MPCA 1997b
77.6*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	45.6 red. biolum.^	Toxic	3.2	MPCA 1997b
78.4*	Spirit Lake-Grassy Point	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	5	Crane <i>et al.</i> 1997
78.4*	Spirit Lake-Grassy Point	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	75 % survival	Not toxic	5	Crane <i>et al.</i> 1997
82.1*	Spirit Lake-Grassy Point	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	12	Crane <i>et al.</i> 1997
82.1*	Spirit Lake-Grassy Point	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	12	Crane <i>et al.</i> 1997
83.4*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	13.8 red. biolum.^	Not toxic	2.93	MPCA 1997b
83.4*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	2.93	MPCA 1997b
83.4*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.16 EC50 biolum.#	Toxic	2.93	MPCA 1997b
88.3*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	88 % survival	Not toxic	3.32	MPCA 1997b
88.3*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	8.1 red. biolum.^	Not toxic	3.32	MPCA 1997b
88.3*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	55 % survival	Not toxic	3.32	MPCA 1997b

**Table G-7. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Zinc in the St. Louis River Area of Concern**

Zinc (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
88.3*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.72 EC50 biolum.#	Not toxic	3.32	MPCA 1997b
88.3*	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	13.91	MPCA 1997c
88.3*	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	13.91	MPCA 1997c
88.3*	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	93.4 red. biolum.^	Toxic	13.91	MPCA 1997c
88.3*	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	18 % survival	Toxic	13.91	MPCA 1997c
88.3*	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.4 EC50 biolum.#	Toxic	13.91	MPCA 1997c
91.3*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	94 % survival	Not toxic	3.69	MPCA 1997b
91.3*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1 red. biolum.^	Not toxic	3.69	MPCA 1997b
91.3*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.37 EC50 biolum.#	Toxic	3.69	MPCA 1997b
91.3*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	3.69	MPCA 1997b
91.3*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	95 % survival	Not toxic	3.07	MPCA 1997b
91.3*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	3.07	MPCA 1997b
91.3*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 red. biolum.^	Not toxic	3.07	MPCA 1997b
91.3*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.2 EC50 biolum.#	Toxic	3.07	MPCA 1997b
93.5*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	60 % survival	Not toxic	2.67	MPCA 1997b
93.5*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.36 EC50 biolum.#	Toxic	2.67	MPCA 1997b
93.5*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	91 % survival	Not toxic	2.67	MPCA 1997b
93.5*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	31.2 red. biolum.^	Toxic	2.67	MPCA 1997b
95.5*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.45 EC50 biolum.#	Toxic	2.88	MPCA 1997b
95.5*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 red. biolum.^	Not toxic	2.88	MPCA 1997b
95.5*	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	60 % survival	Not toxic	2.88	MPCA 1997b
96.2*	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	75 % survival	Not toxic	2.63	MPCA 1997b
96.2*	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	68 % survival	Not toxic	2.63	MPCA 1997b
96.2*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.32 EC50 biolum.#	Toxic	2.63	MPCA 1997b
96.2*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	33.45 red. biolum.^	Toxic	2.63	MPCA 1997b
99.2*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	-0.6 red. biolum.^	Not toxic	4.36	MPCA 1997b
99.2*	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	4.36	MPCA 1997b
99.2*	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	68 % survival	Not toxic	4.36	MPCA 1997b
99.2*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.96 EC50 biolum.#	Not toxic	4.36	MPCA 1997b
100	Duluth-Superior Harbor-Allouez Bay	10 day	Diptera	<i>Chironomus tentans</i>	Unknown	100 % survival	Not toxic	NR	Smith <i>et al.</i> 1992
100	Duluth-Superior Harbor-Allouez Bay	48-h	Cladoceran	<i>Daphnia magna</i>	Unknown	100 % survival	Not toxic	NR	Smith <i>et al.</i> 1992
103*	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	30.7 red. biolum.^	Toxic	3.95	MPCA 1997c
103*	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	23.7 red. biolum.^	Toxic	3.95	MPCA 1997c

**Table G-7. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Zinc in the St. Louis River Area of Concern**

Zinc (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
103*	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.51 EC50 biolum.#	Not toxic	3.95	MPCA 1997c
103*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	70 % survival	Toxic	3.95	MPCA 1997c
103*	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.51 EC50 biolum.#	Not toxic	3.95	MPCA 1997c
103*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	88 % survival	Not toxic	3.95	MPCA 1997c
106*	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	4.02	MPCA 1997b
106*	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	90 % survival	Not toxic	4.02	MPCA 1997b
106*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.58 EC50 biolum.#	Not toxic	4.02	MPCA 1997b
106*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 red. biolum.^	Not toxic	4.02	MPCA 1997b
107*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.34 EC50 biolum.#	Toxic	3.38	MPCA 1997b
107*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	88 % survival	Not toxic	3.38	MPCA 1997b
107*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	35 % survival	Not toxic	3.38	MPCA 1997b
107*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	19.2 red. biolum.^	Not toxic	3.38	MPCA 1997b
109*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.3 EC50 biolum.#	Toxic	4.41	MPCA 1997b
109*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	2.8 red. biolum.^	Not toxic	4.41	MPCA 1997b
109*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	68 % survival	Not toxic	4.41	MPCA 1997b
109*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	4.41	MPCA 1997b
112*	Duluth-Superior Harbor-Howards Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	85 % survival	Not toxic	3.9	Crane <i>et al.</i> 1997
112*	Duluth-Superior Harbor-Howards Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	3.9	Crane <i>et al.</i> 1997
115*	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.49 mg growth	Not toxic	3.97	MPCA 1997c
115*	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	3.97	MPCA 1997c
115*	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.77 EC50 biolum.#	Not toxic	3.97	MPCA 1997c
115*	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 red. biolum.^	Not toxic	3.97	MPCA 1997c
115*	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	3.97	MPCA 1997c
116*	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	9.22 red. biolum.^	Not toxic	2.37	MPCA 1997b
116*	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	77.5 % survival	Not toxic	2.37	MPCA 1997b
116*	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.57 EC50 biolum.#	Not toxic	2.37	MPCA 1997b
116*	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	95 % survival	Not toxic	2.37	MPCA 1997b
120	Duluth-Superior Harbor-Hallett Coal Dock #6	48-h	Cladoceran	<i>Daphnia magna</i>	Unknown	95 % survival	Not toxic	NR	Smith <i>et al.</i> 1992
120	Duluth-Superior Harbor-North of Minnesota	10 day	Diptera	<i>Chironomus tentans</i>	Unknown	100 % survival	Not toxic	NR	Smith <i>et al.</i> 1992
120	Duluth-Superior Harbor-North of Minnesota	48-h	Cladoceran	<i>Daphnia magna</i>	Unknown	100 % survival	Not toxic	NR	Smith <i>et al.</i> 1992
120	St. Louis River-Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.56 mg growth	Not determined	3.42	IT Corp. 1996
120	St. Louis River-Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.04 mg growth	Toxic	2.93	IT Corp. 1996
120	St. Louis River-Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.2 mg growth	Not toxic	3.42	IT Corp. 1996

**Table G-7. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Zinc in the St. Louis River Area of Concern**

Zinc (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
120	St. Louis River-Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	38 % survival	Toxic	3.42	IT Corp. 1996
120	St. Louis River-Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	52 % survival	Toxic	3.42	IT Corp. 1996
120	St. Louis River-Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.14 mg growth	Toxic	2.93	IT Corp. 1996
120	Duluth-Superior Harbor-Hallett Coal Dock #6	10 day	Diptera	<i>Chironomus tentans</i>	Unknown	86.6 % survival	Not toxic	NR	Smith <i>et al.</i> 1992
120	St. Louis River-Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	78 % survival	Not toxic	2.93	IT Corp. 1996
120	St. Louis River-Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	97 % survival	Not toxic	2.93	IT Corp. 1996
122*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	8.97	MPCA 1997c
122*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	75 % survival	Toxic	8.97	MPCA 1997c
122*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	42.1 red. biolum.^	Toxic	8.97	MPCA 1997c
122*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.05 EC50 biolum.#	Toxic	8.97	MPCA 1997c
122*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	3 % survival	Toxic	8.97	MPCA 1997c
122*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.4 EC50 biolum.#	Toxic	4.05	MPCA 1997c
122*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	85 % survival	Not toxic	4.05	MPCA 1997c
122*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	58 % survival	Not toxic	4.05	MPCA 1997c
122*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	20.9 red. biolum.^	Toxic	4.05	MPCA 1997c
122*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.35 mg growth	Not toxic	4.05	MPCA 1997c
124*	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	82 % survival	Not toxic	13.98	MPCA 1997b
124*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	29.59 red. biolum.^	Toxic	13.98	MPCA 1997b
124*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.38 EC50 biolum.#	Toxic	13.98	MPCA 1997b
124*	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	56 % survival	Not toxic	13.98	MPCA 1997b
125*	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.41 EC50 biolum.#	Toxic	3.87	MPCA 1997c
125*	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.23 mg growth	Toxic	3.87	MPCA 1997c
125*	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	3.87	MPCA 1997c
125*	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.1 red. biolum.^	Not toxic	3.87	MPCA 1997c
125*	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	93 % survival	Not toxic	3.87	MPCA 1997c
125*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.5 EC50 biolum.#	Not toxic	3.99	MPCA 1997c
125*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 red. biolum.^	Not toxic	3.99	MPCA 1997c
125*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	86 % survival	Not toxic	3.99	MPCA 1997c
125*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	10.68	MPCA 1997b
125*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.34 EC50 biolum.#	Toxic	10.68	MPCA 1997b
125*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	14.8 red. biolum.^	Not toxic	10.68	MPCA 1997b
139*	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	7.4 red. biolum.^	Not toxic	29.84	MPCA 1997c
139*	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	93 % survival	Not toxic	29.84	MPCA 1997c

**Table G-7. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Zinc in the St. Louis River Area of Concern**

Zinc (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
139*	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.12 EC50 biolum.#	Not toxic	29.84	MPCA 1997c
139*	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.43 mg growth	Not toxic	29.84	MPCA 1997c
139*	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	45 % survival	Not toxic	29.84	MPCA 1997c
143	St. Louis River-Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.59 mg growth	Not toxic	6.4	IT Corp. 1996
143	St. Louis River-Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	87 % survival	Not toxic	6.4	IT Corp. 1996
143	St. Louis River-Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	6.4	IT Corp. 1996
143	St. Louis River-Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.2 mg growth	Not toxic	6.4	IT Corp. 1996
145*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	5.34	MPCA 1997b
145*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	5.34	MPCA 1997b
145*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	18.8 red. biolum.^	Not toxic	5.34	MPCA 1997b
145*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.97 EC50 biolum.#	Not toxic	5.34	MPCA 1997b
145*	Duluth-Superior Harbor-Howards Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	96 % survival	Not toxic	3	Crane <i>et al.</i> 1997
146*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	95 % survival	Not toxic	5.59	MPCA 1997b
146*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.16 EC50 biolum.#	Toxic	5.59	MPCA 1997b
146*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	4 red. biolum.^	Not toxic	5.59	MPCA 1997b
146*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	5.59	MPCA 1997b
149*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	4.24	MPCA 1997b
149*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.12 EC50 biolum.#	Toxic	4.24	MPCA 1997b
149*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	41 % survival	Toxic	4.24	MPCA 1997b
149*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	53.2 red. biolum.^	Toxic	4.24	MPCA 1997b
151*	Duluth-Superior Harbor-Howards Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	2.8	Crane <i>et al.</i> 1997
151*	Duluth-Superior Harbor-Howards Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	68 % survival	Not toxic	3	Crane <i>et al.</i> 1997
151*	Duluth-Superior Harbor-Howards Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	3	Crane <i>et al.</i> 1997
152*	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	3.47	MPCA 1997b
152*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	20.18 red. biolum.^	Toxic	3.47	MPCA 1997b
152*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.48 EC50 biolum.#	Toxic	3.47	MPCA 1997b
152*	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	94 % survival	Not toxic	3.47	MPCA 1997b
161*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	88 % survival	Not toxic	4.11	MPCA 1997b
161*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	98 % survival	Not toxic	4.11	MPCA 1997b
161*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.24 EC50 biolum.#	Toxic	4.11	MPCA 1997b
161*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	68 % survival	Not toxic	4.11	MPCA 1997b
161*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	15.5 red. biolum.^	Not toxic	4.11	MPCA 1997b
161*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	72 % survival	Not toxic	4.11	MPCA 1997b

**Table G-7. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Zinc in the St. Louis River Area of Concern**

Zinc (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
161*	Spirit Lake-Grassy Point	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	82 % survival	Not toxic	6.5	Crane <i>et al.</i> 1997
161*	Spirit Lake-Grassy Point	10 day	Diptera	<i>Chironomus tentans</i>	LAR	82 % survival	Not toxic	6.5	Crane <i>et al.</i> 1997
165*	Duluth-Superior Harbor-Howards Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	55 % survival	Toxic	2.2	Crane <i>et al.</i> 1997
165*	Duluth-Superior Harbor-Howards Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	2.2	Crane <i>et al.</i> 1997
167*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	8.3 red. biolum.^	Not toxic	4.05	MPCA 1997b
167*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	4.05	MPCA 1997b
167*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	67 % survival	Not toxic	4.05	MPCA 1997b
167*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.36 EC50 biolum.#	Toxic	4.05	MPCA 1997b
167	St. Louis River-Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.8 mg growth	Toxic	8.08	IT Corp. 1996
167	St. Louis River-Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	48 % survival	Toxic	8.08	IT Corp. 1996
167	St. Louis River-Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.14 mg growth	Toxic	8.08	IT Corp. 1996
167	St. Louis River-Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	53 % survival	Toxic	8.08	IT Corp. 1996
168*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	5 % survival	Not toxic	4.54	MPCA 1997b
168*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	69 % survival	Not toxic	4.54	MPCA 1997b
168*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	30 red. biolum.^	Toxic	4.54	MPCA 1997b
168*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.05 EC50 biolum.#	Toxic	4.54	MPCA 1997b
171*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	75 % survival	Not toxic	3.99	MPCA 1997b
171*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.09 EC50 biolum.#	Toxic	3.99	MPCA 1997b
171*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	10 % survival	Toxic	3.99	MPCA 1997b
171*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	66.5 red. biolum.^	Toxic	3.99	MPCA 1997b
172*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	3.98	MPCA 1997b
172*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	3.98	MPCA 1997b
172*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.37 EC50 biolum.#	Toxic	3.98	MPCA 1997b
172*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	8.6 red. biolum.^	Not toxic	3.98	MPCA 1997b
174*	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	16 % survival	Toxic	4.48	MPCA 1997c
174*	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	20 red. biolum.^	Toxic	4.48	MPCA 1997c
174*	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.29 EC50 biolum.#	Toxic	4.48	MPCA 1997c
176*	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	86 % survival	Not toxic	2.13	MPCA 1997b
176*	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	82 % survival	Not toxic	2.13	MPCA 1997b
176*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.47 EC50 biolum.#	Toxic	2.13	MPCA 1997b
176*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	29.6 red. biolum.^	Toxic	2.13	MPCA 1997b
177*	Duluth-Superior Harbor-Howards Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	52 % survival	Toxic	3.2	Crane <i>et al.</i> 1997
177*	Duluth-Superior Harbor-Howards Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	3.2	Crane <i>et al.</i> 1997

**Table G-7. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Zinc in the St. Louis River Area of Concern**

Zinc (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
178*	Spirit Lake-Grassy Point	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	6.6	Crane <i>et al.</i> 1997
178*	Spirit Lake-Grassy Point	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	65 % survival	Toxic	6.6	Crane <i>et al.</i> 1997
178*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	4.13	MPCA 1997b
178*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	4.13	MPCA 1997b
178*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.35 EC50 biolum.#	Toxic	4.13	MPCA 1997b
178*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	21.7 red. biolum.^	Toxic	4.13	MPCA 1997b
184*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	58 % survival	Not toxic	3.76	MPCA 1997b
184*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.25 EC50 biolum.#	Toxic	3.76	MPCA 1997b
184*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	11.1 red. biolum.^	Not toxic	3.76	MPCA 1997b
184*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	44 % survival	Not toxic	3.76	MPCA 1997b
184*	Duluth-Superior Harbor-Howards Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	5.2	Crane <i>et al.</i> 1997
184*	Duluth-Superior Harbor-Howards Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	78 % survival	Not toxic	5.2	Crane <i>et al.</i> 1997
203*	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	84.7 red. biolum.^	Toxic	11.975	MPCA 1997c
203*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0 % survival	Toxic	11.975	MPCA 1997c
203*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	11.975	MPCA 1997c
203*	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.38 EC50 biolum.#	Toxic	11.975	MPCA 1997c
203*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	12 % survival	Toxic	11.975	MPCA 1997c
210	Duluth-Superior Harbor-Northeast of Western Lake	10 day	Diptera	<i>Chironomus tentans</i>	Unknown	100 % survival	Not toxic	NR	Smith <i>et al.</i> 1992
210	Duluth-Superior Harbor-Northeast of Western Lake	48-h	Cladoceran	<i>Daphnia magna</i>	Unknown	100 % survival	Not toxic	NR	Smith <i>et al.</i> 1992
221*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.02 EC50 biolum.#	Toxic	6.77	MPCA 1997c
221*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	6.77	MPCA 1997c
221*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	18 % survival	Toxic	6.77	MPCA 1997c
221*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	6.77	MPCA 1997c
221*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	30.8 red. biolum.^	Toxic	6.77	MPCA 1997c
229*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0 % survival	Toxic	0.82	MPCA 1997b
229*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	59 % survival	Not toxic	0.82	MPCA 1997b
229*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.05 EC50 biolum.#	Toxic	0.82	MPCA 1997b
229*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	26.1 red. biolum.^	Toxic	0.82	MPCA 1997b
233*	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	12 % survival	Toxic	14.19	MPCA 1997b
233*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.16 EC50 biolum.#	Toxic	14.19	MPCA 1997b
233*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	67.9 red. biolum.^	Toxic	14.19	MPCA 1997b
233*	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0 % survival	Toxic	14.19	MPCA 1997b
243*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	85 % survival	Not toxic	6.03	MPCA 1997c

**Table G-7. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Zinc in the St. Louis River Area of Concern**

Zinc (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
243*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	4.07 EC50 biolum.#	Not toxic	6.03	MPCA 1997c
243*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	58 red. biolum.^	Toxic	6.03	MPCA 1997c
252*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	12.7 red. biolum.^	Not toxic	4.7	MPCA 1997b
252*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	65 % survival	Not toxic	4.7	MPCA 1997b
252*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	88 % survival	Not toxic	4.7	MPCA 1997b
252*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	2.55 EC50 biolum.#	Not toxic	4.7	MPCA 1997b
253	St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	63 % survival	Toxic	6.12	MPCA 1996
258	St. Louis River-Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0 % survival	Toxic	11.16	IT Corp. 1996
258	St. Louis River-Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0 % survival	Toxic	11.16	IT Corp. 1996
258	St. Louis River-Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	Not determined	Not determined	11.16	IT Corp. 1996
258	St. Louis River-Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	11.16	IT Corp. 1996
278	St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	93 % survival	Not toxic	9.58	MPCA 1996
281	St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	87 % survival	Not toxic	5.88	MPCA 1996
315	St. Louis River-Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.15 mg growth	Toxic	6.15	IT Corp. 1996
315	St. Louis River-Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	83 % survival	Not toxic	6.15	IT Corp. 1996
315	St. Louis River-Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.84 mg growth	Toxic	6.15	IT Corp. 1996
315	St. Louis River-Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	77 % survival	Not toxic	6.15	IT Corp. 1996
357*	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	52.4 red. biolum.^	Toxic	1	MPCA 1997c
357*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	1	MPCA 1997c
357*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	63 % survival	Toxic	1	MPCA 1997c
357*	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.77 EC50 biolum.#	Not toxic	1	MPCA 1997c
357*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0 % survival	Toxic	1	MPCA 1997c
409	St. Louis River-Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	30 % survival	Toxic	12.95	IT Corp. 1996
409	St. Louis River-Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.65 mg growth	Not determined	12.95	IT Corp. 1996
409	St. Louis River-Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	75 % survival	Toxic	12.95	IT Corp. 1996
409	St. Louis River-Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.1 mg growth	Toxic	12.95	IT Corp. 1996
423	St. Louis River-Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.2 mg growth	Not toxic	23.1	IT Corp. 1996
423	St. Louis River-Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	23.1	IT Corp. 1996
423	St. Louis River-Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	82 % survival	Not toxic	23.1	IT Corp. 1996
423	St. Louis River-Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.35 mg growth	Not toxic	23.1	IT Corp. 1996
452	St. Louis River-Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.11 mg growth	Toxic	11.76	IT Corp. 1996
452	St. Louis River-Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	11.76	IT Corp. 1996
452	St. Louis River-Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	67 % survival	Not toxic	11.76	IT Corp. 1996

**Table G-7. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Zinc in the St. Louis River Area of Concern**

Zinc (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
452	St. Louis River-Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.02 mg growth	Toxic	11.76	IT Corp. 1996
501	St. Louis River-Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0 % survival	Toxic	50.12	IT Corp. 1996
501	St. Louis River-Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.09 mg growth	Not determined	50.12	IT Corp. 1996
501	St. Louis River-Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	8 % survival	Toxic	50.12	IT Corp. 1996
501	St. Louis River-Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	Not determined	Not determined	50.12	IT Corp. 1996
609	St. Louis River-Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	8 % survival	Toxic	NR	IT Corp. 1996
609	St. Louis River-Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	30 % survival	Toxic	NR	IT Corp. 1996
609	St. Louis River-Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.24 mg growth	Not determined	NR	IT Corp. 1996
609	St. Louis River-Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.07 mg growth	Not determined	NR	IT Corp. 1996
1089	St. Louis River-Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	NR	IT Corp. 1996
1089	St. Louis River-Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.23 mg growth	Not toxic	NR	IT Corp. 1996
1089	St. Louis River-Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.18 mg growth	Not toxic	NR	IT Corp. 1996
1089	St. Louis River-Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	60 % survival	Toxic	NR	IT Corp. 1996
1246	St. Louis River-Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.3 mg growth	Not toxic	26.54	IT Corp. 1996
1246	St. Louis River-Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	83 % survival	Not toxic	26.54	IT Corp. 1996
1246	St. Louis River-Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	26.54	IT Corp. 1996
1246	St. Louis River-Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.18 mg growth	Toxic	26.54	IT Corp. 1996
1498	St. Louis River-Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.17 mg growth	Toxic	45.37	IT Corp. 1996
1498	St. Louis River-Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	92 % survival	Not toxic	45.37	IT Corp. 1996
1498	St. Louis River-Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	87 % survival	Not toxic	45.37	IT Corp. 1996
1498	St. Louis River-Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.07 mg growth	Toxic	45.37	IT Corp. 1996

\* = SEM measurement; ^ = relative to control; D-S = Duluth-Superior; # = expressed as % DW sediment; red. Biolum. = reduced bioluminescence; EC50 = effective concentration affecting 50% of the population.

LAR = larvae; JUV = juvenile; TOC = total organic carbon; NR = not reported.

**Table G-8. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Nickel in the St. Louis River Area of Concern**

Nickel (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
0.600*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	0.14	MPCA 1997b
0.600*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	67.3 red. biolum.^	Toxic	0.14	MPCA 1997b
0.600*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	17.83 EC50 biolum.#	Not toxic	0.14	MPCA 1997b
0.600*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	58 % survival	Not toxic	0.14	MPCA 1997b
0.880*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	86 % survival	Not toxic	0.08	MPCA 1997b
0.880*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	90 % survival	Not toxic	0.08	MPCA 1997b
0.880*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	100 EC50 biolum.#	Not toxic	0.08	MPCA 1997b
0.880*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	86 % survival	Not toxic	0.2	MPCA 1997b
0.880*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0 % survival	Toxic	8.26	MPCA 1997b
0.880*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0 % survival	Toxic	8.26	MPCA 1997b
0.880*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.06 EC50 biolum.#	Toxic	8.26	MPCA 1997b
0.880*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	26.3 red. biolum.^	Toxic	0.08	MPCA 1997b
0.880*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	4.94 EC50 biolum.#	Not toxic	0.2	MPCA 1997b
0.880*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	25.2 red. biolum.^	Toxic	0.2	MPCA 1997b
0.880*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	0.2	MPCA 1997b
0.880*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	99.9 red. biolum.^	Toxic	8.26	MPCA 1997b
0.894*	Allouez Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	0.59	MPCA 1997b
0.894*	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	3.96 EC50 biolum.#	Not toxic	0.59	MPCA 1997b
0.894*	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 red. biolum.^	Not toxic	0.59	MPCA 1997b
1.03*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	90 % survival	Not toxic	0.16	MPCA 1997b
1.03*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	100 EC50 biolum.#	Not toxic	0.16	MPCA 1997b
1.03*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	22.95 red. biolum.^	Toxic	0.16	MPCA 1997b
1.08*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	64 % survival	Not toxic	0.14	MPCA 1997b
1.08*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	9.08 EC50 biolum.#	Not toxic	0.14	MPCA 1997b
1.08*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	45.3 red. biolum.^	Toxic	0.14	MPCA 1997b
1.08*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	82 % survival	Not toxic	0.14	MPCA 1997b
1.14*	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	11.24 EC50 biolum.#	Not toxic	0.35	MPCA 1997b
1.14*	Allouez Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	55 % survival	Not toxic	0.35	MPCA 1997b
1.14*	Allouez Bay	30 minute	Bacteria	<i>Chironomus tentans</i>	NA	26.2 red. biolum.^	Toxic	0.35	MPCA 1997b
1.18*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	72 % survival	Not toxic	0.24	MPCA 1997b
1.18*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	100 EC50 biolum.#	Not toxic	0.24	MPCA 1997b

**Table G-8. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Nickel in the St. Louis River Area of Concern**

Nickel (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
1.18*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	52 % survival	Not toxic	0.24	MPCA 1997b
1.18*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	23.05 red. biolum.^	Toxic	0.24	MPCA 1997b
1.21*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	81.5 red. biolum.^	Toxic	8.4	MPCA 1997b
1.21*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.2 EC50 biolum.#	Toxic	8.4	MPCA 1997b
1.21*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	3 % survival	Toxic	8.4	MPCA 1997b
1.21*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0 % survival	Toxic	8.4	MPCA 1997b
1.44*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	12.1 red. biolum.^	Not toxic	1.69	MPCA 1997c
1.44*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	4.29 EC50 biolum.#	Not toxic	1.69	MPCA 1997c
1.44*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	84 % survival	Not toxic	1.69	MPCA 1997c
1.52*	St. Louis Bay-East of Erie Pier	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	58 % survival	Toxic	0.28	Crane <i>et al.</i> 1997
1.52*	St. Louis Bay-East of Erie Pier	10 day	Diptera	<i>Chironomus tentans</i>	LAR	90 % survival	Not toxic	0.28	Crane <i>et al.</i> 1997
1.62*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.14 EC50 biolum.#	Not toxic	1.44	MPCA 1997c
1.62*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	98 % survival	Not toxic	1.44	MPCA 1997c
1.62*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	5.4 red. biolum.^	Not toxic	1.44	MPCA 1997c
1.63*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	0.4	MPCA 1997b
1.63*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	85 % survival	Not toxic	0.4	MPCA 1997b
1.63*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	39.7 red. biolum.^	Toxic	0.4	MPCA 1997b
1.63*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	100 EC50 biolum.#	Not toxic	0.4	MPCA 1997b
1.63*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	82 % survival	Not toxic	0.4	MPCA 1997b
1.63*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	88 % survival	Not toxic	0.4	MPCA 1997b
1.64*	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.27 EC50 biolum.#	Not toxic	1.71	MPCA 1997c
1.64*	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	42.1 red. biolum.^	Toxic	1.71	MPCA 1997c
1.64*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	1.71	MPCA 1997c
1.64*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	78 % survival	Not toxic	1.71	MPCA 1997c
1.64*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.4 mg growth	Not toxic	1.71	MPCA 1997c
1.69*	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	95 % survival	Not toxic	0.12	MPCA 1997b
1.69*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	100 EC50 biolum.#	Not toxic	0.12	MPCA 1997b
1.69*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	3.4 red. biolum.^	Not toxic	0.12	MPCA 1997b
1.69*	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	78 % survival	Not toxic	0.12	MPCA 1997b
1.73*	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.82 EC50 biolum.#	Not toxic	4.47	MPCA 1997b
1.73*	Allouez Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	85 % survival	Not toxic	4.47	MPCA 1997b

**Table G-8. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Nickel in the St. Louis River Area of Concern**

Nickel (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
1.73*	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	33.03 red. biolum.^	Toxic	4.47	MPCA 1997b
1.73*	Allouez Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	68 % survival	Not toxic	4.47	MPCA 1997b
1.88*	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	4.42 EC50 biolum.#	Not toxic	1.65	MPCA 1997c
1.88*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.53 mg growth	Not toxic	1.65	MPCA 1997c
1.88*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	88 % survival	Not toxic	1.65	MPCA 1997c
1.88*	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 red. biolum.^	Not toxic	1.65	MPCA 1997c
1.88*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	87 % survival	Not toxic	1.65	MPCA 1997c
2.05*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	4.1 red. biolum.^	Not toxic	4.02	MPCA 1997c
2.05*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	57 % survival	Toxic	4.02	MPCA 1997c
2.05*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	4.02	MPCA 1997c
2.05*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	4.02	MPCA 1997c
2.05*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.76 EC50 biolum.#	Not toxic	4.02	MPCA 1997c
2.16*	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	1.37	MPCA 1997c
2.16*	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	3.52 EC50 biolum.#	Not toxic	1.37	MPCA 1997c
2.16*	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	8.2 red. biolum.^	Not toxic	1.37	MPCA 1997c
2.16*	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	52 % survival	Not toxic	1.37	MPCA 1997c
2.16*	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.57 mg growth	Not toxic	1.37	MPCA 1997c
2.19*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.47 EC50 biolum.#	Toxic	1.55	MPCA 1997b
2.19*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	-0.7 red. biolum.^	Not toxic	1.55	MPCA 1997b
2.19*	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	65 % survival	Not toxic	1.55	MPCA 1997b
2.22*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	10.5 red. biolum.^	Not toxic	2.98	MPCA 1997c
2.22*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.92 EC50 biolum.#	Not toxic	2.98	MPCA 1997c
2.22*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	97 % survival	Not toxic	2.98	MPCA 1997c
2.22*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	2.98	MPCA 1997c
2.22*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.58 mg growth	Not toxic	2.98	MPCA 1997c
2.23*	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	93.4 red. biolum.^	Toxic	13.91	MPCA 1997c
2.23*	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.4 EC50 biolum.#	Toxic	13.91	MPCA 1997c
2.23*	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	13.91	MPCA 1997c
2.23*	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	13.91	MPCA 1997c
2.23*	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	18 % survival	Toxic	13.91	MPCA 1997c
2.36*	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.38 EC50 biolum.#	Toxic	11.975	MPCA 1997c

**Table G-8. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Nickel in the St. Louis River Area of Concern**

Nickel (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
2.36*	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	84.7 red. biolum.^	Toxic	11.975	MPCA 1997c
2.36*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0 % survival	Toxic	11.975	MPCA 1997c
2.36*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	11.975	MPCA 1997c
2.36*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	12 % survival	Toxic	11.975	MPCA 1997c
2.60*	Spirit Lake-Grassy Point	10 day	Diptera	<i>Chironomus tentans</i>	LAR	92 % survival	Not toxic	0.89	Crane <i>et al.</i> 1997
2.60*	Spirit Lake-Grassy Point	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	0.89	Crane <i>et al.</i> 1997
2.77*	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	5.3 red. biolum.^	Not toxic	2.7	MPCA 1997c
2.77*	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	2.7	MPCA 1997c
2.77*	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.52 EC50 biolum.#	Not toxic	2.7	MPCA 1997c
2.77*	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.56 mg growth	Not toxic	2.7	MPCA 1997c
2.77*	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	12 red. biolum.^	Not toxic	2.7	MPCA 1997c
2.77*	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	2.7	MPCA 1997c
2.77*	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	68 % survival	Not toxic	2.7	MPCA 1997c
2.77*	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	93 % survival	Not toxic	2.7	MPCA 1997c
2.77*	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.44 mg growth	Not toxic	2.7	MPCA 1997c
2.77*	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.52 EC50 biolum.#	Not toxic	2.7	MPCA 1997c
2.79*	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.46 mg growth	Not toxic	6.72	MPCA 1997c
2.79*	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 red. biolum.^	Not toxic	6.72	MPCA 1997c
2.79*	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	87 % survival	Not toxic	6.72	MPCA 1997c
2.79*	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	88 % survival	Not toxic	6.72	MPCA 1997c
2.79*	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.35 EC50 biolum.#	Not toxic	6.72	MPCA 1997c
2.85*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	15.5 red. biolum.^	Not toxic	0.61	MPCA 1997b
2.85*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	5.36 EC50 biolum.#	Not toxic	0.61	MPCA 1997b
2.85*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	97.5 % survival	Not toxic	0.61	MPCA 1997b
2.85*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	65 % survival	Not toxic	0.61	MPCA 1997b
3.08*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	2.06 EC50 biolum.#	Not toxic	0.81	MPCA 1997b
3.08*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	26.9 red. biolum.^	Toxic	0.81	MPCA 1997b
3.08*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	89 % survival	Not toxic	0.81	MPCA 1997b
3.08*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	18 % survival	Toxic	0.81	MPCA 1997b
3.27*	St. Louis River-Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	2.8 red. biolum.^	Not toxic	0.86	MPCA 1997b
3.27*	St. Louis River-Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	0.86	MPCA 1997b

**Table G-8. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Nickel in the St. Louis River Area of Concern**

Nickel (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
3.27*	St. Louis River-Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	14.18 EC50 biolum.#	Not toxic	0.86	MPCA 1997b
3.27*	St. Louis River-Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	0.86	MPCA 1997b
3.53*	Allouez Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	1.02	MPCA 1997b
3.53*	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.81 EC50 biolum.#	Not toxic	1.02	MPCA 1997b
3.53*	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	29.7 red. biolum.^	Toxic	1.02	MPCA 1997b
3.53*	Allouez Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	1.02	MPCA 1997b
3.59*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	78 % survival	Not toxic	1.85	MPCA 1997b
3.59*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	14.9 red. biolum.^	Not toxic	1.85	MPCA 1997b
3.59*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.75 EC50 biolum.#	Not toxic	1.85	MPCA 1997b
3.59*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	90 % survival	Not toxic	1.85	MPCA 1997b
3.70*	St. Louis River-Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	21.31 red. biolum.^	Toxic	0.68	MPCA 1997b
3.70*	St. Louis River-Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	55 % survival	Not toxic	0.68	MPCA 1997b
3.70*	St. Louis River-Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	2.83 EC50 biolum.#	Not toxic	0.68	MPCA 1997b
3.77*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 red. biolum.^	Not toxic	2.24	MPCA 1997c
3.77*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	95 % survival	Not toxic	2.24	MPCA 1997c
3.77*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.46 mg growth	Not toxic	2.24	MPCA 1997c
3.77*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	98 % survival	Not toxic	2.24	MPCA 1997c
3.77*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.3 EC50 biolum.#	Not toxic	2.24	MPCA 1997c
3.79*	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	20 red. biolum.^	Toxic	4.48	MPCA 1997c
3.79*	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.29 EC50 biolum.#	Toxic	4.48	MPCA 1997c
3.79*	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	16 % survival	Toxic	4.48	MPCA 1997c
4.07*	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	28.8 red. biolum.^	Toxic	3.25	MPCA 1997c
4.07*	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.42 EC50 biolum.#	Toxic	3.25	MPCA 1997c
4.07*	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	3.25	MPCA 1997c
4.15*	Spirit Lake-Grassy Point	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	7.1	Crane <i>et al.</i> 1997
4.15*	Spirit Lake-Grassy Point	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	80 % survival	Not toxic	7.1	Crane <i>et al.</i> 1997
4.29*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.58 EC50 biolum.#	Not toxic	3.2	MPCA 1997b
4.29*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	62 % survival	Not toxic	3.2	MPCA 1997b
4.29*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	3.2	MPCA 1997b
4.29*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 red. biolum.^	Not toxic	3.2	MPCA 1997b
4.30*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	32.24 red. biolum.^	Toxic	3.07	MPCA 1997b

**Table G-8. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Nickel in the St. Louis River Area of Concern**

Nickel (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
4.30*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.73 EC50 biolum.#	Not toxic	3.07	MPCA 1997b
4.30*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	55 % survival	Not toxic	3.07	MPCA 1997b
4.37*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	75 % survival	Toxic	8.97	MPCA 1997c
4.37*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	42.1 red. biolum.^	Toxic	8.97	MPCA 1997c
4.37*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	3 % survival	Toxic	8.97	MPCA 1997c
4.37*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	8.97	MPCA 1997c
4.37*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.05 EC50 biolum.#	Toxic	8.97	MPCA 1997c
4.45*	St. Louis River-Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	97.5 % survival	Not toxic	0.56	MPCA 1997b
4.45*	St. Louis River-Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	2.12 EC50 biolum.#	Not toxic	0.56	MPCA 1997b
4.45*	St. Louis River-Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	12 red. biolum.^	Not toxic	0.56	MPCA 1997b
4.45*	St. Louis River-Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	67.5 % survival	Not toxic	0.56	MPCA 1997b
4.56*	St. Louis Bay-South of DM & IR Taconite Storage Facility	10 day	Diptera	<i>Chironomus tentans</i>	LAR	88 % survival	Not toxic	2.3	Crane <i>et al.</i> 1997
4.56*	St. Louis Bay-South of DM & IR Taconite Storage Facility	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	95 % survival	Not toxic	2.3	Crane <i>et al.</i> 1997
4.64*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	88 % survival	Not toxic	3.85	MPCA 1997c
4.64*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 red. biolum.^	Not toxic	3.85	MPCA 1997c
4.64*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	3.85	MPCA 1997c
4.64*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.64 mg growth	Not toxic	3.85	MPCA 1997c
4.64*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	3.82 EC50 biolum.#	Not toxic	3.85	MPCA 1997c
4.66*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 red. biolum.^	Not toxic	3.99	MPCA 1997c
4.66*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.5 EC50 biolum.#	Not toxic	3.99	MPCA 1997c
4.66*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	86 % survival	Not toxic	3.99	MPCA 1997c
4.73*	Spirit Lake-Grassy Point	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	12	Crane <i>et al.</i> 1997
4.73*	Spirit Lake-Grassy Point	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	12	Crane <i>et al.</i> 1997
4.81*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.16 EC50 biolum.#	Toxic	5.59	MPCA 1997b
4.81*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	4 red. biolum.^	Not toxic	5.59	MPCA 1997b
4.81*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	5.59	MPCA 1997b
4.81*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	95 % survival	Not toxic	5.59	MPCA 1997b
4.97*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	6.4 red. biolum.^	Not toxic	5.77	MPCA 1997b
4.97*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	5.77	MPCA 1997b
4.97*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	6.73 EC50 biolum.#	Not toxic	5.77	MPCA 1997b
4.97*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	75 % survival	Not toxic	5.77	MPCA 1997b

**Table G-8. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Nickel in the St. Louis River Area of Concern**

Nickel (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
4.97*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	2.07 EC50 biolum.#	Not toxic	1.87	MPCA 1997c
4.97*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	1.87	MPCA 1997c
4.97*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	93 % survival	Not toxic	1.87	MPCA 1997c
4.97*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	21.8 red. biolum.^	Toxic	1.87	MPCA 1997c
4.97*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.53 mg growth	Not toxic	1.87	MPCA 1997c
5.03*	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	12 % survival	Toxic	14.19	MPCA 1997b
5.03*	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0 % survival	Toxic	14.19	MPCA 1997b
5.03*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	67.9 red. biolum.^	Toxic	14.19	MPCA 1997b
5.03*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.16 EC50 biolum.#	Toxic	14.19	MPCA 1997b
5.05*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	-2.8 red. biolum.^	Not toxic	1.82	MPCA 1997b
5.05*	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	70 % survival	Not toxic	1.82	MPCA 1997b
5.05*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	3.56 EC50 biolum.#	Not toxic	1.82	MPCA 1997b
5.05*	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	1.82	MPCA 1997b
5.29*	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.67 EC50 biolum.#	Not toxic	2.43	MPCA 1997c
5.29*	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	8.5 red. biolum.^	Not toxic	2.43	MPCA 1997c
5.29*	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	95 % survival	Not toxic	2.43	MPCA 1997c
5.30*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.49 mg growth	Not toxic	3.4	MPCA 1997c
5.30*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	77 % survival	Not toxic	3.4	MPCA 1997c
5.30*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.74 EC50 biolum.#	Not toxic	3.4	MPCA 1997c
5.30*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.74 EC50 biolum.#	Not toxic	3.4	MPCA 1997c
5.30*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	3.4	MPCA 1997c
5.30*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	87 % survival	Not toxic	3.4	MPCA 1997c
5.30*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.2 red. biolum.^	Not toxic	3.4	MPCA 1997c
5.30*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	87 % survival	Not toxic	3.4	MPCA 1997c
5.30*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.37 mg growth	Not toxic	3.4	MPCA 1997c
5.30*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.9 red. biolum.^	Not toxic	3.4	MPCA 1997c
5.31*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	3.735	MPCA 1997c
5.31*	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 red. biolum.^	Not toxic	3.735	MPCA 1997c
5.31*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	65 % survival	Not toxic	3.735	MPCA 1997c
5.31*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.57 mg growth	Not toxic	3.735	MPCA 1997c
5.31*	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.06 EC50 biolum.#	Not toxic	3.735	MPCA 1997c

**Table G-8. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Nickel in the St. Louis River Area of Concern**

Nickel (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
5.35*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	62 % survival	Not toxic	1.1	MPCA 1997b
5.35*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	1.1	MPCA 1997b
5.35*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.82 EC50 biolum.#	Not toxic	1.1	MPCA 1997b
5.35*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 red. biolum.^	Not toxic	1.1	MPCA 1997b
5.60*	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.1 red. biolum.^	Not toxic	3.87	MPCA 1997c
5.60*	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.23 mg growth	Toxic	3.87	MPCA 1997c
5.60*	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	3.87	MPCA 1997c
5.60*	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	93 % survival	Not toxic	3.87	MPCA 1997c
5.60*	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.41 EC50 biolum.#	Toxic	3.87	MPCA 1997c
5.61*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	2.34	MPCA 1997c
5.61*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.37 mg growth	Not toxic	2.34	MPCA 1997c
5.61*	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.77 EC50 biolum.#	Not toxic	2.34	MPCA 1997c
5.61*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	95 % survival	Not toxic	2.34	MPCA 1997c
5.61*	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	12.1 red. biolum.^	Not toxic	2.34	MPCA 1997c
5.77*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	58 % survival	Not toxic	4.05	MPCA 1997c
5.77*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	20.9 red. biolum.^	Toxic	4.05	MPCA 1997c
5.77*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	85 % survival	Not toxic	4.05	MPCA 1997c
5.77*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.4 EC50 biolum.#	Toxic	4.05	MPCA 1997c
5.77*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.35 mg growth	Not toxic	4.05	MPCA 1997c
5.78*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	18.8 red. biolum.^	Not toxic	5.34	MPCA 1997b
5.78*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	5.34	MPCA 1997b
5.78*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.97 EC50 biolum.#	Not toxic	5.34	MPCA 1997b
5.78*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	5.34	MPCA 1997b
5.80*	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.24 EC50 biolum.#	Toxic	1.75	MPCA 1997b
5.80*	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	1.75	MPCA 1997b
5.80*	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	22.87 red. biolum.^	Toxic	1.75	MPCA 1997b
5.80*	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	95 % survival	Not toxic	1.75	MPCA 1997b
6.18*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	98 % survival	Not toxic	1.94	MPCA 1997b
6.18*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.58 EC50 biolum.#	Not toxic	1.94	MPCA 1997b
6.18*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	40.37 red. biolum.^	Toxic	1.94	MPCA 1997b
6.18*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	62 % survival	Not toxic	1.94	MPCA 1997b

**Table G-8. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Nickel in the St. Louis River Area of Concern**

Nickel (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
6.19*	Duluth-Superior Harbor-Howards Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	95 % survival	Not toxic	1.8	Crane <i>et al.</i> 1997
6.19*	Duluth-Superior Harbor-Howards Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	1.8	Crane <i>et al.</i> 1997
6.27*	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.77 EC50 biolum.#	Not toxic	3.97	MPCA 1997c
6.27*	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.49 mg growth	Not toxic	3.97	MPCA 1997c
6.27*	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	3.97	MPCA 1997c
6.27*	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	3.97	MPCA 1997c
6.27*	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 red. biolum.^	Not toxic	3.97	MPCA 1997c
6.35*	St. Louis Bay-South of DM & IR Taconite Storage Facility	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	2.6	Crane <i>et al.</i> 1997
6.41*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	97.5 % survival	Not toxic	2.19	MPCA 1997b
6.41*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	2.19	MPCA 1997b
6.41*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	27.4 red. biolum.^	Toxic	2.19	MPCA 1997b
6.41*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	4.18 EC50 biolum.#	Not toxic	2.19	MPCA 1997b
6.59*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.96 EC50 biolum.#	Not toxic	4.36	MPCA 1997b
6.59*	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	68 % survival	Not toxic	4.36	MPCA 1997b
6.59*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	-0.6 red. biolum.^	Not toxic	4.36	MPCA 1997b
6.59*	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	4.36	MPCA 1997b
6.94*	St. Louis River-Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	22.4 red. biolum.^	Toxic	3.14	MPCA 1997b
6.94*	St. Louis River-Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.48 EC50 biolum.#	Toxic	3.14	MPCA 1997b
6.94*	St. Louis River-Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	3.14	MPCA 1997b
7.00*	St. Louis Bay-East of Erie Pier	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	67 % survival	Not toxic	2.9	Crane <i>et al.</i> 1997
7.00*	St. Louis Bay-East of Erie Pier	10 day	Diptera	<i>Chironomus tentans</i>	LAR	78 % survival	Not toxic	2.9	Crane <i>et al.</i> 1997
7.14*	St. Louis River-Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.09 EC50 biolum.#	Toxic	4.84	MPCA 1997b
7.14*	St. Louis River-Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	4.84	MPCA 1997b
7.14*	St. Louis River-Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	18.2 red. biolum.^	Not toxic	4.84	MPCA 1997b
7.14*	St. Louis River-Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	90 % survival	Not toxic	4.84	MPCA 1997b
7.25*	St. Louis Bay-South of DM & IR Taconite Storage Facility	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	70 % survival	Toxic	2.5	Crane <i>et al.</i> 1997
7.25*	St. Louis Bay-South of DM & IR Taconite Storage Facility	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Toxic	2.5	Crane <i>et al.</i> 1997
7.37*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	59 % survival	Not toxic	0.82	MPCA 1997b
7.37*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.05 EC50 biolum.#	Toxic	0.82	MPCA 1997b
7.37*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0 % survival	Toxic	0.82	MPCA 1997b
7.37*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	26.1 red. biolum.^	Toxic	0.82	MPCA 1997b

**Table G-8. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Nickel in the St. Louis River Area of Concern**

Nickel (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
7.54*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	62 % survival	Not toxic	13.81	MPCA 1997b
7.54*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	98 % survival	Not toxic	13.81	MPCA 1997b
7.54*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.1 red. biolum.^	Not toxic	13.81	MPCA 1997b
7.54*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	3.88 EC50 biolum.#	Not toxic	13.81	MPCA 1997b
7.67*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	94 % survival	Not toxic	3.69	MPCA 1997b
7.67*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1 red. biolum.^	Not toxic	3.69	MPCA 1997b
7.67*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.37 EC50 biolum.#	Toxic	3.69	MPCA 1997b
7.67*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	3.69	MPCA 1997b
7.71*	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.96 EC50 biolum.#	Not toxic	2.2	MPCA 1997b
7.71*	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	9.31 red. biolum.^	Not toxic	2.2	MPCA 1997b
7.71*	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	70 % survival	Not toxic	2.2	MPCA 1997b
7.71*	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	55 % survival	Not toxic	2.2	MPCA 1997b
7.72*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	55 % survival	Not toxic	3.32	MPCA 1997b
7.72*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	8.1 red. biolum.^	Not toxic	3.32	MPCA 1997b
7.72*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	88 % survival	Not toxic	3.32	MPCA 1997b
7.72*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.72 EC50 biolum.#	Not toxic	3.32	MPCA 1997b
7.96*	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.51 EC50 biolum.#	Not toxic	3.95	MPCA 1997c
7.96*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	70 % survival	Toxic	3.95	MPCA 1997c
7.96*	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.51 EC50 biolum.#	Not toxic	3.95	MPCA 1997c
7.96*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	88 % survival	Not toxic	3.95	MPCA 1997c
7.96*	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	30.7 red. biolum.^	Toxic	3.95	MPCA 1997c
7.96*	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	23.7 red. biolum.^	Toxic	3.95	MPCA 1997c
7.96*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	15.82 red. biolum.^	Not toxic	2.34	MPCA 1997b
7.96*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	2.34	MPCA 1997b
7.96*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	98 % survival	Not toxic	2.34	MPCA 1997b
7.96*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.28 EC50 biolum.#	Toxic	2.34	MPCA 1997b
8.00*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.45 EC50 biolum.#	Toxic	2.88	MPCA 1997b
8.00*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 red. biolum.^	Not toxic	2.88	MPCA 1997b
8.00*	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	60 % survival	Not toxic	2.88	MPCA 1997b
8.04*	Spirit Lake-Grassy Point	10 day	Diptera	<i>Chironomus tentans</i>	LAR	82 % survival	Not toxic	6.5	Crane <i>et al.</i> 1997
8.04*	Spirit Lake-Grassy Point	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	82 % survival	Not toxic	6.5	Crane <i>et al.</i> 1997

**Table G-8. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Nickel in the St. Louis River Area of Concern**

Nickel (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
8.22*	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	12 % survival	Toxic	NR	MPCA 1997b
8.22*	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	60 % survival	Not toxic	NR	MPCA 1997b
8.22*	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	2.4 EC50 biolum.#	Not toxic	NR	MPCA 1997b
8.22*	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.1 red. biolum.^	Not toxic	NR	MPCA 1997b
8.23*	St. Louis Bay-South of DM & IR Taconite Storage Facility	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	2.9	Crane <i>et al.</i> 1997
8.23*	St. Louis Bay-South of DM & IR Taconite Storage Facility	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	82 % survival	Not toxic	2.9	Crane <i>et al.</i> 1997
8.43*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	4.07 EC50 biolum.#	Not toxic	6.03	MPCA 1997c
8.43*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	85 % survival	Not toxic	6.03	MPCA 1997c
8.43*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	58 red. biolum.^	Toxic	6.03	MPCA 1997c
8.43*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	8.3 red. biolum.^	Not toxic	4.05	MPCA 1997b
8.43*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.36 EC50 biolum.#	Toxic	4.05	MPCA 1997b
8.43*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	67 % survival	Not toxic	4.05	MPCA 1997b
8.43*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	4.05	MPCA 1997b
8.43*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	91 % survival	Not toxic	2.67	MPCA 1997b
8.43*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.36 EC50 biolum.#	Toxic	2.67	MPCA 1997b
8.43*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	60 % survival	Not toxic	2.67	MPCA 1997b
8.43*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	31.2 red. biolum.^	Toxic	2.67	MPCA 1997b
8.50*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.72 EC50 biolum.#	Not toxic	1.42	MPCA 1997b
8.50*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	60 % survival	Not toxic	1.42	MPCA 1997b
8.50*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	1.42	MPCA 1997b
8.50*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	41.98 red. biolum.^	Toxic	1.42	MPCA 1997b
8.50*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.49 EC50 biolum.#	Not toxic	17.49	MPCA 1997b
8.50*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	75 % survival	Not toxic	17.49	MPCA 1997b
8.50*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	17.49	MPCA 1997b
8.50*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 red. biolum.^	Not toxic	17.49	MPCA 1997b
8.52*	Spirit Lake-Grassy Point	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	75 % survival	Not toxic	5	Crane <i>et al.</i> 1997
8.52*	Spirit Lake-Grassy Point	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	5	Crane <i>et al.</i> 1997
8.57*	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	75 % survival	Not toxic	2.63	MPCA 1997b
8.57*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	33.45 red. biolum.^	Toxic	2.63	MPCA 1997b
8.57*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.32 EC50 biolum.#	Toxic	2.63	MPCA 1997b
8.57*	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	68 % survival	Not toxic	2.63	MPCA 1997b

**Table G-8. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Nickel in the St. Louis River Area of Concern**

Nickel (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
8.62*	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.46 EC50 biolum.#	Not toxic	2.4	MPCA 1997b
8.62*	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	98 % survival	Not toxic	2.4	MPCA 1997b
8.62*	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	82 % survival	Not toxic	2.4	MPCA 1997b
8.62*	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	35.18 red. biolum.^	Toxic	2.4	MPCA 1997b
8.72*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 red. biolum.^	Not toxic	1.35	MPCA 1997b
8.72*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	1.35	MPCA 1997b
8.72*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	1.35	MPCA 1997b
8.72*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.96 EC50 biolum.#	Not toxic	1.35	MPCA 1997b
8.72*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	30.8 red. biolum.^	Toxic	6.77	MPCA 1997c
8.72*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	18 % survival	Toxic	6.77	MPCA 1997c
8.72*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	6.77	MPCA 1997c
8.72*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	6.77	MPCA 1997c
8.72*	Duluth-Superior Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.02 EC50 biolum.#	Toxic	6.77	MPCA 1997c
9.02*	Spirit Lake-Grassy Point	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	6.6	Crane <i>et al.</i> 1997
9.02*	Spirit Lake-Grassy Point	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	65 % survival	Toxic	6.6	Crane <i>et al.</i> 1997
9.14*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	4.13	MPCA 1997b
9.14*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	4.13	MPCA 1997b
9.14*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	21.7 red. biolum.^	Toxic	4.13	MPCA 1997b
9.14*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.35 EC50 biolum.#	Toxic	4.13	MPCA 1997b
9.30*	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	98 % survival	Not toxic	3.02	MPCA 1997b
9.30*	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.37 EC50 biolum.#	Toxic	3.02	MPCA 1997b
9.30*	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 red. biolum.^	Not toxic	3.02	MPCA 1997b
9.30*	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	3.02	MPCA 1997b
9.32*	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	82 % survival	Not toxic	2.13	MPCA 1997b
9.32*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	29.6 red. biolum.^	Toxic	2.13	MPCA 1997b
9.32*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.47 EC50 biolum.#	Toxic	2.13	MPCA 1997b
9.32*	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	86 % survival	Not toxic	2.13	MPCA 1997b
9.45*	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	56 % survival	Not toxic	13.98	MPCA 1997b
9.45*	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	82 % survival	Not toxic	13.98	MPCA 1997b
9.45*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	29.59 red. biolum.^	Toxic	13.98	MPCA 1997b
9.45*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.38 EC50 biolum.#	Toxic	13.98	MPCA 1997b

**Table G-8. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Nickel in the St. Louis River Area of Concern**

Nickel (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
9.48*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.3 EC50 biolum.#	Toxic	4.41	MPCA 1997b
9.48*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	4.41	MPCA 1997b
9.48*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	2.8 red. biolum.^	Not toxic	4.41	MPCA 1997b
9.48*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	68 % survival	Not toxic	4.41	MPCA 1997b
9.57*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	13.8 red. biolum.^	Not toxic	2.93	MPCA 1997b
9.57*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.16 EC50 biolum.#	Toxic	2.93	MPCA 1997b
9.57*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	2.93	MPCA 1997b
9.69*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	10.68	MPCA 1997b
9.69*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	14.8 red. biolum.^	Not toxic	10.68	MPCA 1997b
9.69*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.34 EC50 biolum.#	Toxic	10.68	MPCA 1997b
9.69*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	65 % survival	Not toxic	2.59	MPCA 1997b
9.69*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.41 EC50 biolum.#	Toxic	2.59	MPCA 1997b
9.69*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	7.4 red. biolum.^	Not toxic	2.59	MPCA 1997b
9.69*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	97.5 % survival	Not toxic	2.59	MPCA 1997b
9.86*	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	67.5 % survival	Not toxic	2.82	MPCA 1997b
9.86*	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	95 % survival	Not toxic	2.82	MPCA 1997b
9.86*	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.23 EC50 biolum.#	Toxic	2.82	MPCA 1997b
9.86*	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	3.17 red. biolum.^	Not toxic	2.82	MPCA 1997b
9.98*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 red. biolum.^	Not toxic	3.07	MPCA 1997b
9.98*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.2 EC50 biolum.#	Toxic	3.07	MPCA 1997b
9.98*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	3.07	MPCA 1997b
9.98*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	95 % survival	Not toxic	3.07	MPCA 1997b
10.0*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	15.5 red. biolum.^	Not toxic	4.11	MPCA 1997b
10.0*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	68 % survival	Not toxic	4.11	MPCA 1997b
10.0*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.24 EC50 biolum.#	Toxic	4.11	MPCA 1997b
10.0*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	98 % survival	Not toxic	4.11	MPCA 1997b
10.0*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	88 % survival	Not toxic	4.11	MPCA 1997b
10.0*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	72 % survival	Not toxic	4.11	MPCA 1997b
10.1*	Duluth-Superior Harbor-Howards Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	5.2	Crane <i>et al.</i> 1997
10.1*	Duluth-Superior Harbor-Howards Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	78 % survival	Not toxic	5.2	Crane <i>et al.</i> 1997
10.3*	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	18.89 red. biolum.^	Not toxic	2.91	MPCA 1997b

**Table G-8. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Nickel in the St. Louis River Area of Concern**

Nickel (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
10.3*	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	90 % survival	Not toxic	2.91	MPCA 1997b
10.3*	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	2.91	MPCA 1997b
10.3*	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.96 EC50 biolum.#	Not toxic	2.91	MPCA 1997b
10.5*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.1 EC50 biolum.#	Not toxic	3.2	MPCA 1997b
10.5*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	45.6 red. biolum.^	Toxic	3.2	MPCA 1997b
10.5*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	50 % survival	Not toxic	3.2	MPCA 1997b
10.7	St. Louis River-Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.13 mg growth	Not determined	4.64	IT Corp. 1996
10.7	St. Louis River-Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.16 mg growth	Toxic	4.64	IT Corp. 1996
10.7	St. Louis River-Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	30 % survival	Toxic	4.64	IT Corp. 1996
10.7	St. Louis River-Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	4.64	IT Corp. 1996
10.7*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	8.6 red. biolum.^	Not toxic	3.98	MPCA 1997b
10.7*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.37 EC50 biolum.#	Toxic	3.98	MPCA 1997b
10.7*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	3.98	MPCA 1997b
10.7*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	3.98	MPCA 1997b
11.0*	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	2.37	MPCA 1997b
11.0*	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	92 % survival	Not toxic	2.37	MPCA 1997b
11.0*	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.64 EC50 biolum.#	Not toxic	2.37	MPCA 1997b
11.0*	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	28.9 red. biolum.^	Toxic	2.37	MPCA 1997b
11.3*	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	45 % survival	Not toxic	29.84	MPCA 1997c
11.3*	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	7.4 red. biolum.^	Not toxic	29.84	MPCA 1997c
11.3*	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.12 EC50 biolum.#	Not toxic	29.84	MPCA 1997c
11.3*	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.43 mg growth	Not toxic	29.84	MPCA 1997c
11.3*	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	93 % survival	Not toxic	29.84	MPCA 1997c
11.9*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 red. biolum.^	Not toxic	4.02	MPCA 1997b
11.9*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.58 EC50 biolum.#	Not toxic	4.02	MPCA 1997b
11.9*	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	90 % survival	Not toxic	4.02	MPCA 1997b
11.9*	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	4.02	MPCA 1997b
11.9*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	2.82	MPCA 1997b
11.9*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	70 % survival	Not toxic	2.82	MPCA 1997b
11.9*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.4 EC50 biolum.#	Toxic	2.82	MPCA 1997b
11.9*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	10.2 red. biolum.^	Not toxic	2.82	MPCA 1997b

**Table G-8. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Nickel in the St. Louis River Area of Concern**

Nickel (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
12.2*	Duluth-Superior Harbor-Howards Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	68 % survival	Not toxic	3	Crane <i>et al.</i> 1997
12.2*	Duluth-Superior Harbor-Howards Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	3	Crane <i>et al.</i> 1997
12.3*	Duluth-Superior Harbor-Howards Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	3.9	Crane <i>et al.</i> 1997
12.3*	Duluth-Superior Harbor-Howards Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	85 % survival	Not toxic	3.9	Crane <i>et al.</i> 1997
12.4*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	88 % survival	Not toxic	3.38	MPCA 1997b
12.4*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.34 EC50 biolum.#	Toxic	3.38	MPCA 1997b
12.4*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	19.2 red. biolum.^	Not toxic	3.38	MPCA 1997b
12.4*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	35 % survival	Not toxic	3.38	MPCA 1997b
12.8*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	75 % survival	Not toxic	3.99	MPCA 1997b
12.8*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	10 % survival	Toxic	3.99	MPCA 1997b
12.8*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	66.5 red. biolum.^	Toxic	3.99	MPCA 1997b
12.8*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.09 EC50 biolum.#	Toxic	3.99	MPCA 1997b
13.0*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	44 % survival	Not toxic	3.76	MPCA 1997b
13.0*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	11.1 red. biolum.^	Not toxic	3.76	MPCA 1997b
13.0*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	58 % survival	Not toxic	3.76	MPCA 1997b
13.0*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.25 EC50 biolum.#	Toxic	3.76	MPCA 1997b
13.0	St. Louis River-Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	30 % survival	Toxic	12.95	IT Corp. 1996
13.0	St. Louis River-Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.65 mg growth	Not determined	12.95	IT Corp. 1996
13.0	St. Louis River-Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	75 % survival	Toxic	12.95	IT Corp. 1996
13.0	St. Louis River-Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.1 mg growth	Toxic	12.95	IT Corp. 1996
13.3*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	20.18 red. biolum.^	Toxic	3.47	MPCA 1997b
13.3*	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	3.47	MPCA 1997b
13.3*	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	94 % survival	Not toxic	3.47	MPCA 1997b
13.3*	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.48 EC50 biolum.#	Toxic	3.47	MPCA 1997b
13.5*	Duluth-Superior Harbor-Howards Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	96 % survival	Not toxic	3	Crane <i>et al.</i> 1997
13.6*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	41 % survival	Toxic	4.24	MPCA 1997b
13.6*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.12 EC50 biolum.#	Toxic	4.24	MPCA 1997b
13.6*	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	53.2 red. biolum.^	Toxic	4.24	MPCA 1997b
13.6*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	4.24	MPCA 1997b
13.7*	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	77.5 % survival	Not toxic	2.37	MPCA 1997b
13.7*	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.57 EC50 biolum.#	Not toxic	2.37	MPCA 1997b

**Table G-8. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Nickel in the St. Louis River Area of Concern**

Nickel (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
13.7*	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	95 % survival	Not toxic	2.37	MPCA 1997b
13.7*	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	9.22 red. biolum.^	Not toxic	2.37	MPCA 1997b
13.8*	Duluth-Superior Harbor-Howards Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	55 % survival	Toxic	2.2	Crane <i>et al.</i> 1997
13.8*	Duluth-Superior Harbor-Howards Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	2.2	Crane <i>et al.</i> 1997
14.2*	Duluth-Superior Harbor-Howards Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	2.8	Crane <i>et al.</i> 1997
15.1*	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.77 EC50 biolum.#	Not toxic	1	MPCA 1997c
15.1*	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	52.4 red. biolum.^	Toxic	1	MPCA 1997c
15.1*	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	63 % survival	Toxic	1	MPCA 1997c
15.1*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0 % survival	Toxic	1	MPCA 1997c
15.1*	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	1	MPCA 1997c
16.0*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	2.55 EC50 biolum.#	Not toxic	4.7	MPCA 1997b
16.0*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	12.7 red. biolum.^	Not toxic	4.7	MPCA 1997b
16.0*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	65 % survival	Not toxic	4.7	MPCA 1997b
16.0*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	88 % survival	Not toxic	4.7	MPCA 1997b
16.6*	Duluth-Superior Harbor-Howards Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	3.2	Crane <i>et al.</i> 1997
16.6*	Duluth-Superior Harbor-Howards Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	52 % survival	Toxic	3.2	Crane <i>et al.</i> 1997
17.2	St. Louis River-Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	38 % survival	Toxic	3.42	IT Corp. 1996
17.2	St. Louis River-Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	52 % survival	Toxic	3.42	IT Corp. 1996
17.2	St. Louis River-Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.2 mg growth	Not toxic	3.42	IT Corp. 1996
17.2	St. Louis River-Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.56 mg growth	Not determined	3.42	IT Corp. 1996
17.7*	Duluth-Superior Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	69 % survival	Not toxic	4.54	MPCA 1997b
17.7*	Duluth-Superior Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	5 % survival	Not toxic	4.54	MPCA 1997b
17.7*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.05 EC50 biolum.#	Toxic	4.54	MPCA 1997b
17.7*	Duluth-Superior Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	30 red. biolum.^	Toxic	4.54	MPCA 1997b
28.7	St. Louis River-Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	53 % survival	Toxic	8.08	IT Corp. 1996
28.7	St. Louis River-Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.8 mg growth	Toxic	8.08	IT Corp. 1996
28.7	St. Louis River-Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	48 % survival	Toxic	8.08	IT Corp. 1996
28.7	St. Louis River-Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.14 mg growth	Toxic	8.08	IT Corp. 1996
30.4	St. Louis River-Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	6.4	IT Corp. 1996
30.4	St. Louis River-Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	87 % survival	Not toxic	6.4	IT Corp. 1996
30.4	St. Louis River-Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.59 mg growth	Not toxic	6.4	IT Corp. 1996

**Table G-8. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Nickel in the St. Louis River Area of Concern**

Nickel (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
30.4	St. Louis River-Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.2 mg growth	Not toxic	6.4	IT Corp. 1996
34.4	St. Louis River-Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0 % survival	Toxic	11.16	IT Corp. 1996
34.4	St. Louis River-Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	Not determined	Not determined	11.16	IT Corp. 1996
34.4	St. Louis River-Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0 % survival	Toxic	11.16	IT Corp. 1996
34.4	St. Louis River-Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	11.16	IT Corp. 1996
41.6	St. Louis River-Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	78 % survival	Not toxic	2.93	IT Corp. 1996
41.6	St. Louis River-Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.04 mg growth	Toxic	2.93	IT Corp. 1996
41.6	St. Louis River-Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	97 % survival	Not toxic	2.93	IT Corp. 1996
41.6	St. Louis River-Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.14 mg growth	Toxic	2.93	IT Corp. 1996
44.2	St. Louis River-Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	83 % survival	Not toxic	6.15	IT Corp. 1996
44.2	St. Louis River-Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.84 mg growth	Toxic	6.15	IT Corp. 1996
44.2	St. Louis River-Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	77 % survival	Not toxic	6.15	IT Corp. 1996
44.2	St. Louis River-Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.15 mg growth	Toxic	6.15	IT Corp. 1996
62.1	St. Louis River-Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	8 % survival	Toxic	50.12	IT Corp. 1996
62.1	St. Louis River-Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.09 mg growth	Not determined	50.12	IT Corp. 1996
62.1	St. Louis River-Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0 % survival	Toxic	50.12	IT Corp. 1996
62.1	St. Louis River-Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	Not determined	Not determined	50.12	IT Corp. 1996
65.6	St. Louis River-Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	11.76	IT Corp. 1996
65.6	St. Louis River-Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.02 mg growth	Toxic	11.76	IT Corp. 1996
65.6	St. Louis River-Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	67 % survival	Not toxic	11.76	IT Corp. 1996
65.6	St. Louis River-Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.11 mg growth	Toxic	11.76	IT Corp. 1996
72.6	St. Louis River-Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.24 mg growth	Not determined	NR	IT Corp. 1996
72.6	St. Louis River-Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	8 % survival	Toxic	NR	IT Corp. 1996
72.6	St. Louis River-Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	30 % survival	Toxic	NR	IT Corp. 1996
72.6	St. Louis River-Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.07 mg growth	Not determined	NR	IT Corp. 1996
73.2	St. Louis River-Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.2 mg growth	Not toxic	23.1	IT Corp. 1996
73.2	St. Louis River-Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	23.1	IT Corp. 1996
73.2	St. Louis River-Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.35 mg growth	Not toxic	23.1	IT Corp. 1996
73.2	St. Louis River-Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	82 % survival	Not toxic	23.1	IT Corp. 1996
93.0	St. Louis River-Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	60 % survival	Toxic	NR	IT Corp. 1996
93.0	St. Louis River-Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.18 mg growth	Not toxic	NR	IT Corp. 1996

**Table G-8. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Nickel in the St. Louis River Area of Concern**

Nickel (mg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
93.0	St. Louis River-Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	NR	IT Corp. 1996
93.0	St. Louis River-Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.23 mg growth	Not toxic	NR	IT Corp. 1996
145	St. Louis River-Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	92 % survival	Not toxic	45.37	IT Corp. 1996
145	St. Louis River-Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	87 % survival	Not toxic	45.37	IT Corp. 1996
145	St. Louis River-Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.07 mg growth	Toxic	45.37	IT Corp. 1996
145	St. Louis River-Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.17 mg growth	Toxic	45.37	IT Corp. 1996
166	St. Louis River-Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	26.54	IT Corp. 1996
166	St. Louis River-Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.18 mg growth	Toxic	26.54	IT Corp. 1996
166	St. Louis River-Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	83 % survival	Not toxic	26.54	IT Corp. 1996
166	St. Louis River-Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.3 mg growth	Not toxic	26.54	IT Corp. 1996

\* = SEM measurement; ^ = relative to control; D-S = Duluth-Superior; # = expressed as % DW sediment; red. Biolum. = reduced bioluminescence; EC50 = effective concentration affecting 50% of the population.

LAR = larvae; JUV = juvenile; TOC = total organic carbon; NR = not reported.

**Table G-9. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Total Polychlorinated Biphenyls (PCBs) in the St. Louis River Area of Concern**

Total PCBs (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
59.0	D-S Harbor - City of Superior WWTP	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	96 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
78.5	D-S Harbor - City of Superior WWTP	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	79 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
109	D-S Harbor - City of Superior WWTP	10 day	Diptera	<i>Chironomus tentans</i>	LAR	62 mg growth	Not toxic	NR	Crane <i>et al.</i> 1997
109	D-S Harbor - City of Superior WWTP	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	80 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
120	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
120	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Diptera	<i>Chironomus tentans</i>	LAR	90 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
134	D-S Harbor - Slip C	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	96 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
145	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	85 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
145	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Diptera	<i>Chironomus tentans</i>	LAR	68 % survival	Toxic	NR	Crane <i>et al.</i> 1997
203	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
203	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
208	D-S Harbor - Slip C	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
208	D-S Harbor - Slip C	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	85 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
241	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	72 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
241	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
259	D-S Harbor - Minnesota Slip	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	89 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
270	D-S Harbor - Minnesota Slip	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
283	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	98 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
283	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Diptera	<i>Chironomus tentans</i>	LAR	78 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
326	D-S Harbor - Slip C	10 day	Diptera	<i>Chironomus tentans</i>	LAR	55 % survival	Toxic	NR	Crane <i>et al.</i> 1997
326	D-S Harbor - Slip C	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
346	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	96 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
396	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	96 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
424	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	93 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
491	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	96 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
816	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
816	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	NR	Crane <i>et al.</i> 1997

^ = relative to control; D-S = Duluth-Superior; # = expressed as % DW sediment; LAR = larvae; JUV = juvenile; TOC = total organic carbon; NR = not reported.

**Table G-10. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Total Polycyclic Aromatic Hydrocarbons (PAHs) in the St. Louis River Area of Concern**

Total PAHs (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
35.0	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	86 % survival	Not toxic	0.08
35.0	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	90 % survival	Not toxic	0.08
35.0	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	100 mg growth	Not toxic	0.08
35.0	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	26.3 % red. biolum.^	Toxic	0.08
52.9	St. Louis River - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.14 mg growth	Toxic	2.93
52.9	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	97 % survival	Not toxic	2.93
52.9	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.04 mg growth	Toxic	2.93
52.9	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	78 % survival	Not toxic	2.93
59.9	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	11.24 EC50 biolum.#	Not toxic	0.35
59.9	Allouez Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	55 % survival	Not toxic	0.35
59.9	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	26.2 % red. biolum.^	Toxic	0.35
62.0	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	3.96 EC50 biolum.#	Not toxic	0.59
62.0	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	0.59
62.0	Allouez Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	0.59
68.1	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	0.14
68.1	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	17.83 EC50 biolum.#	Not toxic	0.14
68.1	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	67.3 % red. biolum.^	Toxic	0.14
68.1	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	58 % survival	Not toxic	0.14
81.3	Allouez Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	1.02
81.3	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.81 EC50 biolum.#	Not toxic	1.02
81.3	Allouez Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	1.02
81.3	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	29.7 % red. biolum.^	Toxic	1.02
102	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	3.4 % red. biolum.^	Not toxic	0.12
102	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	78 % survival	Not toxic	0.12
102	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	100 EC50 biolum.#	Not toxic	0.12
102	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	95 % survival	Not toxic	0.12
154	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	86 % survival	Not toxic	0.2
154	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	0.2
154	D-S Harbor	30 minute	Bacteria	<i>Chironomus tentans</i>	NA	4.94 EC50 biolum.#	Not toxic	0.2
154	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	25.2 % red. biolum.^	Toxic	0.2
273	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	90 % survival	Not toxic	0.16
273	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	22.95 % red. biolum.^	Toxic	0.16
273	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	100 EC50 biolum.#	Not toxic	0.16

**Table G-10. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Total Polycyclic Aromatic Hydrocarbons (PAHs) in the St. Louis River Area of Concern**

Total PAHs (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
277	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	75 % survival	Not toxic	5.77
277	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	6.73 EC50 biolum.#	Not toxic	5.77
277	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	5.77
277	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	6.4 % red. biolum.^	Not toxic	5.77
279	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	60 % survival	Not toxic	1.42
279	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	41.98 % red. biolum.^	Toxic	1.42
279	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.72 EC50 biolum.#	Not toxic	1.42
279	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	1.42
299	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.4 EC50 biolum.#	Toxic	2.82
299	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	70 % survival	Not toxic	2.82
299	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	2.82
299	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	10.2 % red. biolum.^	Not toxic	2.82
333	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	90 % survival	Not toxic	2.91
333	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	18.89 % red. biolum.^	Not toxic	2.91
333	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.96 EC50 biolum.#	Not toxic	2.91
333	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	2.91
340	Superior Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	6.7
340	Superior Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	100 % survival	Not toxic	6.7
340	Superior Bay	48 hour	Cladoceran	<i>Ceriodaphnia dubia</i>	ADT	100 % survival	Not toxic	6.7
340	Superior Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.57 mg growth	Not toxic	6.7
344	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	2.07 EC50 biolum.#	Not toxic	1.87
344	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	93 % survival	Not toxic	1.87
344	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	21.8 % red. biolum.^	Toxic	1.87
344	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	1.87
344	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.53 mg growth	Not toxic	1.87
496	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	85 % survival	Not toxic	0.4
496	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	100 EC50 biolum.#	Not toxic	0.4
496	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	39.7 % red. biolum.^	Toxic	0.4
496	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	88 % survival	Not toxic	0.4
496	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	0.4
496	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	82 % survival	Not toxic	0.4
528	Spirit Lake - Grassy Point	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	80 % survival	Not toxic	NR
528	Spirit Lake - Grassy Point	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	NR

**Table G-10. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Total Polycyclic Aromatic Hydrocarbons (PAHs) in the St. Louis River Area of Concern**

Total PAHs (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
529	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	97.5 % survival	Not toxic	2.59
529	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	7.4 % red. biolum.^	Not toxic	2.59
529	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.41 EC50 biolum.#	Toxic	2.59
529	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	65 % survival	Not toxic	2.59
534	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.56 mg growth	Not toxic	2.7
534	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	5.3 % red. biolum.^	Not toxic	2.7
534	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	68 % survival	Not toxic	2.7
534	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.52 EC50 biolum.#	Not toxic	2.7
534	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	2.7
534	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	12 % red. biolum.^	Not toxic	2.7
534	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	2.7
534	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.52 EC50 biolum.#	Not toxic	2.7
534	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	93 % survival	Not toxic	2.7
534	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.44 mg growth	Not toxic	2.7
604	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.77 EC50 biolum.#	Not toxic	2.34
604	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	2.34
604	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.37 mg growth	Not toxic	2.34
604	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	12.1 % red. biolum.^	Not toxic	2.34
604	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	95 % survival	Not toxic	2.34
675	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	84 % survival	Not toxic	1.69
675	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	4.29 EC50 biolum.#	Not toxic	1.69
675	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	12.1 % red. biolum.^	Not toxic	1.69
689	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	1.82
689	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	3.56 EC50 biolum.#	Not toxic	1.82
689	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	70 % survival	Not toxic	1.82
689	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	-2.8 % red. biolum.^	Not toxic	1.82
725	Spirit Lake - Grassy Point	10 day	Diptera	<i>Chironomus tentans</i>	LAR	92 % survival	Not toxic	NR
725	Spirit Lake - Grassy Point	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	NR
748	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	3.25
748	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	28.8 % red. biolum.^	Toxic	3.25
748	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.42 EC50 biolum.#	Toxic	3.25
773	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	1.35
773	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	1.35

**Table G-10. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Total Polycyclic Aromatic Hydrocarbons (PAHs) in the St. Louis River Area of Concern**

Total PAHs (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
773	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	1.35
773	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.96 EC50 biolum.#	Not toxic	1.35
905	St. Louis Harbor	10 day	Oligochaete	<i>Lumbriculus variegatus</i>	ADT	85 % survival	Not toxic	0.7
905	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.8 mg growth	Not toxic	0.7
905	St. Louis Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	65 % survival	Not toxic	0.7
905	St. Louis Harbor	10 day	Oligochaete	<i>Lumbriculus variegatus</i>	ADT	0 % survival/normal & UV	Toxic	0.7
905	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	87.5 % survival	Not toxic	0.7
905	St. Louis Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.04 mg growth	Not determined	0.7
905	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.74 % weight using UV light	Not toxic	0.7
905	St. Louis Harbor	10 day	Oligochaete	<i>Lumbriculus variegatus</i>	ADT	0.65 mg growth	Toxic	0.7
905	St. Louis Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0 % survival/normal & UV	Toxic	0.7
905	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	65 % survival/normal & UV	Toxic	0.7
940	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	95 % survival	Not toxic	2.24
940	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.46 mg growth	Not toxic	2.24
940	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	2.24
940	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.3 EC50 biolum.#	Not toxic	2.24
940	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	98 % survival	Not toxic	2.24
1002	St. Louis River - Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	90 % survival	Not toxic	4.84
1002	St. Louis River - Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	4.84
1002	St. Louis River - Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.09 EC50 biolum.#	Toxic	4.84
1002	St. Louis River - Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	18.2 % red. biolum.^	Not toxic	4.84
1536	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	3.82 EC50 biolum.#	Not toxic	3.85
1536	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	88 % survival	Not toxic	3.85
1536	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	3.85
1536	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	3.85
1536	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.64 mg growth	Not toxic	3.85
1817	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.97 EC50 biolum.#	Not toxic	5.34
1817	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	5.34
1817	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	5.34
1817	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	18.8 % red. biolum.^	Not toxic	5.34
1846	St. Louis Harbor	10 day	Oligochaete	<i>Lumbriculus variegatus</i>	ADT	100 % survival	Not toxic	4.1
1846	St. Louis Harbor	10 day	Oligochaete	<i>Lumbriculus variegatus</i>	ADT	0.83 % weight using UV light	Toxic	4.1
1846	St. Louis Harbor	10 day	Oligochaete	<i>Lumbriculus variegatus</i>	ADT	0.85 mg growth	Not toxic	4.1

**Table G-10. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Total Polycyclic Aromatic Hydrocarbons (PAHs) in the St. Louis River Area of Concern**

Total PAHs (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
1846	St. Louis Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.05 % weight using UV light	Not toxic	4.1
1846	St. Louis Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	72.5 % survival/normal & UV	Not toxic	4.1
1846	St. Louis Harbor	10 day	Oligochaete	<i>Lumbriculus variegatus</i>	ADT	87.5 % survival/normal & UV	Not toxic	4.1
1846	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.93 mg growth	Not toxic	4.1
1846	St. Louis Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.04 mg growth	Toxic	4.1
1846	St. Louis Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	80 % survival	Not toxic	4.1
1846	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	4.1
1846	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.08 % weight using UV light	Not toxic	4.1
1846	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	95 % survival/normal & UV	Not toxic	4.1
2000	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	1.65
2000	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	87 % survival	Not toxic	1.65
2000	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.53 mg growth	Not toxic	1.65
2000	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	4.42 EC50 biolum.#	Not toxic	1.65
2000	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	88 % survival	Not toxic	1.65
2489	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	2.98
2489	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.92 EC50 biolum.#	Not toxic	2.98
2489	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.58 mg growth	Not toxic	2.98
2489	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	97 % survival	Not toxic	2.98
2489	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	10.5 % red. biolum.^	Not toxic	2.98
2684	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.51 EC50 biolum.#	Not toxic	3.95
2684	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	70 % survival	Toxic	3.95
2684	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	88 % survival	Not toxic	3.95
2684	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	30.7 % red. biolum.^	Toxic	3.95
2684	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.51 EC50 biolum.#	Not toxic	3.95
2684	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	23.7 % red. biolum.^	Toxic	3.95
2742	Spirit Lake - Grassy Point	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	75 % survival	Not toxic	NR
2742	Spirit Lake - Grassy Point	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	NR
2967	Spirit Lake - Grassy Point	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	NR
2967	Spirit Lake - Grassy Point	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	NR
4227	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.37 mg growth	Not toxic	3.4
4227	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	87 % survival	Not toxic	3.4
4227	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.9 % red. biolum.^	Not toxic	3.4
4227	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	3.4

**Table G-10. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Total Polycyclic Aromatic Hydrocarbons (PAHs) in the St. Louis River Area of Concern**

Total PAHs (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
4227	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.49 mg growth	Not toxic	3.4
4227	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.74 EC50 biolum.#	Not toxic	3.4
4227	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.2 % red. biolum.^	Not toxic	3.4
4227	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.74 EC50 biolum.#	Not toxic	3.4
4227	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	87 % survival	Not toxic	3.4
4227	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	77 % survival	Not toxic	3.4
4276	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	4.02
4276	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	4.02
4276	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	57 % survival	Toxic	4.02
4276	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	4.1 % red. biolum.^	Not toxic	4.02
4276	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.76 EC50 biolum.#	Not toxic	4.02
4296	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	1.37
4296	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	52 % survival	Not toxic	1.37
4296	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	3.52 EC50 biolum.#	Not toxic	1.37
4296	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.57 mg growth	Not toxic	1.37
4296	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	8.2 % red. biolum.^	Not toxic	1.37
4422	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	96 % survival	Not toxic	NR
4813	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	11.76
4813	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.11 mg growth	Toxic	11.76
4813	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	67 % survival	Not toxic	11.76
4813	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.02 mg growth	Toxic	11.76
5159	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.59 mg growth	Not toxic	6.4
5159	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.2 mg growth	Not toxic	6.4
5159	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	87 % survival	Not toxic	6.4
5159	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	6.4
5224	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.77 EC50 biolum.#	Not toxic	1
5224	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0 % survival	Toxic	1
5224	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	1
5224	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	63 % survival	Toxic	1
5224	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	52.4 % red. biolum.^	Toxic	1
5451	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	96 % survival	Not toxic	NR
5568	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	88 % survival	Not toxic	4.11
5568	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	72 % survival	Not toxic	4.11

**Table G-10. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Total Polycyclic Aromatic Hydrocarbons (PAHs) in the St. Louis River Area of Concern**

Total PAHs (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
5568	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.24 EC50 biolum.#	Toxic	4.11
5568	D-S Harbor	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	98 % survival	Not toxic	4.11
5568	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	68 % survival	Not toxic	4.11
5568	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	15.5 % red. biolum.^	Not toxic	4.11
5680	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	23.05 % red. biolum.^	Toxic	0.24
5680	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	52 % survival	Not toxic	0.24
5680	D-S Harbor	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	72 % survival	Not toxic	0.24
5680	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	100 EC50 biolum.#	Not toxic	0.24
5695	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	93 % survival	Not toxic	NR
5782	D-S Harbor - Slip C	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	NR
5782	D-S Harbor - Slip C	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	85 % survival	Not toxic	NR
6141	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	96 % survival	Not toxic	NR
6688	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	8.5 % red. biolum.^	Not toxic	2.43
6688	St. Louis Bay	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	95 % survival	Not toxic	2.43
6688	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.67 EC50 biolum.#	Not toxic	2.43
6826	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	90 % survival	Not toxic	NR
6826	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	NR
7025	Spirit Lake - Grassy Point	10 day	Diptera	<i>Chironomus tentans</i>	LAR	82 % survival	Not toxic	NR
7025	Spirit Lake - Grassy Point	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	82 % survival	Not toxic	NR
7092	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	90 % survival	Not toxic	NR
7092	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Diptera	<i>Chironomus tentans</i>	LAR	90 % survival	Not toxic	NR
7201	D-S Harbor - Slip C	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	96 % survival	Not toxic	NR
7247	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	72 % survival	Not toxic	NR
7247	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	NR
7349	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	5 % survival	Not toxic	4.54
7349	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	30 % red. biolum.^	Toxic	4.54
7349	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.05 EC50 biolum.#	Toxic	4.54
7349	D-S Harbor	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	69 % survival	Not toxic	4.54
7504	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.14 EC50 biolum.#	Not toxic	1.44
7504	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	5.4 % red. biolum.^	Not toxic	1.44
7504	D-S Harbor	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	98 % survival	Not toxic	1.44
7802	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Diptera	<i>Chironomus tentans</i>	LAR	78 % survival	Not toxic	NR
7802	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	98 % survival	Not toxic	NR

**Table G-10. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Total Polycyclic Aromatic Hydrocarbons (PAHs) in the St. Louis River Area of Concern**

Total PAHs (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
7829	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.5 EC50 biolum.#	Not toxic	3.99
7829	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	3.99
7829	D-S Harbor	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	86 % survival	Not toxic	3.99
7930	D-S Harbor - NW side of Lakehead Dock	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	95 % survival	Not toxic	8.4
7930	D-S Harbor - NW side of Lakehead Dock	10 day	Diptera	<i>Chironomus tentans</i>	LAR	100 % survival	Not toxic	8.4
7930	D-S Harbor - NW side of Lakehead Dock	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.04 mg growth	Not toxic	8.4
7930	D-S Harbor - NW side of Lakehead Dock	48 hour	Cladoceran	<i>Ceriodaphnia dubia</i>	ADT	100 % survival	Not toxic	8.4
8078	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.1 % red. biolum.^	Not toxic	3.87
8078	St. Louis Bay	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	93 % survival	Not toxic	3.87
8078	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.23 mg growth	Toxic	3.87
8078	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	3.87
8078	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.41 EC50 biolum.#	Toxic	3.87
8292	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	4.05
8292	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	8.3 % red. biolum.^	Not toxic	4.05
8292	D-S Harbor	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	67 % survival	Not toxic	4.05
8292	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.36 EC50 biolum.#	Toxic	4.05
8482	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	3.88 EC50 biolum.#	Not toxic	13.81
8482	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.1 % red. biolum.^	Not toxic	13.81
8482	Spirit Lake	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	62 % survival	Not toxic	13.81
8482	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	98 % survival	Not toxic	13.81
8692	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	90 % survival	Not toxic	NR
8692	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	NR
8765	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.65 mg growth	Toxic	6.1
8765	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.8 % weight using UV light	Not toxic	6.1
8765	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	82.5 % survival/normal & UV	Not toxic	6.1
8765	St. Louis Harbor	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	2.5 % survival/normal & UV	Toxic	6.1
8765	St. Louis Harbor	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	0.08 mg growth	Not determined	6.1
8765	St. Louis Harbor	10 day	Oligochaete	<i>Lumbriculus variegatus</i>	ADT	0.54 mg growth	Toxic	6.1
8765	St. Louis Harbor	10 day	Oligochaete	<i>Lumbriculus variegatus</i>	ADT	0 % survival/normal & UV	Toxic	6.1
8765	St. Louis Harbor	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	42.5 % survival	Toxic	6.1
8765	St. Louis Harbor	10 day	Oligochaete	<i>Lumbriculus variegatus</i>	ADT	75 % survival	Toxic	6.1
8765	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	92.5 % survival	Not toxic	6.1
9244	Spirit Lake - Grassy Point	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	NR

**Table G-10. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Total Polycyclic Aromatic Hydrocarbons (PAHs) in the St. Louis River Area of Concern**

Total PAHs (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
9244	Spirit Lake - Grassy Point	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	65 % survival	Toxic	NR
9593	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	86 % survival	Not toxic	2.13
9593	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	29.6 % red. biolum.^	Toxic	2.13
9593	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.47 EC50 biolum.#	Toxic	2.13
9593	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	82 % survival	Not toxic	2.13
9710	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.32 EC50 biolum.#	Toxic	2.63
9710	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	33.45 % red. biolum.^	Toxic	2.63
9710	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	68 % survival	Not toxic	2.63
9710	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	75 % survival	Not toxic	2.63
9874	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.35 mg growth	Not toxic	23.1
9874	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	82 % survival	Not toxic	23.1
9874	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	23.1
9874	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.2 mg growth	Not toxic	23.1
9893	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0 % survival	Toxic	0.82
9893	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	26.1 % red. biolum.^	Toxic	0.82
9893	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	59 % survival	Not toxic	0.82
9893	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.05 EC50 biolum.#	Toxic	0.82
10199	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	20.18 % red. biolum.^	Toxic	3.47
10199	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.48 EC50 biolum.#	Toxic	3.47
10199	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	94 % survival	Not toxic	3.47
10199	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	3.47
10370	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	42.1 % red. biolum.^	Toxic	8.97
10370	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.05 EC50 biolum.#	Toxic	8.97
10370	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	8.97
10370	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	3 % survival	Toxic	8.97
10370	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	75 % survival	Toxic	8.97
10719	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	3.98
10719	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	3.98
10719	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	8.6 % red. biolum.^	Not toxic	3.98
10719	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.37 EC50 biolum.#	Toxic	3.98
10955	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	75 % survival	Not toxic	17.49
10955	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.49 EC50 biolum.#	Not toxic	17.49
10955	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	17.49

**Table G-10. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Total Polycyclic Aromatic Hydrocarbons (PAHs) in the St. Louis River Area of Concern**

Total PAHs (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
10955	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	17.49
11499	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	85 % survival	Not toxic	NR
11499	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Diptera	<i>Chironomus tentans</i>	LAR	68 % survival	Toxic	NR
11625	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	20 % red. biolum.^	Toxic	4.48
11625	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	16 % survival	Toxic	4.48
11625	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.29 EC50 biolum.#	Toxic	4.48
11744	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	3.97
11744	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.49 mg growth	Not toxic	3.97
11744	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	3.97
11744	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.77 EC50 biolum.#	Not toxic	3.97
11744	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	3.97
12401	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	58 % survival	Not toxic	4.05
12401	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.4 EC50 biolum.#	Toxic	4.05
12401	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.35 mg growth	Not toxic	4.05
12401	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	20.9 % red. biolum.^	Toxic	4.05
12401	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	85 % survival	Not toxic	4.05
12940	Allouez Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	68 % survival	Not toxic	4.47
12940	Allouez Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	85 % survival	Not toxic	4.47
12940	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.82 EC50 biolum.#	Not toxic	4.47
12940	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	33.03 % red. biolum.^	Toxic	4.47
13337	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	6.77
13337	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	6.77
13337	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	18 % survival	Toxic	6.77
13337	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	30.8 % red. biolum.^	Toxic	6.77
13337	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.02 EC50 biolum.#	Toxic	6.77
14225	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	83 % survival	Not toxic	26.54
14225	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.18 mg growth	Toxic	26.54
14225	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	26.54
14225	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.3 mg growth	Not toxic	26.54
14568	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	4.36
14568	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	68 % survival	Not toxic	4.36
14568	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	-0.6 % red. biolum.^	Not toxic	4.36
14568	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.96 EC50 biolum.#	Not toxic	4.36

**Table G-10. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Total Polycyclic Aromatic Hydrocarbons (PAHs) in the St. Louis River Area of Concern**

Total PAHs (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
14749	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.38 EC50 biolum.#	Toxic	13.98
14749	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	29.59 % red. biolum.^	Toxic	13.98
14749	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	82 % survival	Not toxic	13.98
14749	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	56 % survival	Not toxic	13.98
16294	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	65 % survival	Not toxic	3.74
16294	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.06 EC50 biolum.#	Not toxic	3.74
16294	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.57 mg growth	Not toxic	3.74
16294	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	3.74
16294	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	3.74
18737	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	83 % survival	Not toxic	6.15
18737	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.84 mg growth	Toxic	6.15
18737	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	77 % survival	Not toxic	6.15
18737	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.15 mg growth	Toxic	6.15
20340	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	6.72
20340	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	88 % survival	Not toxic	6.72
20340	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.35 EC50 biolum.#	Not toxic	6.72
20340	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	87 % survival	Not toxic	6.72
20340	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.46 mg growth	Not toxic	6.72
20748	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.07 mg growth	Toxic	45.37
20748	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	92 % survival	Not toxic	45.37
20748	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	87 % survival	Not toxic	45.37
20748	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.17 mg growth	Toxic	45.37
22450	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	7.4 % red. biolum.^	Not toxic	29.84
22450	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	45 % survival	Not toxic	29.84
22450	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.43 mg growth	Not toxic	29.84
22450	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	93 % survival	Not toxic	29.84
22450	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.12 EC50 biolum.#	Not toxic	29.84
24200	St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	87 % survival	Not toxic	5.88
26567	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0 % survival	Toxic	14.19
26567	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	67.9 % red. biolum.^	Toxic	14.19
26567	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.16 EC50 biolum.#	Toxic	14.19
26567	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	12 % survival	Toxic	14.19
36423	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	4.13

**Table G-10. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Total Polycyclic Aromatic Hydrocarbons (PAHs) in the St. Louis River Area of Concern**

Total PAHs (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
36423	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	4.13
36423	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.35 EC50 biolum.#	Toxic	4.13
36423	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	21.7 % red. biolum.^	Toxic	4.13
40938	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.14 mg growth	Toxic	8.08
40938	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	53 % survival	Toxic	8.08
40938	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	48 % survival	Toxic	8.08
40938	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.8 mg growth	Toxic	8.08
41803	D-S Harbor - Minnesota Slip	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	89 % survival	Not toxic	NR
43411	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	4 % red. biolum.^	Not toxic	5.59
43411	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.16 EC50 biolum.#	Toxic	5.59
43411	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	95 % survival	Not toxic	5.59
43411	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	5.59
44342	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	32.24 % red. biolum.^	Toxic	3.07
44342	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	55 % survival	Not toxic	3.07
44342	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.73 EC50 biolum.#	Not toxic	3.07
44857	D-S Harbor - Slip C	10 day	Diptera	<i>Chironomus tentans</i>	LAR	55 % survival	Toxic	NR
44857	D-S Harbor - Slip C	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	NR
48194	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	100
48194	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.18 mg growth	Not toxic	100
48194	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	60 % survival	Toxic	100
48194	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.23 mg growth	Not toxic	100
50690	D-S Harbor - Minnesota Slip	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	NR
52144	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	65 % survival	Not toxic	4.7
52144	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	88 % survival	Not toxic	4.7
52144	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	12.7 % red. biolum.^	Not toxic	4.7
52144	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	2.55 EC50 biolum.#	Not toxic	4.7
56816	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	78 % survival	Not toxic	1.71
56816	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	1.71
56816	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.27 EC50 biolum.#	Not toxic	1.71
56816	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	42.1 % red. biolum.^	Toxic	1.71
56816	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.4 mg growth	Not toxic	1.71
58370	St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	93 % survival	Not toxic	9.58
63454	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	85 % survival	Not toxic	6.03

**Table G-10. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Total Polycyclic Aromatic Hydrocarbons (PAHs) in the St. Louis River Area of Concern**

Total PAHs (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
63454	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	4.07 EC50 biolum.#	Not toxic	6.03
63454	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	58 % red. biolum.^	Toxic	6.03
72623	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.2 mg growth	Not toxic	3.42
72623	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	52 % survival	Toxic	3.42
72623	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	38 % survival	Toxic	3.42
72623	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.56 mg growth	Not determined	3.42
159070	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.13 mg growth	Not determined	4.64
159070	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.16 mg growth	Toxic	4.64
159070	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	4.64
159070	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	30 % survival	Toxic	4.64
288267	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.4 EC50 biolum.#	Toxic	13.91
288267	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	13.91
288267	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	13.91
288267	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	18 % survival	Toxic	13.91
288267	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	93.4 % red. biolum.^	Toxic	13.91
314638	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	30 % survival	Toxic	NR
314638	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.07 mg growth	Not determined	NR
314638	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	8 % survival	Toxic	NR
314638	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.24 mg growth	Not determined	NR
607636	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.09 mg growth	Not determined	50.12
607636	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0 % survival	Toxic	50.12
607636	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	Not determined	Not determined	50.12
607636	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	8 % survival	Toxic	50.12
705683	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	30 % survival	Toxic	12.95
705683	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.1 mg growth	Toxic	12.95
705683	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	75 % survival	Toxic	12.95
705683	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.65 mg growth	Not determined	12.95
788663	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	-9 mg growth	Not determined	11.16
788663	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0 % survival	Toxic	11.16
788663	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	11.16
788663	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0 % survival	Toxic	11.16
1199107	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.38 EC50 biolum.#	Toxic	11.98
1199107	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	12 % survival	Toxic	11.98

**Table G-10. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Total Polycyclic Aromatic Hydrocarbons (PAHs) in the St. Louis River Area of Concern**

Total PAHs (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
1199107	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	84.7 % red. biolum.^	Toxic	11.98
1199107	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0 % survival	Toxic	11.98
1199107	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	11.98
1201142	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0 % survival	Toxic	8.26
1201142	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0 % survival	Toxic	8.26
1201142	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	99.9 % red. biolum.^	Toxic	8.26
1201142	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.06 EC50 biolum.#	Toxic	8.26
3306000	St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	63 % survival	Toxic	6.12

^ = relative to control; D-S = Duluth-Superior; # = expressed as % DW sediment; red. biolum. = reduced bioluminescence; EC50 = effective concentration affecting 50% of the population.  
 LAR = larvae; JUV = juvenile; TOC = total organic carbon; NR = not reported.



---

**Reference**

---

MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
Wenck Associates Inc. 1995  
Wenck Associates Inc. 1995  
Wenck Associates Inc. 1995  
Wenck Associates Inc. 1995  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
Crane *et al.* 1997  
Crane *et al.* 1997

---

---

**Reference**

---

MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
Crane *et al.* 1997  
Crane *et al.* 1997  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997b  
MPCA 1997b

---

---

**Reference**

---

MPCA 1997b  
MPCA 1997b  
Ankley *et al.* 1994  
Ankley *et al.* 1994  
Ankley *et al.* 1994  
Ankley *et al.* 1994  
Ankley *et al.* 1994  
Ankley *et al.* 1994  
Ankley *et al.* 1994  
Ankley *et al.* 1994  
Ankley *et al.* 1994  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
Ankley *et al.* 1994  
Ankley *et al.* 1994  
Ankley *et al.* 1994

---

---

**Reference**

---

Ankley *et al.* 1994  
Ankley *et al.* 1994  
Ankley *et al.* 1994  
Ankley *et al.* 1994  
Ankley *et al.* 1994  
Ankley *et al.* 1994  
Ankley *et al.* 1994  
Ankley *et al.* 1994  
Ankley *et al.* 1994  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
Crane *et al.* 1997  
Crane *et al.* 1997  
Crane *et al.* 1997  
Crane *et al.* 1997  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c

---

---

**Reference**

---

MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
Crane *et al.* 1997  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
Crane *et al.* 1997  
MPCA 1997b  
MPCA 1997b

---

---

**Reference**

---

MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
Crane *et al.* 1997  
Crane *et al.* 1997  
Crane *et al.* 1997  
Crane *et al.* 1997  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
Crane *et al.* 1997  
Crane *et al.* 1997  
Crane *et al.* 1997  
Crane *et al.* 1997  
Crane *et al.* 1997  
Crane *et al.* 1997  
Crane *et al.* 1997  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
Crane *et al.* 1997  
Crane *et al.* 1997

---

---

**Reference**

---

MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
Wenck Associates Inc. 1995  
Wenck Associates Inc. 1995  
Wenck Associates Inc. 1995  
Wenck Associates Inc. 1995  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
Crane *et al.* 1997  
Crane *et al.* 1997  
Ankley *et al.* 1994  
Ankley *et al.* 1994  
Ankley *et al.* 1994  
Ankley *et al.* 1994  
Ankley *et al.* 1994  
Ankley *et al.* 1994  
Ankley *et al.* 1994  
Ankley *et al.* 1994  
Ankley *et al.* 1994  
Ankley *et al.* 1994  
Ankley *et al.* 1994  
Ankley *et al.* 1994  
Ankley *et al.* 1994  
Crane *et al.* 1997

---

---

**Reference**

---

Crane *et al.* 1997

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

IT Corp. 1996

IT Corp. 1996

IT Corp. 1996

IT Corp. 1996

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997c

MPCA 1997c

MPCA 1997c

MPCA 1997c

MPCA 1997c

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

---

---

**Reference**

---

MPCA 1997b  
Crane *et al.* 1997  
Crane *et al.* 1997  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b

---

---

**Reference**

---

MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1993  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b

---

---

**Reference**

---

MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
Crane *et al.* 1997  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
Crane *et al.* 1997  
Crane *et al.* 1997  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
Crane *et al.* 1997  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1993  
MPCA 1997c

---

---

**Reference**

---

MPCA 1997c  
MPCA 1997c  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
MPCA 1997c  
MPCA 1997c

---

---

**Reference**

---

MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1993

---

**Table G-11. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Benz(a)anthracene in the St. Louis River Area of Conc**

Benz(a)-anthracene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
3.50	Allouez Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	0.59
3.50	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	0.59
3.50	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	3.96 mg growth	Not toxic	0.59
4.40	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	86 % survival	Not toxic	0.08
4.40	D-S Harbor - Miller & Coffee Creek Embayment	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	26.3 % red. Biolum.^	Toxic	0.08
4.40	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	100 EC50 biolum.#	Not toxic	0.08
4.40	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	90 % survival	Not toxic	0.08
6.10	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	11.24 EC50 biolum.#	Not toxic	0.35
6.10	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	26.2 % red. biolum.^	Toxic	0.35
6.10	Allouez Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	55 % survival	Not toxic	0.35
6.40	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.14 mg growth	Toxic	2.93
6.40	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.04 mg growth	Toxic	2.93
6.40	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	97 % survival	Not toxic	2.93
6.40	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	78 % survival	Not toxic	2.93
7.00	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	78 % survival	Not toxic	0.12
7.00	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	3.4 % red. biolum.^	Not toxic	0.12
7.00	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	95 % survival	Not toxic	0.12
7.00	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	100 EC50 biolum.#	Not toxic	0.12
7.20	Allouez Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	1.02
7.20	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	29.7 % red. Biolum.^	Toxic	1.02
7.20	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.81 EC50 biolum.#	Not toxic	1.02
7.20	Allouez Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	1.02
8.10	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	67.3 % red. biolum.^	Toxic	0.14
8.10	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	17.83 EC50 biolum.#	Not toxic	0.14
8.10	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	58 % survival	Not toxic	0.14
8.10	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	0.14
20.3	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	86 % survival	Not toxic	0.2
20.3	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	0.2
20.3	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	25.2 % red. biolum.^	Toxic	0.2
20.3	D-S Harbor	30 minute	Bacteria	<i>Chironomus tentans</i>	NA	4.94 EC50 biolum.#	Not toxic	0.2
22.0	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	1.87
22.0	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.53 mg growth	Not toxic	1.87
22.0	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	93 % survival	Not toxic	1.87
22.0	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	2.07 EC50 biolum.#	Not toxic	1.87
22.0	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	21.8 % red. biolum.^	Toxic	1.87
23.0	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.4 EC50 biolum.#	Toxic	2.82
23.0	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	70 % survival	Not toxic	2.82
23.0	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	2.82
23.0	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	10.2 % red. Biolum.^	Not toxic	2.82
23.2	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.72 EC50 biolum.#	Not toxic	1.42

**Table G-11. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Benz(a)anthracene in the St. Louis River Area of Conc**

Benz(a)-anthracene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
3.50	Allouez Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	0.59
23.2	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	1.42
23.2	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	60 % survival	Not toxic	1.42
23.2	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	41.98 % red. Biolum.^	Toxic	1.42
24.0	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	2.91
24.0	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.96 EC50 biolum.#	Not toxic	2.91
24.0	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	90 % survival	Not toxic	2.91
24.0	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	18.89 % red. biolum.^	Not toxic	2.91
28.0	Spirit Lake - Grassy Point	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	NR
28.0	Spirit Lake - Grassy Point	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	80 % survival	Not toxic	NR
28.0	Spirit Lake - Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	6.4 % red. biolum.^	Not toxic	5.77
28.0	Spirit Lake - Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	5.77
28.0	Spirit Lake - Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	75 % survival	Not toxic	5.77
28.0	Spirit Lake - Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	6.73 EC50 biolum.#	Not toxic	5.77
31.8	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	22.95 % red. biolum.^	Toxic	0.16
31.8	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	100 EC50 biolum.#	Not toxic	0.16
31.8	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	90 % survival	Not toxic	0.16
43.0	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	12.1 % red. biolum.^	Not toxic	1.69
43.0	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	84 % survival	Not toxic	1.69
43.0	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	4.29 EC50 biolum.#	Not toxic	1.69
48.0	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	97.5 % survival	Not toxic	2.59
48.0	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	65 % survival	Not toxic	2.59
48.0	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	7.4 % red. Biolum.^	Not toxic	2.59
48.0	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.41 EC50 biolum.#	Toxic	2.59
49.0	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	0.4
49.0	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	85 % survival	Not toxic	0.4
49.0	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	82 % survival	Not toxic	0.4
49.0	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	100 EC50 biolum.#	Not toxic	0.4
49.0	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	88 % survival	Not toxic	0.4
49.0	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	39.7 % red. biolum.^	Toxic	0.4
<50.0	Superior Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	100 % survival	Not toxic	6.7
<50.0	Superior Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.57 mg growth	Not toxic	6.7
<50.0	Superior Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	6.7
<50.0	Superior Bay	48 hour	Cladoceran	<i>Ceriodaphnia dubia</i>	ADT	100 % survival	Not toxic	6.7
53.0	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	2.34
53.0	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.77 EC50 biolum.#	Not toxic	2.34
53.0	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	12.1 % red. biolum.^	Not toxic	2.34
53.0	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	95 % survival	Not toxic	2.34
53.0	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.37 mg growth	Not toxic	2.34
56.5	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	68 % survival	Not toxic	2.7

**Table G-11. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Benz(a)anthracene in the St. Louis River Area of Conc**

Benz(a)-anthracene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
3.50	Allouez Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	0.59
56.5	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	93 % survival	Not toxic	2.7
56.5	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.52 EC50 biolum.#	Not toxic	2.7
56.5	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	2.7
56.5	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	12 % red. biolum.^	Not toxic	2.7
56.5	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	2.7
56.5	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.44 mg growth	Not toxic	2.7
56.5	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.52 EC50 biolum.#	Not toxic	2.7
56.5	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	5.3 % red. biolum.^	Not toxic	2.7
74.0	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	3.56 EC50 biolum.#	Not toxic	1.82
74.0	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	70 % survival	Not toxic	1.82
74.0	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	1.82
74.0	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	-2.8 % red.biolum.^	Not toxic	1.82
77.8	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.96 EC50 biolum.#	Not toxic	1.35
77.8	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	1.35
77.8	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	1.35
77.8	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	1.35
84.0	Spirit Lake - Grassy Point	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	NR
84.0	Spirit Lake - Grassy Point	10 day	Diptera	<i>Chironomus tentans</i>	LAR	92 % survival	Not toxic	NR
85.0	St. Louis River - Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.09 EC50 biolum.#	Toxic	4.84
85.0	St. Louis River - Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	4.84
85.0	St. Louis River - Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	18.2 % red. biolum.^	Not toxic	4.84
85.0	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	2.24
85.0	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.3 EC50 biolum.#	Not toxic	2.24
85.0	St. Louis River - Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	90 % survival	Not toxic	4.84
85.0	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	98 % survival	Not toxic	2.24
85.0	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.46 mg growth	Not toxic	2.24
85.0	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	95 % survival	Not toxic	2.24
98.0	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	28.8 % red. biolum.^	Toxic	3.25
98.0	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.42 EC 50 biolum.#	Toxic	3.25
98.0	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	3.25
140	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	88 % survival	Not toxic	3.85
140	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	3.82 EC50 biolum.#	Not toxic	3.85
140	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	3.85
140	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	3.85
140	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.64 mg growth	Not toxic	3.85
209	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	18.8 % red. biolum.^	Not toxic	5.34
209	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	5.34
209	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	5.34
209	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.97 EC50 biolum.#	Not toxic	5.34

**Table G-11. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Benz(a)anthracene in the St. Louis River Area of Conc**

Benz(a)-anthracene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
3.50	Allouez Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	0.59
213	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	4.42 EC50 biolum.#	Not toxic	1.65
213	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	1.65
213	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	88 % survival	Not toxic	1.65
213	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.53 mg growth	Not toxic	1.65
213	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	87 % survival	Not toxic	1.65
222	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.92 EC50 biolum.#	Not toxic	2.98
222	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	97 % survival	Not toxic	2.98
222	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	2.98
222	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	10.5 % red. biolum.^	Not toxic	2.98
222	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.58 mg growth	Not toxic	2.98
260	Spirit Lake - Grassy Point	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	NR
260	Spirit Lake - Grassy Point	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	75 % survival	Not toxic	NR
270	Spirit Lake - Grassy Point	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	NR
270	Spirit Lake - Grassy Point	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	NR
333	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.51 EC50 biolum.#	Not toxic	3.95
333	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	23.7 % red. biolum.^	Toxic	3.95
333	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	88 % survival	Not toxic	3.95
333	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.51 EC50 biolum.#	Not toxic	3.95
333	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	70 % survival	Toxic	3.95
333	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	30.7 % red. biolum.^	Toxic	3.95
345	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	63 % survival	Toxic	1
345	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.77 EC50 biolum.#	Not toxic	1
345	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	1
345	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0 % survival	Toxic	1
345	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	52.4 % red. biolum.^	Toxic	1
359	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	87 % survival	Not toxic	3.4
359	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.74 EC50 biolum.#	Not toxic	3.4
359	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.2 % red. biolum.^	Not toxic	3.4
359	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.49 mg growth	Not toxic	3.4
359	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.37 mg growth	Not toxic	3.4
359	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	87 % survival	Not toxic	3.4
359	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.9 % red. biolum.^	Not toxic	3.4
359	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.74 EC50 biolum.#	Not toxic	3.4
359	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	3.4
359	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	77 % survival	Not toxic	3.4
362	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	4.02
362	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	4.1 % red. biolum.^	Not toxic	4.02
362	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	4.02
362	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.76 EC50 biolum.#	Not toxic	4.02

**Table G-11. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Benz(a)anthracene in the St. Louis River Area of Conc**

Benz(a)-anthracene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
3.50	Allouez Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	0.59
362	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	57 % survival	Toxic	4.02
460	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	30 % red. biolum.^	Toxic	4.54
460	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.05 EC50 biolum.#	Toxic	4.54
460	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	5 % survival	Not toxic	4.54
460	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	69 % survival	Not toxic	4.54
470	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	96 % survival	Not toxic	NR
482	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	8.5 % red. biolum.^	Not toxic	2.43
482	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	95 % survival	Not toxic	2.43
482	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.67 EC50 biolum.#	Not toxic	2.43
505	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	3.52 EC50 biolum.#	Not toxic	1.37
505	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	1.37
505	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.57 mg growth	Not toxic	1.37
505	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	52 % survival	Not toxic	1.37
505	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	8.2 % red. biolum.^	Not toxic	1.37
580	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	96 % survival	Not toxic	NR
580	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	5.4 % red. biolum.^	Not toxic	1.44
580	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	98 % survival	Not toxic	1.44
580	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.14 EC50 biolum.#	Not toxic	1.44
600	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	93 % survival	Not toxic	NR
603	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	52 % survival	Not toxic	0.24
603	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	23.05 % red. biolum.^	Toxic	0.24
603	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	72 % survival	Not toxic	0.24
603	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	100 EC50 biolum.#	Not toxic	0.24
610	D-S Harbor - Slip C	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	85 % survival	Not toxic	NR
610	D-S Harbor - Slip C	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	NR
656	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	98 % survival	Not toxic	4.11
656	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	72 % survival	Not toxic	4.11
656	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.24 EC50 biolum.#	Toxic	4.11
656	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	68 % survival	Not toxic	4.11
656	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	15.5 % red. biolum.^	Not toxic	4.11
656	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	88 % survival	Not toxic	4.11
698	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	75 % survival	Toxic	8.97
698	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	42.1 % red. biolum.^	Toxic	8.97
698	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	3 % survival	Toxic	8.97
698	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.05 EC50 biolum.#	Toxic	8.97
698	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	8.97
730	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	96 % survival	Not toxic	NR
740	D-S Harbor - Slip C	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	96 % survival	Not toxic	NR
780	Spirit Lake - Grassy Point	10 day	Diptera	<i>Chironomus tentans</i>	LAR	82 % survival	Not toxic	NR

**Table G-11. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Benz(a)anthracene in the St. Louis River Area of Conc**

Benz(a)-anthracene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
3.50	Allouez Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	0.59
780	Spirit Lake - Grassy Point	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	82 % survival	Not toxic	NR
792	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	11.76
792	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.11 mg growth	Toxic	11.76
792	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	67 % survival	Not toxic	11.76
792	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.02 mg growth	Toxic	11.76
793	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	87 % survival	Not toxic	6.4
793	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.2 mg growth	Not toxic	6.4
793	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	6.4
793	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.59	Not toxic	6.4
801	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	93 % survival	Not toxic	3.87
801	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.23 mg growth	Toxic	3.87
801	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	3.87
801	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.1 % red. biolum.^	Not toxic	3.87
801	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.41 EC50 biolum.#	Toxic	3.87
860	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Diptera	<i>Chironomus tentans</i>	LAR	90 % survival	Not toxic	NR
860	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	NR
867	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.32 EC50 biolum.#	Toxic	2.63
867	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	33.45 % red. biolum.^	Toxic	2.63
867	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	75 % survival	Not toxic	2.63
867	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	68 % survival	Not toxic	2.63
880	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	NR
880	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	NR
920	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	72 % survival	Not toxic	NR
920	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	NR
950	D-S Harbor - NW side of Lakehead Dock	10 day	Diptera	<i>Chironomus tentans</i>	LAR	100 % survival	Not toxic	8.4
950	D-S Harbor - NW side of Lakehead Dock	48 hour	Cladoceran	<i>Ceriodaphnia dubia</i>	ADT	100 % survival	Not toxic	8.4
950	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	3.99
950	D-S Harbor - NW side of Lakehead Dock	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	95 % survival	Not toxic	8.4
950	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	86 % survival	Not toxic	3.99
950	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.5 EC50 biolum.#	Not toxic	3.99
950	D-S Harbor - NW side of Lakehead Dock	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.04 mg growth	Not toxic	8.4
1000	Spirit Lake - Grassy Point	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	65 % survival	Toxic	NR
1000	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Diptera	<i>Chironomus tentans</i>	LAR	78 % survival	Not toxic	NR
1000	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	98 % survival	Not toxic	NR
1000	Spirit Lake - Grassy Point	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	NR
1071	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	26.1 % red. biolum.^	Toxic	0.82
1071	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0 % survival	Toxic	0.82
1071	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.05 EC50 biolum.#	Toxic	0.82
1071	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	59 % survival	Not toxic	0.82

**Table G-11. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Benz(a)anthracene in the St. Louis River Area of Conc**

Benz(a)-anthracene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
3.50	Allouez Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	0.59
1100	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	NR
1100	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	NR
1122	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.77 EC50 biolum.#	Not toxic	3.97
1122	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.49 mg growth	Not toxic	3.97
1122	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	3.97
1122	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	3.97
1122	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	3.97
1124	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	16 % survival	Toxic	4.48
1124	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.29 EC50 biolum.#	Toxic	4.48
1124	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	20 % red. biolum.^	Toxic	4.48
1150	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	6.77
1150	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	30.8% red. biolum.^	Toxic	6.77
1150	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	18 % survival	Toxic	6.77
1150	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	6.77
1150	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.02 EC50 biolum.#	Toxic	6.77
1201	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	8.3 % red. biolum.^	Not toxic	4.05
1201	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.36 EC50 biolum.#	Toxic	4.05
1201	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	67 % survival	Not toxic	4.05
1201	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	4.05
1205	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.1 % red. biolum.^	Not toxic	13.81
1205	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	62 % survival	Not toxic	13.81
1205	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	3.88 EC50 biolum.#	Not toxic	13.81
1205	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	98 % survival	Not toxic	13.81
1226	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	29.59 % red. biolum.^	Toxic	13.98
1226	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	82 % survival	Not toxic	13.98
1226	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	56 % survival	Not toxic	13.98
1226	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.38 EC50 biolum.#	Toxic	13.98
1243	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	20.18 % red. biolum.^	Toxic	3.47
1243	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	3.47
1243	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	94 % survival	Not toxic	3.47
1243	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.48 EC50 biolum.#	Toxic	3.47
1268	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.2 mg growth	Not toxic	23.1
1268	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	23.1
1268	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.35 mg growth	Not toxic	23.1
1268	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	82 % survival	Not toxic	23.1
1278	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	20.9 % red. biolum.^	Toxic	4.05
1278	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	85 % survival	Not toxic	4.05
1278	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.35 mg growth	Not toxic	4.05
1278	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	58 % survival	Not toxic	4.05

**Table G-11. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Benz(a)anthracene in the St. Louis River Area of Conc**

Benz(a)-anthracene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
3.50	Allouez Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	0.59
1278	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.4 EC50 biolum.#	Toxic	4.05
1286	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.43 mg growth	Not toxic	29.84
1286	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	45 % survival	Not toxic	29.84
1286	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	93 % survival	Not toxic	29.84
1286	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.12 EC50 biolum.#	Not toxic	29.84
1286	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	7.4 % red. biolum.^	Not toxic	29.84
1368	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.37 EC50 biolum.#	Toxic	3.98
1368	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	3.98
1368	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	8.6 % red. biolum.^	Not toxic	3.98
1368	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	3.98
1369	Allouez Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	85 % survival	Not toxic	4.47
1369	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.82 EC50 biolum.#	Not toxic	4.47
1369	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	33.03 % red. biolum.^	Toxic	4.47
1369	Allouez Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	68 % survival	Not toxic	4.47
1395	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	29.6 % red. biolum.^	Toxic	2.13
1395	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	86 % survival	Not toxic	2.13
1395	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.47 EC50 biolum.#	Toxic	2.13
1395	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	82 % survival	Not toxic	2.13
1400	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	85 % survival	Not toxic	NR
1400	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Diptera	<i>Chironomus tentans</i>	LAR	68 % survival	Toxic	NR
1483	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.49 EC50 biolum.#	Not toxic	17.49
1483	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	75 % survival	Not toxic	17.49
1483	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	17.49
1483	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	17.49
1530	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.57 mg growth	Not toxic	3.74
1530	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.06 EC50 biolum.#	Not toxic	3.74
1530	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	65 % survival	Not toxic	3.74
1530	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	3.74
1530	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	3.74
1623	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.56 mg growth	Not determined	3.42
1623	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	38 % survival	Toxic	3.42
1623	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.2 mg growth	Not toxic	3.42
1623	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	52 % survival	Toxic	3.42
1649	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	4.36
1649	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	68 % survival	Not toxic	4.36
1649	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	-0.6 % red. biolum.^	Not toxic	4.36
1649	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.96 EC50 biolum.#	Not toxic	4.36
1976	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.16 EC50 biolum.#	Toxic	14.19
1976	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	12 % survival	Toxic	14.19

**Table G-11. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Benz(a)anthracene in the St. Louis River Area of Conc**

Benz(a)-anthracene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
3.50	Allouez Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	0.59
1976	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0 % survival	Toxic	14.19
1976	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	67.9 % red. biolum.^	Toxic	14.19
2105	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	88 % survival	Not toxic	6.72
2105	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.35 EC50 biolum.#	Not toxic	6.72
2105	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.46 mg growth	Not toxic	6.72
2105	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	6.72
2105	St. Louis Bay	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	87 % survival	Not toxic	6.72
2429	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	0.15 mg growth	Toxic	6.15
2429	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	77 % survival	Not toxic	6.15
2429	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.84 mg growth	Toxic	6.15
2429	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	83 % survival	Not toxic	6.15
2500	St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	87 % survival	Not toxic	5.88
2606	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	0.18 mg growth	Toxic	26.54
2606	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	83 % survival	Not toxic	26.54
2606	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.3 mg growth	Not toxic	26.54
2606	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	92 % survival	Not toxic	26.54
3510	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	32.24 % red. biolum.^	Toxic	3.07
3510	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.73 EC50 biolum.#	Not toxic	3.07
3510	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	55 % survival	Not toxic	3.07
3600	D-S Harbor - Slip C	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	92 % survival	Not toxic	NR
3600	D-S Harbor - Slip C	10 day	Diptera	<i>Chironomus tentans</i>	LAR	55 % survival	Toxic	NR
3612	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	92 % survival	Not toxic	45.37
3612	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	0.17 mg growth	Toxic	45.37
3612	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.07 mg growth	Toxic	45.37
3612	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	87 % survival	Not toxic	45.37
4100	D-S Harbor - Minnesota Slip	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	89 % survival	Not toxic	NR
4137	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	99.9 % red. biolum.^	Toxic	8.26
4137	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0 % survival	Toxic	8.26
4137	Spirit Lake	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	0 % survival	Toxic	8.26
4137	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.06 EC50 biolum.#	Toxic	8.26
4382	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.35 EC50 biolum.#	Toxic	4.13
4382	Spirit Lake	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	90 % survival	Not toxic	4.13
4382	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	21.7 % red. biolum.^	Toxic	4.13
4382	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	4.13
4788	D-S Harbor	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	95 % survival	Not toxic	5.59
4788	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	4 % red. biolum.^	Not toxic	5.59
4788	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.16 EC50 biolum.#	Toxic	5.59
4788	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	5.59
4935	Spirit Lake	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	90 % survival	Not toxic	1.71

**Table G-11. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Benz(a)anthracene in the St. Louis River Area of Conc**

Benz(a)-anthracene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
3.50	Allouez Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	0.59
4935	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.27 EC50 biolum.#	Not toxic	1.71
4935	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	78 % survival	Not toxic	1.71
4935	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.4 mg growth	Not toxic	1.71
4935	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	42.1 % red. biolum.^	Toxic	1.71
5167	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	88 % survival	Not toxic	4.7
5167	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	65 % survival	Not toxic	4.7
5167	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	12.7 % red. biolum.^	Not toxic	4.7
5167	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	2.55 EC50 biolum.#	Not toxic	4.7
5300	D-S Harbor - Minnesota Slip	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	NR
6161	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	4.07 EC50 biolum.#	Not toxic	6.03
6161	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	58 % red. biolum.^	Toxic	6.03
6161	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	85 % survival	Not toxic	6.03
6744	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.1 mg growth	Toxic	12.95
6744	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	75 % survival	Toxic	12.95
6744	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.65 mg growth	Not determined	12.95
6744	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	30 % survival	Toxic	12.95
6914	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	13.91
6914	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	13.91
6914	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	93.4 % red. biolum.^	Toxic	13.91
6914	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	18 % survival	Toxic	13.91
6914	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.4 EC50 biolum.#	Toxic	13.91
7600	St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	93 % survival	Not toxic	9.58
8977	St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	48 % survival	Toxic	8.08
8977	St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.14 mg growth	Toxic	8.08
8977	St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	53 % survival	Toxic	8.08
8977	St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.8 mg growth	Toxic	8.08
10117	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	60 % survival	Toxic	100
10117	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.23 mg growth	Not toxic	100
10117	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	100
10117	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.18 mg growth	Not toxic	100
11111	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	30 % survival	Toxic	4.64
11111	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.16 mg growth	Toxic	4.64
11111	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.13 mg growth	Not determined	4.64
11111	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	4.64
39106	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	30 % survival	Toxic	NR
39106	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.24 mg growth	Not determined	NR
39106	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.07 mg growth	Not determined	NR
39106	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	8 % survival	Toxic	NR
54893	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0 % survival	Toxic	50.12

**Table G-11. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Benz(a)anthracene in the St. Louis River Area of Conc**

Benz(a)-anthracene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
3.50	Allouez Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	0.59
54893	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.09 mg growth	Not determined	50.12
54893	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	8 % survival	Toxic	50.12
54893	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	Not determined	Not determined	50.12
104603	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	11.16
104603	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0 % survival	Toxic	11.16
104603	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0 % survival	Toxic	11.16
104603	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	Not determined	Not determined	11.16
116582	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	12 % survival	Toxic	11.98
116582	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	11.98
116582	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0 % survival	Toxic	11.98
116582	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	84.7 % red. biolum.^	Toxic	11.98
116582	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.38 EC50 biolum.#	Toxic	11.98
230000	St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	63 % survival	Toxic	6.12

^ = relative to control; D-S = Duluth-Superior; # = expressed as % DW sediment; red. biolum. = reduced bioluminescence; EC50 = effective concentration affecting 50% of the population.

LAR = larvae; JUV = juvenile; TOC = total organic carbon; NR = not reported.

Reference

---

MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b

---

cern

---

Reference

---

MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
Crane *et al.* 1997  
Crane *et al.* 1997  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
Wenck Associates Inc. 1995  
Wenck Associates Inc. 1995  
Wenck Associates Inc. 1995  
Wenck Associates Inc. 1995  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c

---

Reference

---

MPCA 1997b  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
Crane *et al.* 1997  
Crane *et al.* 1997  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b

---



Reference

---

MPCA 1997b  
MPCA 1997c  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
Crane *et al.* 1997  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
Crane *et al.* 1997  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
Crane *et al.* 1997  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
Crane *et al.* 1997  
Crane *et al.* 1997  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
Crane *et al.* 1997  
Crane *et al.* 1997  
Crane *et al.* 1997

---

Reference

---

MPCA 1997b  
Crane *et al.* 1997  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
Crane *et al.* 1997  
Crane *et al.* 1997  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
Crane *et al.* 1997  
Crane *et al.* 1997  
Crane *et al.* 1997  
Crane *et al.* 1997  
Wenck Associates Inc. 1995  
Wenck Associates Inc. 1995  
MPCA 1997c  
Wenck Associates Inc. 1995  
MPCA 1997c  
MPCA 1997c  
Wenck Associates Inc. 1995  
Crane *et al.* 1997  
Crane *et al.* 1997  
Crane *et al.* 1997  
Crane *et al.* 1997  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b

---



cern

---

Reference

---

MPCA 1997b  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
Crane *et al.*, 1997  
Crane *et al.*, 1997  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b

---

Reference

---

MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
MPCA 1993  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
Crane *et al.* 1997  
Crane *et al.* 1997  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
Crane *et al.* 1997  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997c

---



cern

---

Reference

---

MPCA 1997b  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1993

---

**Table G-12. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Benzo(a)pyrene in the St. Louis River Area of Concern**

Benzo(a)-pyrene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
3.50	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	11.24 EC50 biolum.#	Not toxic	0.35	MPCA 1997b
3.50	Allouez Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	55 % survival	Not toxic	0.35	MPCA 1997b
3.50	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	26.2 mg growth	Toxic	0.35	MPCA 1997b
3.70	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	78 % survival	Not toxic	2.93	IT Corp. 1996
3.70	St. Louis River - Miller & Coffee Creek Embayment	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.04 mg growth	Toxic	2.93	IT Corp. 1996
3.70	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	97 % survival	Not toxic	2.93	IT Corp. 1996
3.70	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.14 mg growth	Toxic	2.93	IT Corp. 1996
4.00	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	3.96 EC50 biolum.#	Not toxic	0.59	MPCA 1997b
4.00	Allouez Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	0.59	MPCA 1997b
4.00	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	0.59	MPCA 1997b
4.30	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	100 EC50 biolum.#	Not toxic	0.08	MPCA 1997b
4.30	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	90 % survival	Not toxic	0.08	MPCA 1997b
4.30	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	26.3 % red. biolum.^	Toxic	0.08	MPCA 1997b
4.30	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	86 % survival	Not toxic	0.08	MPCA 1997b
5.50	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.81 EC50 biolum.#	Not toxic	1.02	MPCA 1997b
5.50	Allouez Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	1.02	MPCA 1997b
5.50	Allouez Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	1.02	MPCA 1997b
5.50	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	29.7 % red. biolum.^	Toxic	1.02	MPCA 1997b
8.00	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	0.14	MPCA 1997b
8.00	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	58 % survival	Not toxic	0.14	MPCA 1997b
8.00	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	17.83 EC50 biolum.#	Not toxic	0.14	MPCA 1997b
8.00	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	67.3 % red. biolum.^	Toxic	0.14	MPCA 1997b
9.00	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	95 % survival	Not toxic	0.12	MPCA 1997b
9.00	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	3.4 % red. biolum.^	Not toxic	0.12	MPCA 1997b
9.00	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	78 % survival	Not toxic	0.12	MPCA 1997b
9.00	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	100 EC50 biolum.#	Not toxic	0.12	MPCA 1997b
15.2	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	41.98 % red. biolum.^	Toxic	1.42	MPCA 1997b
15.2	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	60 % survival	Not toxic	1.42	MPCA 1997b
15.2	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.72 EC50 biolum.#	Not toxic	1.42	MPCA 1997b
15.2	D-S Harbor	10 day	Amphipod	<i>Chironomus tentans</i>	JUV	100 % survival	Not toxic	1.42	MPCA 1997b
17.0	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	1.87	MPCA 1997c
17.0	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	21.8 % red. biolum.^	Toxic	1.87	MPCA 1997c
17.0	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.53 mg growth	Not toxic	1.87	MPCA 1997c
17.0	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	2.07 EC50 biolum.#	Not toxic	1.87	MPCA 1997c

**Table G-12. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Benzo(a)pyrene in the St. Louis River Area of Concern**

Benzo(a)-pyrene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
17.0	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	93 % survival	Not toxic	1.87	MPCA 1997c
20.0	Spirit Lake - Grassy Point	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	80 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
20.0	Spirit Lake - Grassy Point	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
21.6	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	86 % survival	Not toxic	0.2	MPCA 1997b
21.6	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	25.2 % red. biolum.^	Toxic	0.2	MPCA 1997b
21.6	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	4.94 EC50 biolum.#	Not toxic	0.2	MPCA 1997b
21.6	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	0.2	MPCA 1997b
28.3	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	97.5 % survival	Not toxic	2.59	MPCA 1997b
28.3	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	65 % survival	Not toxic	2.59	MPCA 1997b
28.3	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	7.4 % red. biolum.^	Not toxic	2.59	MPCA 1997b
28.3	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.41 EC50 biolum.#	Toxic	2.59	MPCA 1997b
32.0	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.4 EC50 biolum.#	Toxic	2.82	MPCA 1997b
32.0	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	70 % survival	Not toxic	2.82	MPCA 1997b
32.0	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	2.82	MPCA 1997b
32.0	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	10.2 % red. biolum.^	Not toxic	2.82	MPCA 1997b
32.5	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	75 % survival	Not toxic	5.77	MPCA 1997b
32.5	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	6.4 % red. biolum.^	Not toxic	5.77	MPCA 1997b
32.5	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	5.77	MPCA 1997b
32.5	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	6.73 EC50 biolum.#	Not toxic	5.77	MPCA 1997b
36.0	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	2.91	MPCA 1997b
36.0	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	90 % survival	Not toxic	2.91	MPCA 1997b
36.0	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	18.89 % red. biolum.^	Not toxic	2.91	MPCA 1997b
36.0	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.96 EC50 biolum.#	Not toxic	2.91	MPCA 1997b
36.1	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	22.95 % red. biolum.^	Toxic	0.16	MPCA 1997b
36.1	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	90 % survival	Not toxic	0.16	MPCA 1997b
36.1	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	100 EC50 biolum.#	Not toxic	0.16	MPCA 1997b
39.0	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	85 % survival	Not toxic	0.4	MPCA 1997b
39.0	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	39.7 % red. biolum.^	Toxic	0.4	MPCA 1997b
39.0	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	88 % survival	Not toxic	0.4	MPCA 1997b
39.0	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	100 EC50 biolum.#	Not toxic	0.4	MPCA 1997b
39.0	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	82 % survival	Not toxic	0.4	MPCA 1997b
39.0	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	0.4	MPCA 1997b
<50.0	Superior Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	100 % survival	Not toxic	6.7	Wenck Associates Inc. 1995
<50.0	Superior Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	6.7	Wenck Associates Inc. 1995

**Table G-12. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Benzo(a)pyrene in the St. Louis River Area of Concern**

Benzo(a)-pyrene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
50.0	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	84 % survival	Not toxic	1.69	MPCA 1997c
<50.0	Superior Bay	48 hour	Cladoceran	<i>Ceriodaphnia dubia</i>	ADT	100 % survival	Not toxic	6.7	Wenck Associates Inc. 1995
<50.0	Superior Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.57 mg growth	Not toxic	6.7	Wenck Associates Inc. 1995
50.0	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	4.29 EC50 biolum.#	Not toxic	1.69	MPCA 1997c
50.0	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	12.1 % red. biolum.^	Not toxic	1.69	MPCA 1997c
71.0	Spirit Lake - Grassy Point	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
71.0	Spirit Lake - Grassy Point	10 day	Diptera	<i>Chironomus tentans</i>	LAR	92 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
72.0	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	12.1 % red. biolum.^	Not toxic	2.34	MPCA 1997c
72.0	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.77 EC50 biolum.#	Not toxic	2.34	MPCA 1997c
72.0	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	2.34	MPCA 1997c
72.0	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	95 % survival	Not toxic	2.34	MPCA 1997c
72.0	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.37 mg growth	Not toxic	2.34	MPCA 1997c
78.0	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	98 % survival	Not toxic	2.24	MPCA 1997c
78.0	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.46 mg growth	Not toxic	2.24	MPCA 1997c
78.0	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	95 % survival	Not toxic	2.24	MPCA 1997c
78.0	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	2.24	MPCA 1997c
78.0	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.3 EC50 biolum.#	Not toxic	2.24	MPCA 1997c
83.6	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.96 EC50 biolum.#	Not toxic	1.35	MPCA 1997b
83.6	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	1.35	MPCA 1997b
83.6	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	1.35	MPCA 1997b
83.6	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	1.35	MPCA 1997b
88.3	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	68 % survival	Not toxic	2.7	MPCA 1997c
88.3	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.56 mg growth	Not toxic	2.7	MPCA 1997c
88.3	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	5.3 % red. biolum.^	Not toxic	2.7	MPCA 1997c
88.3	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.44 mg growth	Not toxic	2.7	MPCA 1997c
88.3	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	93 % survival	Not toxic	2.7	MPCA 1997c
88.3	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.52 EC50 biolum.#	Not toxic	2.7	MPCA 1997c
88.3	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	2.7	MPCA 1997c
88.3	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	12 % red. biolum.^	Not toxic	2.7	MPCA 1997c
88.3	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	2.7	MPCA 1997c
88.3	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.52 EC50 biolum.#	Not toxic	2.7	MPCA 1997c
104	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	3.56 EC50 biolum.#	Not toxic	1.82	MPCA 1997b
104	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	-2.8 % red. biolum.^	Not toxic	1.82	MPCA 1997b
104	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	1.82	MPCA 1997b

**Table G-12. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Benzo(a)pyrene in the St. Louis River Area of Concern**

Benzo(a)-pyrene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
104	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	70 % survival	Not toxic	1.82	MPCA 1997b
106	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	3.25	MPCA 1997c
106	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	28.8 % red. biolum.^	Toxic	3.25	MPCA 1997c
106	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.42 EC50 biolum.#	Toxic	3.25	MPCA 1997c
110	St. Louis River - Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	90 % survival	Not toxic	4.84	MPCA 1997b
110	St. Louis River - Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.09 EC50 biolum.#	Toxic	4.84	MPCA 1997b
110	St. Louis River - Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	4.84	MPCA 1997b
110	St. Louis River - Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	18.2 % red. biolum.^	Not toxic	4.84	MPCA 1997b
192	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.74 % weight using UV light	Not toxic	0.7	Ankley <i>et al.</i> 1994
192	St. Louis Harbor	10 day	Oligochaete	<i>Lumbriculus variegatus</i>	ADT	0 % survival/normal & UV	Toxic	0.7	Ankley <i>et al.</i> 1994
192	St. Louis Harbor	10 day	Oligochaete	<i>Lumbriculus variegatus</i>	ADT	0.65 mg growth	Toxic	0.7	Ankley <i>et al.</i> 1994
192	St. Louis Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	65 % survival	Not toxic	0.7	Ankley <i>et al.</i> 1994
192	St. Louis Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0 % survival/normal & UV	Toxic	0.7	Ankley <i>et al.</i> 1994
192	St. Louis Harbor	10 day	Oligochaete	<i>Lumbriculus variegatus</i>	ADT	85 % survival	Not toxic	0.7	Ankley <i>et al.</i> 1994
192	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.8 mg growth	Not toxic	0.7	Ankley <i>et al.</i> 1994
192	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	65 % survival/normal & UV	Toxic	0.7	Ankley <i>et al.</i> 1994
192	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	87.5 % survival	Not toxic	0.7	Ankley <i>et al.</i> 1994
192	St. Louis Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.04 mg growth	Not determined	0.7	Ankley <i>et al.</i> 1994
196	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	88 % survival	Not toxic	3.85	MPCA 1997c
196	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	3.85	MPCA 1997c
196	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	3.82 EC50 biolum.#	Not toxic	3.85	MPCA 1997c
196	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	3.85	MPCA 1997c
196	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.64 mg growth	Not toxic	3.85	MPCA 1997c
201	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	88 % survival	Not toxic	1.65	MPCA 1997c
201	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	4.42 EC50 biolum.#	Not toxic	1.65	MPCA 1997c
201	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	1.65	MPCA 1997c
201	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.53 mg growth	Not toxic	1.65	MPCA 1997c
201	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	87 % survival	Not toxic	1.65	MPCA 1997c
210	Spirit Lake - Grassy Point	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	75 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
210	Spirit Lake - Grassy Point	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
230	Spirit Lake - Grassy Point	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
230	Spirit Lake - Grassy Point	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
233	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.58 mg growth	Not toxic	2.98	MPCA 1997c
233	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.92 EC50 biolum.#	Not toxic	2.98	MPCA 1997c

**Table G-12. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Benzo(a)pyrene in the St. Louis River Area of Concern**

Benzo(a)-pyrene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
233	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	2.98	MPCA 1997c
233	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	97 % survival	Not toxic	2.98	MPCA 1997c
233	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	10.5 % red. biolum.^	Not toxic	2.98	MPCA 1997c
248	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	5.34	MPCA 1997b
248	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.97 EC50 biolum.#	Not toxic	5.34	MPCA 1997b
248	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	5.34	MPCA 1997b
248	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	18.8 % red. biolum.^	Not toxic	5.34	MPCA 1997b
285	St. Louis Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	80 % survival	Not toxic	4.1	Ankley <i>et al.</i> 1994
285	St. Louis Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.04 mg growth	Toxic	4.1	Ankley <i>et al.</i> 1994
285	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	4.1	Ankley <i>et al.</i> 1994
285	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.93 mg growth	Not toxic	4.1	Ankley <i>et al.</i> 1994
285	St. Louis Harbor	10 day	Oligochaete	<i>Lumbriculus variegatus</i>	ADT	0.85 mg growth	Not toxic	4.1	Ankley <i>et al.</i> 1994
285	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.08 % weight using UV light	Not toxic	4.1	Ankley <i>et al.</i> 1994
285	St. Louis Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	72.5 % survival/normal & UV	Not toxic	4.1	Ankley <i>et al.</i> 1994
285	St. Louis Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.05 % weight using UV light	Not toxic	4.1	Ankley <i>et al.</i> 1994
285	St. Louis Harbor	10 day	Oligochaete	<i>Lumbriculus variegatus</i>	ADT	87.5 % survival/normal & UV	Not toxic	4.1	Ankley <i>et al.</i> 1994
285	St. Louis Harbor	10 day	Oligochaete	<i>Lumbriculus variegatus</i>	ADT	100 % survival	Not toxic	4.1	Ankley <i>et al.</i> 1994
285	St. Louis Harbor	10 day	Oligochaete	<i>Lumbriculus variegatus</i>	ADT	0.83 % weight using UV light	Toxic	4.1	Ankley <i>et al.</i> 1994
285	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	95 % survival/normal & UV	Not toxic	4.1	Ankley <i>et al.</i> 1994
320	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	52.4 % red. biolum.^	Toxic	1	MPCA 1997c
320	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0 % survival	Toxic	1	MPCA 1997c
320	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	1	MPCA 1997c
320	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	63 % survival	Toxic	1	MPCA 1997c
320	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.77 EC50 biolum.#	Not toxic	1	MPCA 1997c
357	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	4.02	MPCA 1997c
357	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.76 EC50 biolum.#	Not toxic	4.02	MPCA 1997c
357	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	4.02	MPCA 1997c
357	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	57 % survival	Toxic	4.02	MPCA 1997c
357	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	5 % survival	Not toxic	4.54	MPCA 1997b
357	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	69 % survival	Not toxic	4.54	MPCA 1997b
357	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	30 % red. biolum.^	Toxic	4.54	MPCA 1997b
357	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	4.1 % red. biolum.^	Not toxic	4.02	MPCA 1997c
357	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.05 EC50 biolum.#	Toxic	4.54	MPCA 1997b
381	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.51 EC50 biolum.#	Not toxic	3.95	MPCA 1997c

**Table G-12. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Benzo(a)pyrene in the St. Louis River Area of Concern**

Benzo(a)-pyrene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
381	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	70 % survival	Toxic	3.95	MPCA 1997c
381	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	23.7 % red. biolum.^	Toxic	3.95	MPCA 1997c
381	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	30.7 % red. biolum.^	Toxic	3.95	MPCA 1997c
381	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	88 % survival	Not toxic	3.95	MPCA 1997c
381	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.51 EC50 biolum.#	Not toxic	3.95	MPCA 1997c
422	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	87 % survival	Not toxic	6.4	IT Corp. 1996
422	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.2 mg growth	Not toxic	6.4	IT Corp. 1996
422	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	6.4	IT Corp. 1996
422	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.59 mg growth	Not toxic	6.4	IT Corp. 1996
437	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.49 mg growth	Not toxic	3.4	MPCA 1997c
437	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	87 % survival	Not toxic	3.4	MPCA 1997c
437	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.9 % red. biolum.^	Not toxic	3.4	MPCA 1997c
437	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	77 % survival	Not toxic	3.4	MPCA 1997c
437	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	3.4	MPCA 1997c
437	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.37 mg growth	Not toxic	3.4	MPCA 1997c
437	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	87 % survival	Not toxic	3.4	MPCA 1997c
437	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.74 EC50 biolum.#	Not toxic	3.4	MPCA 1997c
437	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.74 EC50 biolum.#	Not toxic	3.4	MPCA 1997c
437	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.2 % red. biolum.^	Not toxic	3.4	MPCA 1997c
466	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	5.4 % red. biolum.^	Not toxic	1.44	MPCA 1997c
466	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	98 % survival	Not toxic	1.44	MPCA 1997c
466	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.14 EC50 biolum.#	Not toxic	1.44	MPCA 1997c
470	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	96 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
509	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	8.5 % red. biolum.^	Not toxic	2.43	MPCA 1997c
509	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.67 EC50 biolum.#	Not toxic	2.43	MPCA 1997c
509	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	95 % survival	Not toxic	2.43	MPCA 1997c
522	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	100 EC50 biolum.#	Not toxic	0.24	MPCA 1997b
522	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	52 % survival	Not toxic	0.24	MPCA 1997b
522	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	23.05 % red. biolum.^	Toxic	0.24	MPCA 1997b
522	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	72 % survival	Not toxic	0.24	MPCA 1997b
560	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.57 mg growth	Not toxic	1.37	MPCA 1997c
560	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	3.52 EC50 biolum.#	Not toxic	1.37	MPCA 1997c
560	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	8.2 % red. biolum.^	Not toxic	1.37	MPCA 1997c
560	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	1.37	MPCA 1997c

**Table G-12. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Benzo(a)pyrene in the St. Louis River Area of Concern**

Benzo(a)-pyrene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
560	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	52 % survival	Not toxic	1.37	MPCA 1997c
588	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	67 % survival	Not toxic	11.76	IT Corp. 1996
588	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.02 mg growth	Toxic	11.76	IT Corp. 1996
588	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	11.76	IT Corp. 1996
588	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.11 mg growth	Toxic	11.76	IT Corp. 1996
590	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	93 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
590	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	96 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
610	D-S Harbor - Slip C	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	85 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
610	D-S Harbor - Slip C	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
689	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	75 % survival	Toxic	8.97	MPCA 1997c
689	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	8.97	MPCA 1997c
689	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	3 % survival	Toxic	8.97	MPCA 1997c
689	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.05 EC50 biolum.#	Toxic	8.97	MPCA 1997c
689	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	42.1 % red. biolum.^	Toxic	8.97	MPCA 1997c
732	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	23.1	IT Corp. 1996
732	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	82 % survival	Not toxic	23.1	IT Corp. 1996
732	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.35 mg growth	Not toxic	23.1	IT Corp. 1996
732	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.2 mg growth	Not toxic	23.1	IT Corp. 1996
750	D-S Harbor - NW side of Lakehead Dock	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	95 % survival	Not toxic	8.4	Wenck Associates Inc. 1995
750	D-S Harbor - NW side of Lakehead Dock	48 hour	Cladoceran	<i>Ceriodaphnia dubia</i>	ADT	100 % survival	Not toxic	8.4	Wenck Associates Inc. 1995
750	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	96 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
750	D-S Harbor - NW side of Lakehead Dock	10 day	Diptera	<i>Chironomus tentans</i>	LAR	100 % survival	Not toxic	8.4	Wenck Associates Inc. 1995
750	Spirit Lake - Grassy Point	10 day	Diptera	<i>Chironomus tentans</i>	LAR	82 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
750	Spirit Lake - Grassy Point	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	82 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
750	D-S Harbor - NW side of Lakehead Dock	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.04 mg growth	Not toxic	8.4	Wenck Associates Inc. 1995
780	D-S Harbor - Slip C	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	96 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
790	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
790	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Diptera	<i>Chironomus tentans</i>	LAR	90 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
830	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
830	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	72 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
858	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	3.99	MPCA 1997c
858	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.5 EC50 biolum.#	Not toxic	3.99	MPCA 1997c
858	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	86 % survival	Not toxic	3.99	MPCA 1997c
860	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	NR	Crane <i>et al.</i> 1997

**Table G-12. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Benzo(a)pyrene in the St. Louis River Area of Concern**

Benzo(a)-pyrene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
860	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
862	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.05 EC50 biolum.#	Toxic	0.82	MPCA 1997b
862	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	59 % survival	Not toxic	0.82	MPCA 1997b
862	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0 % survival	Toxic	0.82	MPCA 1997b
862	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	26.1 % red. biolum.^	Toxic	0.82	MPCA 1997b
867	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	88 % survival	Not toxic	4.11	MPCA 1997b
867	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	72 % survival	Not toxic	4.11	MPCA 1997b
867	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	98 % survival	Not toxic	4.11	MPCA 1997b
867	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	15.5 % red. biolum.^	Not toxic	4.11	MPCA 1997b
867	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.24 EC50 biolum.#	Toxic	4.11	MPCA 1997b
867	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	68 % survival	Not toxic	4.11	MPCA 1997b
920	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	98 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
920	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Diptera	<i>Chironomus tentans</i>	LAR	78 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
925	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.56 mg growth	Not determined	3.42	IT Corp. 1996
925	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	38 % survival	Toxic	3.42	IT Corp. 1996
925	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.2 mg growth	Not toxic	3.42	IT Corp. 1996
925	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	52 % survival	Toxic	3.42	IT Corp. 1996
940	Spirit Lake - Grassy Point	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	65 % survival	Toxic	NR	Crane <i>et al.</i> 1997
940	Spirit Lake - Grassy Point	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
1000	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
1000	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
1019	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	3.87	MPCA 1997c
1019	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.41 EC50 biolum.#	Toxic	3.87	MPCA 1997c
1019	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.1 % red. biolum.^	Not toxic	3.87	MPCA 1997c
1019	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.23 mg growth	Toxic	3.87	MPCA 1997c
1019	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	93 % survival	Not toxic	3.87	MPCA 1997c
1022	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.29 EC50 biolum.#	Toxic	4.48	MPCA 1997c
1022	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	16 % survival	Toxic	4.48	MPCA 1997c
1022	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	20 % red. biolum.^	Toxic	4.48	MPCA 1997c
1072	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.12 EC50 biolum.#	Not toxic	29.84	MPCA 1997c
1072	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	93 % survival	Not toxic	29.84	MPCA 1997c
1072	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.43 mg growth	Not toxic	29.84	MPCA 1997c
1072	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	45 % survival	Not toxic	29.84	MPCA 1997c
1072	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	7.4 % red. biolum.^	Not toxic	29.84	MPCA 1997c

**Table G-12. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Benzo(a)pyrene in the St. Louis River Area of Concern**

Benzo(a)-pyrene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
1119	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.02 EC50 biolum.#	Toxic	6.77	MPCA 1997c
1119	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	6.77	MPCA 1997c
1119	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	30.8 % red. biolum.^	Toxic	6.77	MPCA 1997c
1119	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	18 % survival	Toxic	6.77	MPCA 1997c
1119	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	6.77	MPCA 1997c
1190	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.38 EC50 biolum.#	Toxic	13.98	MPCA 1997b
1190	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	29.59 % red. biolum.^	Toxic	13.98	MPCA 1997b
1190	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	56 % survival	Not toxic	13.98	MPCA 1997b
1190	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	82 % survival	Not toxic	13.98	MPCA 1997b
1192	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.36 EC50 biolum.#	Toxic	4.05	MPCA 1997b
1192	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	8.3 % red. biolum.^	Not toxic	4.05	MPCA 1997b
1192	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	67 % survival	Not toxic	4.05	MPCA 1997b
1192	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	4.05	MPCA 1997b
1250	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	33.45 % red. biolum.^	Toxic	2.63	MPCA 1997b
1250	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.32 EC50 biolum.#	Toxic	2.63	MPCA 1997b
1250	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	75 % survival	Not toxic	2.63	MPCA 1997b
1250	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	68 % survival	Not toxic	2.63	MPCA 1997b
1290	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	17.49	MPCA 1997b
1290	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	75 % survival	Not toxic	17.49	MPCA 1997b
1290	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.49 EC50 biolum.#	Not toxic	17.49	MPCA 1997b
1290	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	17.49	MPCA 1997b
1300	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Diptera	<i>Chironomus tentans</i>	LAR	68 % survival	Toxic	NR	Crane <i>et al.</i> 1997
1300	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	85 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
1314	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	62 % survival	Not toxic	13.81	MPCA 1997b
1314	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.1 % red. biolum.^	Not toxic	13.81	MPCA 1997b
1314	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	98 % survival	Not toxic	13.81	MPCA 1997b
1314	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	3.88 EC50 biolum.#	Not toxic	13.81	MPCA 1997b
1322	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.82 EC50 biolum.#	Not toxic	4.47	MPCA 1997b
1322	Allouez Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	85 % survival	Not toxic	4.47	MPCA 1997b
1322	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	33.03 % red. biolum.^	Toxic	4.47	MPCA 1997b
1322	Allouez Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	68 % survival	Not toxic	4.47	MPCA 1997b
1351	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	86 % survival	Not toxic	2.13	MPCA 1997b
1351	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	82 % survival	Not toxic	2.13	MPCA 1997b
1351	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.47 EC50 biolum.#	Toxic	2.13	MPCA 1997b

**Table G-12. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Benzo(a)pyrene in the St. Louis River Area of Concern**

Benzo(a)-pyrene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
1351	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	29.6 % red. biolum.^	Toxic	2.13	MPCA 1997b
1353	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	20.18 % red. biolum.^	Toxic	3.47	MPCA 1997b
1353	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	3.47	MPCA 1997b
1353	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	94 % survival	Not toxic	3.47	MPCA 1997b
1353	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.48 EC50 biolum.#	Toxic	3.47	MPCA 1997b
1415	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	3.98	MPCA 1997b
1415	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.37 EC50 biolum.#	Toxic	3.98	MPCA 1997b
1415	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	3.98	MPCA 1997b
1415	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	8.6 % red. biolum.^	Not toxic	3.98	MPCA 1997b
1580	St. Louis Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	2.5 % survival/normal & UV	Toxic	6.1	Ankley <i>et al.</i> 1994
1580	St. Louis Harbor	10 day	Oligochaete	<i>Lumbriculus variegatus</i>	ADT	0 % survival/normal & UV	Toxic	6.1	Ankley <i>et al.</i> 1994
1580	St. Louis Harbor	10 day	Oligochaete	<i>Lumbriculus variegatus</i>	ADT	0.54 mg growth	Toxic	6.1	Ankley <i>et al.</i> 1994
1580	St. Louis Harbor	10 day	Oligochaete	<i>Lumbriculus variegatus</i>	ADT	75 % survival	Toxic	6.1	Ankley <i>et al.</i> 1994
1580	St. Louis Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.08 mg growth	Not determined	6.1	Ankley <i>et al.</i> 1994
1580	St. Louis Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	42.5 % survival	Toxic	6.1	Ankley <i>et al.</i> 1994
1580	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.8 % weight using UV light	Not toxic	6.1	Ankley <i>et al.</i> 1994
1580	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	82.5 % survival/normal & UV	Not toxic	6.1	Ankley <i>et al.</i> 1994
1580	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	92.5 % survival	Not toxic	6.1	Ankley <i>et al.</i> 1994
1580	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.65 mg growth	Toxic	6.1	Ankley <i>et al.</i> 1994
1616	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	3.97	MPCA 1997c
1616	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.77 EC50 biolum.#	Not toxic	3.97	MPCA 1997c
1616	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	3.97	MPCA 1997c
1616	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.49 mg growth	Not toxic	3.97	MPCA 1997c
1616	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	3.97	MPCA 1997c
1696	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	58 % survival	Not toxic	4.05	MPCA 1997c
1696	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.4 EC50 biolum.#	Toxic	4.05	MPCA 1997c
1696	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.35 mg growth	Not toxic	4.05	MPCA 1997c
1696	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	20.9 % red. biolum.^	Toxic	4.05	MPCA 1997c
1696	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	85 % survival	Not toxic	4.05	MPCA 1997c
1719	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	87 % survival	Not toxic	6.72	MPCA 1997c
1719	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	88 % survival	Not toxic	6.72	MPCA 1997c
1719	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.35 EC50 biolum.#	Not toxic	6.72	MPCA 1997c
1719	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	6.72	MPCA 1997c
1719	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.46 mg growth	Not toxic	6.72	MPCA 1997c

**Table G-12. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Benzo(a)pyrene in the St. Louis River Area of Concern**

Benzo(a)-pyrene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
1749	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	65 % survival	Not toxic	3.74	MPCA 1997c
1749	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.06 EC50 biolum.#	Not toxic	3.74	MPCA 1997c
1749	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.57 mg growth	Not toxic	3.74	MPCA 1997c
1749	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	3.74	MPCA 1997c
1749	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	3.74	MPCA 1997c
1900	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.96 EC50 biolum.#	Not toxic	4.36	MPCA 1997b
1900	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	4.36	MPCA 1997b
1900	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	-0.6 % red. biolum.^	Not toxic	4.36	MPCA 1997b
1900	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	68 % survival	Not toxic	4.36	MPCA 1997b
2588	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.18 mg growth	Toxic	26.54	IT Corp. 1996
2588	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	83 % survival	Not toxic	26.54	IT Corp. 1996
2588	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	26.54	IT Corp. 1996
2588	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.3 mg growth	Not toxic	26.54	IT Corp. 1996
2902	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	83 % survival	Not toxic	6.15	IT Corp. 1996
2902	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.15 mg growth	Toxic	6.15	IT Corp. 1996
2902	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	77 % survival	Not toxic	6.15	IT Corp. 1996
2902	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.84 mg growth	Toxic	6.15	IT Corp. 1996
2926	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	67.9 % red. biolum.^	Toxic	14.19	MPCA 1997b
2926	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.16 EC50 biolum.#	Toxic	14.19	MPCA 1997b
2926	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0 % survival	Toxic	14.19	MPCA 1997b
2926	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	12 % survival	Toxic	14.19	MPCA 1997b
3300	D-S Harbor - Slip C	10 day	Diptera	<i>Chironomus tentans</i>	LAR	55 % survival	Toxic	NR	Crane <i>et al.</i> 1997
3300	D-S Harbor - Slip C	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
3648	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.73 EC50 biolum.#	Not toxic	3.07	MPCA 1997b
3648	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	32.24 % red. biolum.^	Toxic	3.07	MPCA 1997b
3648	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	55 % survival	Not toxic	3.07	MPCA 1997b
3744	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.17 mg growth	Toxic	45.37	IT Corp. 1996
3744	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	92 % survival	Not toxic	45.37	IT Corp. 1996
3744	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	87 % survival	Not toxic	45.37	IT Corp. 1996
3744	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.07 mg growth	Toxic	45.37	IT Corp. 1996
3900	D-S Harbor - Minnesota Slip	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	89 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
3900	D-S Harbor - Minnesota Slip	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
3920	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	95 % survival	Not toxic	5.59	MPCA 1997b
3920	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.16 EC50 biolum.#	Toxic	5.59	MPCA 1997b

**Table G-12. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Benzo(a)pyrene in the St. Louis River Area of Concern**

Benzo(a)-pyrene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
3920	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	5.59	MPCA 1997b
3920	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	4 % red. biolum.^	Not toxic	5.59	MPCA 1997b
4262	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0 % survival	Toxic	8.26	MPCA 1997b
4262	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.06 EC50 biolum.#	Toxic	8.26	MPCA 1997b
4262	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0 % survival	Toxic	8.26	MPCA 1997b
4262	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	99.9 % red. biolum.^	Toxic	8.26	MPCA 1997b
4685	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	4.13	MPCA 1997b
4685	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	21.7 % red. biolum.^	Toxic	4.13	MPCA 1997b
4685	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	4.13	MPCA 1997b
4685	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.35 EC50 biolum.#	Toxic	4.13	MPCA 1997b
4901	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	42.1 % red. biolum.^	Toxic	1.71	MPCA 1997c
4901	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.4 mg growth	Not toxic	1.71	MPCA 1997c
4901	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	78 % survival	Not toxic	1.71	MPCA 1997c
4901	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	1.71	MPCA 1997c
4901	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.27 EC50 biolum.#	Not toxic	1.71	MPCA 1997c
5300	St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	87 % survival	Not toxic	5.88	MPCA 1993
6226	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.18 mg growth	Not toxic	100	IT Corp. 1996
6226	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	60 % survival	Toxic	100	IT Corp. 1996
6226	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.23 mg growth	Not toxic	100	IT Corp. 1996
6226	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	100	IT Corp. 1996
6383	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	88 % survival	Not toxic	4.7	MPCA 1997b
6383	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	2.55 EC50 biolum.#	Not toxic	4.7	MPCA 1997b
6383	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	65 % survival	Not toxic	4.7	MPCA 1997b
6383	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	12.7 % red. biolum.^	Not toxic	4.7	MPCA 1997b
6455	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	85 % survival	Not toxic	6.03	MPCA 1997c
6455	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	58 % red. biolum.^	Toxic	6.03	MPCA 1997c
6455	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	4.07 EC50 biolum.#	Not toxic	6.03	MPCA 1997c
6463	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	53 % survival	Toxic	8.08	IT Corp. 1996
6463	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.8 mg growth	Toxic	8.08	IT Corp. 1996
6463	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	48 % survival	Toxic	8.08	IT Corp. 1996
6463	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.14 mg growth	Toxic	8.08	IT Corp. 1996
7129	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	30 % survival	Toxic	12.95	IT Corp. 1996
7129	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.65 mg growth	Not determined	12.95	IT Corp. 1996
7129	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	75 % survival	Toxic	12.95	IT Corp. 1996

**Table G-12. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Benzo(a)pyrene in the St. Louis River Area of Concern**

Benzo(a)-pyrene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
7129	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.1 mg growth	Toxic	12.95	IT Corp. 1996
7876	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.13 mg growth	Not determined	4.64	IT Corp. 1996
7876	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.16 mg growth	Toxic	4.64	IT Corp. 1996
7876	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	30 % survival	Toxic	4.64	IT Corp. 1996
7876	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	4.64	IT Corp. 1996
8942	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	93.4 % red. biolum.^	Toxic	13.91	MPCA 1997c
8942	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	18 % survival	Toxic	13.91	MPCA 1997c
8942	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.4 EC50 biolum.#	Toxic	13.91	MPCA 1997c
8942	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	13.91	MPCA 1997c
8942	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	13.91	MPCA 1997c
10000	St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	93 % survival	Not toxic	9.58	MPCA 1993
23866	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0 % survival	Toxic	50.12	IT Corp. 1996
23866	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	8 % survival	Toxic	50.12	IT Corp. 1996
23866	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.09 mg growth	Not determined	50.12	IT Corp. 1996
23866	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	Not determined	Not determined	50.12	IT Corp. 1996
39106	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.24 mg growth	Not determined	NR	IT Corp. 1996
39106	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	8 % survival	Toxic	NR	IT Corp. 1996
39106	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.07 mg growth	Not determined	NR	IT Corp. 1996
39106	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	30 % survival	Toxic	NR	IT Corp. 1996
71130	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0 % survival	Toxic	11.16	IT Corp. 1996
71130	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0 % survival	Toxic	11.16	IT Corp. 1996
71130	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	11.16	IT Corp. 1996
71130	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	Not determined	Not determined	11.16	IT Corp. 1996
88090	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.38 EC50 biolum.#	Toxic	11.98	MPCA 1997c
88090	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	84.7 % red. biolum.^	Toxic	11.98	MPCA 1997c
88090	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0 % survival	Toxic	11.98	MPCA 1997c
88090	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	12 % survival	Toxic	11.98	MPCA 1997c
88090	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	11.98	MPCA 1997c
170000	St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	63 % survival	Toxic	6.12	MPCA 1993

^ = relative to control; D-S = Duluth-Superior; # = expressed as % DW sediment; red. biolum. = reduced bioluminescence; EC50 = effective concentration affecting 50% of the population.  
 LAR = larvae; JUV = juvenile; TOC = total organic carbon; NR = not reported.

**Table G-13. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Chrysene in the St. Louis River Area of Concern**

Chrysene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
3.70	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	0.14 mg growth	Toxic	2.93	IT Corp. 1996
3.70	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	78 % survival	Not toxic	2.93	IT Corp. 1996
3.70	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.04 mg growth	Toxic	2.93	IT Corp. 1996
3.70	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	97 % survival	Not toxic	2.93	IT Corp. 1996
5.60	D-S Harbor - Miller & Coffee Creek Embayment	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	100 EC50 biolum.#	Not toxic	0.08	MPCA 1997b
5.60	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	90 % survival	Not toxic	0.08	MPCA 1997b
5.60	D-S Harbor	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	86 % survival	Not toxic	0.08	MPCA 1997b
5.60	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	26.3 % red. biolum.^	Toxic	0.08	MPCA 1997b
7.30	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	3.96 EC50 biolum.#	Not toxic	0.59	MPCA 1997b
7.30	Allouez Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	0.59	MPCA 1997b
7.30	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	0.59	MPCA 1997b
8.50	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.81 EC50 biolum.#	Not toxic	1.02	MPCA 1997b
8.50	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	29.7 % red. biolum.^	Toxic	1.02	MPCA 1997b
8.50	Allouez Bay	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	90 % survival	Not toxic	1.02	MPCA 1997b
8.50	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	26.2 % red. biolum.^	Toxic	0.35	MPCA 1997b
8.50	Allouez Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	55 % survival	Not toxic	0.35	MPCA 1997b
8.50	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	11.24 EC50 biolum.#	Not toxic	0.35	MPCA 1997b
8.50	Allouez Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	1.02	MPCA 1997b
9.00	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	100 EC50 biolum.#	Not toxic	0.12	MPCA 1997b
9.00	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	78 % survival	Not toxic	0.12	MPCA 1997b
9.00	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	3.4 % red. biolum.^	Not toxic	0.12	MPCA 1997b
9.00	St. Louis Bay	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	95 % survival	Not toxic	0.12	MPCA 1997b
10	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	67.3 % red. biolum.^	Toxic	0.14	MPCA 1997b
10	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	17.83 EC50 biolum.#	Not toxic	0.14	MPCA 1997b
10	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	0.14	MPCA 1997b
10	D-S Harbor	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	58 % survival	Not toxic	0.14	MPCA 1997b
23	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	4.94 EC50 biolum.#	Not toxic	0.2	MPCA 1997b
23	D-S Harbor	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	86 % survival	Not toxic	0.2	MPCA 1997b
23	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	0.2	MPCA 1997b
23	D-S Harbor	30 minute	Bacteria	<i>Chironomus tentans</i>	NA	25.2 % red. biolum.^	Toxic	0.2	MPCA 1997b
30	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	5.77	MPCA 1997b
30	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	6.73 EC50 biolum.#	Not toxic	5.77	MPCA 1997b
30	Spirit Lake	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	75 % survival	Not toxic	5.77	MPCA 1997b
30	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	6.4 % red. biolum.^	Not toxic	5.77	MPCA 1997b
33	Spirit Lake - Grassy Point	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
33	Spirit Lake - Grassy Point	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	80 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
34	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	90 % survival	Not toxic	0.16	MPCA 1997b
34	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	22.95 % red. biolum.^	Toxic	0.16	MPCA 1997b
34	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	100 EC50 biolum.#	Not toxic	0.16	MPCA 1997b

**Table G-13. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Chrysene in the St. Louis River Area of Concern**

Chrysene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
35	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	2.07 EC50 biolum.#	Not toxic	1.87	MPCA 1997c
35	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.53 mg growth	Not toxic	1.87	MPCA 1997c
35	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	21.8 % red. biolum.^	Toxic	1.87	MPCA 1997c
35	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	1.87	MPCA 1997c
35	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	93 % survival	Not toxic	1.87	MPCA 1997c
37	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	70 % survival	Not toxic	2.82	MPCA 1997b
37	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	10.2 % red. biolum.^	Not toxic	2.82	MPCA 1997b
37	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	2.82	MPCA 1997b
37	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.4 EC50 biolum.#	Toxic	2.82	MPCA 1997b
40	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	2.91	MPCA 1997b
40	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	90 % survival	Not toxic	2.91	MPCA 1997b
40	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	18.89 % red. biolum.^	Not toxic	2.91	MPCA 1997b
40	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.96 EC50 biolum.#	Not toxic	2.91	MPCA 1997b
41	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	1.42	MPCA 1997b
41	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.72 EC50 biolum.#	Not toxic	1.42	MPCA 1997b
41	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	41.98 % red. biolum.^	Toxic	1.42	MPCA 1997b
41	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	60 % survival	Not toxic	1.42	MPCA 1997b
<50	Superior Bay	48 hour	Cladoceran	<i>Ceriodaphnia dubia</i>	ADT	100 % survival	Not toxic	6.7	Wenck Associates Inc. 1995
<50	Superior Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	6.7	Wenck Associates Inc. 1995
<50	Superior Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.57 mg growth	Not toxic	6.7	Wenck Associates Inc. 1995
<50	Superior Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	100 % survival	Not toxic	6.7	Wenck Associates Inc. 1995
52	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	82 % survival	Not toxic	0.4	MPCA 1997b
52	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	0.4	MPCA 1997b
52	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	85 % survival	Not toxic	0.4	MPCA 1997b
52	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	88 % survival	Not toxic	0.4	MPCA 1997b
52	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	39.7 % red. biolum.^	Toxic	0.4	MPCA 1997b
52	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	100 EC50 biolum.#	Not toxic	0.4	MPCA 1997b
56	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	84 % survival	Not toxic	1.69	MPCA 1997c
56	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	12.1 % red. biolum.^	Not toxic	1.69	MPCA 1997c
56	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	4.29 EC50 biolum.#	Not toxic	1.69	MPCA 1997c
59	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	7.4 % red. biolum.^	Not toxic	2.59	MPCA 1997b
59	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	65 % survival	Not toxic	2.59	MPCA 1997b
59	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	97.5 % survival	Not toxic	2.59	MPCA 1997b
59	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.41 EC50 biolum.#	Toxic	2.59	MPCA 1997b
73	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	5.3 % red. biolum.^	Not toxic	2.7	MPCA 1997c
73	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	2.7	MPCA 1997c
73	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.52 EC50 biolum.#	Not toxic	2.7	MPCA 1997c
73	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	93 % survival	Not toxic	2.7	MPCA 1997c
73	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.52 EC50 biolum.#	Not toxic	2.7	MPCA 1997c
73	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.56 mg growth	Not toxic	2.7	MPCA 1997c

**Table G-13. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Chrysene in the St. Louis River Area of Concern**

Chrysene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
73	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	12 % red. biolum.^	Not toxic	2.7	MPCA 1997c
73	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	68 % survival	Not toxic	2.7	MPCA 1997c
73	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	2.7	MPCA 1997c
73	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.44 mg growth	Not toxic	2.7	MPCA 1997c
78	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.77 EC50 biolum.#	Not toxic	2.34	MPCA 1997c
78	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.37 mg growth	Not toxic	2.34	MPCA 1997c
78	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	95 % survival	Not toxic	2.34	MPCA 1997c
78	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	2.34	MPCA 1997c
78	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	12.1 % red. biolum.^	Not toxic	2.34	MPCA 1997c
86	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	-2.8 % red. biolum.^	Not toxic	1.82	MPCA 1997b
86	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	1.82	MPCA 1997b
86	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	3.56 EC50 biolum.#	Not toxic	1.82	MPCA 1997b
86	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	70 % survival	Not toxic	1.82	MPCA 1997b
93	Spirit Lake - Grassy Point	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
93	Spirit Lake - Grassy Point	10 day	Diptera	<i>Chironomus tentans</i>	LAR	92 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
102	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.96 EC50 biolum.#	Not toxic	1.35	MPCA 1997b
102	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	1.35	MPCA 1997b
102	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	1.35	MPCA 1997b
102	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	1.35	MPCA 1997b
106	St. Louis River - Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	90 % survival	Not toxic	4.84	MPCA 1997b
106	St. Louis River - Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.09 EC50 biolum.#	Toxic	4.84	MPCA 1997b
106	St. Louis River - Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	18.2 % red. biolum.^	Not toxic	4.84	MPCA 1997b
106	St. Louis River - Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	4.84	MPCA 1997b
107	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	28.8 % red. biolum.^	Toxic	3.25	MPCA 1997c
107	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	3.25	MPCA 1997c
107	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.42 EC50 biolum.#	Toxic	3.25	MPCA 1997c
111	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.46 mg growth	Not toxic	2.24	MPCA 1997c
111	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.3 EC50 biolum.#	Not toxic	2.24	MPCA 1997c
111	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	98 % survival	Not toxic	2.24	MPCA 1997c
111	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	2.24	MPCA 1997c
111	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	95 % survival	Not toxic	2.24	MPCA 1997c
147	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	88 % survival	Not toxic	3.85	MPCA 1997c
147	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	3.85	MPCA 1997c
147	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.64 mg growth	Not toxic	3.85	MPCA 1997c
147	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	3.82 EC50 biolum.#	Not toxic	3.85	MPCA 1997c
147	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	3.85	MPCA 1997c
191	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	87 % survival	Not toxic	1.65	MPCA 1997c
191	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	4.42 EC50 biolum.#	Not toxic	1.65	MPCA 1997c
191	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	1.65	MPCA 1997c
191	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	88 % survival	Not toxic	1.65	MPCA 1997c

**Table G-13. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Chrysene in the St. Louis River Area of Concern**

Chrysene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
191	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.53 mg growth	Not toxic	1.65	MPCA 1997c
224	St. Louis Harbor	10 day	Oligochaete	<i>Lumbriculus variegatus</i>	ADT	0.65 mg growth	Toxic	0.7	Ankley <i>et al.</i> 1994
224	St. Louis Harbor	10 day	Oligochaete	<i>Lumbriculus variegatus</i>	ADT	0 % survival/normal & UV	Toxic	0.7	Ankley <i>et al.</i> 1994
224	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.8 mg growth	Not toxic	0.7	Ankley <i>et al.</i> 1994
224	St. Louis Harbor	10 day	Oligochaete	<i>Lumbriculus variegatus</i>	ADT	85 % survival	Not toxic	0.7	Ankley <i>et al.</i> 1994
224	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	65 % survival/normal & UV	Toxic	0.7	Ankley <i>et al.</i> 1994
224	St. Louis Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	65 % survival	Not toxic	0.7	Ankley <i>et al.</i> 1994
224	St. Louis Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0 % survival/normal & UV	Toxic	0.7	Ankley <i>et al.</i> 1994
224	St. Louis Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.04 mg growth	Not determined	0.7	Ankley <i>et al.</i> 1994
224	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	87.5 % survival	Not toxic	0.7	Ankley <i>et al.</i> 1994
224	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.74 % weight using UV light	Not toxic	0.7	Ankley <i>et al.</i> 1994
245	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	97 % survival	Not toxic	2.98	MPCA 1997c
245	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	2.98	MPCA 1997c
245	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	10.5 % red. biolum.^	Not toxic	2.98	MPCA 1997c
245	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.58 mg growth	Not toxic	2.98	MPCA 1997c
245	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.92 EC50 biolum.#	Not toxic	2.98	MPCA 1997c
247	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	5.34	MPCA 1997b
247	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	5.34	MPCA 1997b
247	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	18.8 % red. biolum.^	Not toxic	5.34	MPCA 1997b
247	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.97 EC50 biolum.#	Not toxic	5.34	MPCA 1997b
304	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.2 mg growth	Not toxic	6.4	IT Corp. 1996
304	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.59 mg growth	Not toxic	6.4	IT Corp. 1996
304	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	6.4	IT Corp. 1996
304	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	87 % survival	Not toxic	6.4	IT Corp. 1996
330	Spirit Lake - Grassy Point	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
330	Spirit Lake - Grassy Point	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
340	Spirit Lake - Grassy Point	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
340	Spirit Lake - Grassy Point	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	75 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
354	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	1	MPCA 1997c
354	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	63 % survival	Toxic	1	MPCA 1997c
354	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0 % survival	Toxic	1	MPCA 1997c
354	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	52.4 % red. biolum.^	Toxic	1	MPCA 1997c
354	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.77 EC50 biolum.#	Not toxic	1	MPCA 1997c
364	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	88 % survival	Not toxic	3.95	MPCA 1997c
364	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	30.7 % red. biolum.^	Toxic	3.95	MPCA 1997c
364	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.51 EC50 biolum.#	Not toxic	3.95	MPCA 1997c
364	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.51 EC50 biolum.#	Not toxic	3.95	MPCA 1997c
364	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	70 % survival	Toxic	3.95	MPCA 1997c
364	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	23.7 % red. biolum.^	Toxic	3.95	MPCA 1997c
385	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.11 mg growth	Toxic	11.76	IT Corp. 1996

**Table G-13. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Chrysene in the St. Louis River Area of Concern**

Chrysene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
385	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	11.76	IT Corp. 1996
385	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	67 % survival	Not toxic	11.76	IT Corp. 1996
385	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.02 mg growth	Toxic	11.76	IT Corp. 1996
387	St. Louis Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.04 mg growth	Toxic	4.1	Ankley <i>et al.</i> 1994
387	St. Louis Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	72.5 % survival/normal & UV	Not toxic	4.1	Ankley <i>et al.</i> 1994
387	St. Louis Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	80 % survival	Not toxic	4.1	Ankley <i>et al.</i> 1994
387	St. Louis Harbor	10 day	Oligochaete	<i>Lumbriculus variegatus</i>	ADT	100 % survival	Not toxic	4.1	Ankley <i>et al.</i> 1994
387	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.08 % weight using UV light	Not toxic	4.1	Ankley <i>et al.</i> 1994
387	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	95 % survival/normal & UV	Not toxic	4.1	Ankley <i>et al.</i> 1994
387	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	4.1	Ankley <i>et al.</i> 1994
387	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.93 mg growth	Not toxic	4.1	Ankley <i>et al.</i> 1994
387	St. Louis Harbor	10 day	Oligochaete	<i>Lumbriculus variegatus</i>	ADT	87.5 % survival/normal & UV	Not toxic	4.1	Ankley <i>et al.</i> 1994
387	St. Louis Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.05 % weight using UV light	Not toxic	4.1	Ankley <i>et al.</i> 1994
387	St. Louis Harbor	10 day	Oligochaete	<i>Lumbriculus variegatus</i>	ADT	0.83 % weight using UV light	Toxic	4.1	Ankley <i>et al.</i> 1994
387	St. Louis Harbor	10 day	Oligochaete	<i>Lumbriculus variegatus</i>	ADT	0.85 mg growth	Not toxic	4.1	Ankley <i>et al.</i> 1994
404	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	1.37	MPCA 1997c
404	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	8.2 % red. biolum.^	Not toxic	1.37	MPCA 1997c
404	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.57 mg growth	Not toxic	1.37	MPCA 1997c
404	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	3.52 EC50 biolum.#	Not toxic	1.37	MPCA 1997c
404	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	52 % survival	Not toxic	1.37	MPCA 1997c
467	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.2 % red. biolum.^	Not toxic	3.4	MPCA 1997c
467	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	3.4	MPCA 1997c
467	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.49 mg growth	Not toxic	3.4	MPCA 1997c
467	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.74 EC50 biolum.#	Not toxic	3.4	MPCA 1997c
467	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.74 EC50 biolum.#	Not toxic	3.4	MPCA 1997c
467	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	87 % survival	Not toxic	3.4	MPCA 1997c
467	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	77 % survival	Not toxic	3.4	MPCA 1997c
467	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.37 mg growth	Not toxic	3.4	MPCA 1997c
467	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.9 % red. biolum.^	Not toxic	3.4	MPCA 1997c
467	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	87 % survival	Not toxic	3.4	MPCA 1997c
482	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.76 EC50 biolum.#	Not toxic	4.02	MPCA 1997c
482	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	4.02	MPCA 1997c
482	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	57 % survival	Toxic	4.02	MPCA 1997c
482	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	4.1 % red. biolum.^	Not toxic	4.02	MPCA 1997c
482	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	4.02	MPCA 1997c
556	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	23.05 % red. biolum.^	Toxic	0.24	MPCA 1997b
556	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	72 % survival	Not toxic	0.24	MPCA 1997b
556	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	52 % survival	Not toxic	0.24	MPCA 1997b
556	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	100 EC50 biolum.#	Not toxic	0.24	MPCA 1997b
570	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	96 % survival	Not toxic	NR	Crane <i>et al.</i> 1997

**Table G-13. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Chrysene in the St. Louis River Area of Concern**

Chrysene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
632	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.67 EC50 biolum.#	Not toxic	2.43	MPCA 1997c
632	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	8.5 % red. biolum.^	Not toxic	2.43	MPCA 1997c
632	St. Louis Bay	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	95 % survival	Not toxic	2.43	MPCA 1997c
690	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	96 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
710	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	5.4 % red. biolum.^	Not toxic	1.44	MPCA 1997c
710	D-S Harbor	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	98 % survival	Not toxic	1.44	MPCA 1997c
710	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.14 EC50 biolum.#	Not toxic	1.44	MPCA 1997c
740	D-S Harbor - Slip C	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
740	D-S Harbor - Slip C	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	85 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
740	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	93 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
761	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	82 % survival	Not toxic	23.1	IT Corp. 1996
761	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	100 % survival	Not toxic	23.1	IT Corp. 1996
761	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	0.2 mg growth	Not toxic	23.1	IT Corp. 1996
761	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.35 mg growth	Not toxic	23.1	IT Corp. 1996
772	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.24 EC50 biolum.#	Toxic	4.11	MPCA 1997b
772	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	88 % survival	Not toxic	4.11	MPCA 1997b
772	D-S Harbor	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	98 % survival	Not toxic	4.11	MPCA 1997b
772	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	68 % survival	Not toxic	4.11	MPCA 1997b
772	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	15.5 % red. biolum.^	Not toxic	4.11	MPCA 1997b
772	D-S Harbor	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	72 % survival	Not toxic	4.11	MPCA 1997b
779	D-S Harbor	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	69 % survival	Not toxic	4.54	MPCA 1997b
779	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	5 % survival	Not toxic	4.54	MPCA 1997b
779	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.05 EC50 biolum.#	Toxic	4.54	MPCA 1997b
779	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	30 % red. biolum.^	Toxic	4.54	MPCA 1997b
790	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	96 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
790	D-S Harbor - Slip C	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	96 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
830	Spirit Lake - Grassy Point	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	82 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
830	Spirit Lake - Grassy Point	10 day	Diptera	<i>Chironomus tentans</i>	LAR	82 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
920	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	3.87	MPCA 1997c
920	St. Louis Bay	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	93 % survival	Not toxic	3.87	MPCA 1997c
920	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.41 EC50 biolum.#	Toxic	3.87	MPCA 1997c
920	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Diptera	<i>Chironomus tentans</i>	LAR	90 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
920	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	90 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
920	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.23 mg growth	Toxic	3.87	MPCA 1997c
920	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.1 % red. biolum.^	Not toxic	3.87	MPCA 1997c
940	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	90 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
940	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
960	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	72 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
960	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
1000	D-S Harbor - NW side of Lakehead Dock	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.04 mg growth	Not toxic	8.4	Wenck Associates Inc. 1995

**Table G-13. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Chrysene in the St. Louis River Area of Concern**

Chrysene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
1000	D-S Harbor - NW side of Lakehead Dock	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	95 % survival	Not toxic	8.4	Wenck Associates Inc. 1995
1000	D-S Harbor - NW side of Lakehead Dock	10 day	Diptera	<i>Chironomus tentans</i>	LAR	100 % survival	Not toxic	8.4	Wenck Associates Inc. 1995
1000	D-S Harbor - NW side of Lakehead Dock	48 hour	Cladoceran	<i>Ceriodaphnia dubia</i>	ADT	100 % survival	Not toxic	8.4	Wenck Associates Inc. 1995
1008	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	26.1 % red. biolum.^	Toxic	0.82	MPCA 1997b
1008	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	59 % survival	Not toxic	0.82	MPCA 1997b
1008	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.05 EC50 biolum.#	Toxic	0.82	MPCA 1997b
1008	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0 % survival	Toxic	0.82	MPCA 1997b
1045	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.1 % red. biolum.^	Not toxic	13.81	MPCA 1997b
1045	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	3.88 EC50 biolum.#	Not toxic	13.81	MPCA 1997b
1045	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	98 % survival	Not toxic	13.81	MPCA 1997b
1045	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	62 % survival	Not toxic	13.81	MPCA 1997b
1054	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	83 % survival	Not toxic	26.54	IT Corp. 1996
1054	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	26.54	IT Corp. 1996
1054	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.3 mg growth	Not toxic	26.54	IT Corp. 1996
1054	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.18 mg growth	Toxic	26.54	IT Corp. 1996
1100	Spirit Lake - Grassy Point	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
1100	Spirit Lake - Grassy Point	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	65 % survival	Toxic	NR	Crane <i>et al.</i> 1997
1100	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Diptera	<i>Chironomus tentans</i>	LAR	78 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
1100	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	98 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
1102	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.32 EC50 biolum.#	Toxic	2.63	MPCA 1997b
1102	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	75 % survival	Not toxic	2.63	MPCA 1997b
1102	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	68 % survival	Not toxic	2.63	MPCA 1997b
1102	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	33.45 % red. biolum.^	Toxic	2.63	MPCA 1997b
1114	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.5 EC50 biolum.#	Not toxic	3.99	MPCA 1997c
1114	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	86 % survival	Not toxic	3.99	MPCA 1997c
1114	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	3.99	MPCA 1997c
1200	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
1200	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
1273	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	75 % survival	Toxic	8.97	MPCA 1997c
1273	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	42.1 % red. biolum.^	Toxic	8.97	MPCA 1997c
1273	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.05 EC50 biolum.#	Toxic	8.97	MPCA 1997c
1273	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	3 % survival	Toxic	8.97	MPCA 1997c
1273	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	8.97	MPCA 1997c
1336	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.37 EC50 biolum.#	Toxic	3.98	MPCA 1997b
1336	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	8.6 % red. biolum.^	Not toxic	3.98	MPCA 1997b
1336	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	3.98	MPCA 1997b
1336	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	3.98	MPCA 1997b
1352	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	4.05	MPCA 1997b
1352	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	8.3 % red. biolum.^	Not toxic	4.05	MPCA 1997b
1352	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	67 % survival	Not toxic	4.05	MPCA 1997b

**Table G-13. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Chrysene in the St. Louis River Area of Concern**

Chrysene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
1352	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.36 EC50 biolum.#	Toxic	4.05	MPCA 1997b
1371	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	20 % red. biolum.^	Toxic	4.48	MPCA 1997c
1371	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.29 EC50 biolum.#	Toxic	4.48	MPCA 1997c
1371	St. Louis Bay	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	16 % survival	Toxic	4.48	MPCA 1997c
1423	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.38 EC50 biolum.#	Toxic	13.98	MPCA 1997b
1423	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	82 % survival	Not toxic	13.98	MPCA 1997b
1423	St. Louis Bay	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	56 % survival	Not toxic	13.98	MPCA 1997b
1423	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	29.59 % red. biolum.^	Toxic	13.98	MPCA 1997b
1467	Spirit Lake	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	90 % survival	Not toxic	3.74	MPCA 1997c
1467	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	65 % survival	Not toxic	3.74	MPCA 1997c
1467	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.06 EC50 biolum.#	Not toxic	3.74	MPCA 1997c
1467	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.57 mg growth	Not toxic	3.74	MPCA 1997c
1467	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	3.74	MPCA 1997c
1513	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	17.49	MPCA 1997b
1513	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	17.49	MPCA 1997b
1513	Spirit Lake	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	75 % survival	Not toxic	17.49	MPCA 1997b
1513	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.49 EC50 biolum.#	Not toxic	17.49	MPCA 1997b
1517	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.47 EC50 biolum.#	Toxic	2.13	MPCA 1997b
1517	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	82 % survival	Not toxic	2.13	MPCA 1997b
1517	St. Louis Bay	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	86 % survival	Not toxic	2.13	MPCA 1997b
1517	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	29.6 % red. biolum.^	Toxic	2.13	MPCA 1997b
1567	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	7.4 % red. biolum.^	Not toxic	29.84	MPCA 1997c
1567	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.12 EC50 biolum.#	Not toxic	29.84	MPCA 1997c
1567	St. Louis Bay	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	93 % survival	Not toxic	29.84	MPCA 1997c
1567	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.43 mg growth	Not toxic	29.84	MPCA 1997c
1567	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	45 % survival	Not toxic	29.84	MPCA 1997c
1580	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.82 EC50 biolum.#	Not toxic	4.47	MPCA 1997b
1580	Allouez Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	68 % survival	Not toxic	4.47	MPCA 1997b
1580	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	33.03 % red. biolum.^	Toxic	4.47	MPCA 1997b
1580	Allouez Bay	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	85 % survival	Not toxic	4.47	MPCA 1997b
1586	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.07 mg growth	Toxic	45.37	IT Corp. 1996
1586	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	87 % survival	Not toxic	45.37	IT Corp. 1996
1586	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	0.17 mg growth	Toxic	45.37	IT Corp. 1996
1586	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	92 % survival	Not toxic	45.37	IT Corp. 1996
1588	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	3.97	MPCA 1997c
1588	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.77 EC50 biolum.#	Not toxic	3.97	MPCA 1997c
1588	St. Louis Bay	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	90 % survival	Not toxic	3.97	MPCA 1997c
1588	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.49 mg growth	Not toxic	3.97	MPCA 1997c
1588	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	3.97	MPCA 1997c
1588	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.96 EC50 biolum.#	Not toxic	4.36	MPCA 1997b

**Table G-13. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Chrysene in the St. Louis River Area of Concern**

Chrysene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
1588	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	-0.6 % red. biolum.^	Not toxic	4.36	MPCA 1997b
1588	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	4.36	MPCA 1997b
1588	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	68 % survival	Not toxic	4.36	MPCA 1997b
1604	St. Louis Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.08 mg growth	Not determined	6.1	Ankley <i>et al.</i> 1994
1604	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	92.5 % survival	Not toxic	6.1	Ankley <i>et al.</i> 1994
1604	St. Louis Harbor	10 day	Oligochaete	<i>Lumbriculus variegatus</i>	ADT	0 % survival/normal & UV	Toxic	6.1	Ankley <i>et al.</i> 1994
1604	St. Louis Harbor	10 day	Oligochaete	<i>Lumbriculus variegatus</i>	ADT	0.54 mg growth	Toxic	6.1	Ankley <i>et al.</i> 1994
1604	St. Louis Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	2.5 % survival/normal & UV	Toxic	6.1	Ankley <i>et al.</i> 1994
1604	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	82.5 % survival/normal & UV	Not toxic	6.1	Ankley <i>et al.</i> 1994
1604	St. Louis Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	42.5 % survival	Toxic	6.1	Ankley <i>et al.</i> 1994
1604	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.8 % weight using UV light	Not toxic	6.1	Ankley <i>et al.</i> 1994
1604	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.65 mg growth	Toxic	6.1	Ankley <i>et al.</i> 1994
1604	St. Louis Harbor	10 day	Oligochaete	<i>Lumbriculus variegatus</i>	ADT	75 % survival	Toxic	6.1	Ankley <i>et al.</i> 1994
1628	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	20.18 % red. biolum.^	Toxic	3.47	MPCA 1997b
1628	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	3.47	MPCA 1997b
1628	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	94 % survival	Not toxic	3.47	MPCA 1997b
1628	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.48 EC50 biolum.#	Toxic	3.47	MPCA 1997b
1672	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	83 % survival	Not toxic	6.15	IT Corp. 1996
1672	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.84 mg growth	Toxic	6.15	IT Corp. 1996
1672	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	77 % survival	Not toxic	6.15	IT Corp. 1996
1672	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.15 mg growth	Toxic	6.15	IT Corp. 1996
1700	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Diptera	<i>Chironomus tentans</i>	LAR	68 % survival	Toxic	NR	Crane <i>et al.</i> 1997
1700	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	85 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
1748	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.35 mg growth	Not toxic	4.05	MPCA 1997c
1748	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	20.9 % red. biolum.^	Toxic	4.05	MPCA 1997c
1748	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.4 EC50 biolum.#	Toxic	4.05	MPCA 1997c
1748	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	58 % survival	Not toxic	4.05	MPCA 1997c
1748	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	85 % survival	Not toxic	4.05	MPCA 1997c
1881	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	88 % survival	Not toxic	6.72	MPCA 1997c
1881	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.35 EC50 biolum.#	Not toxic	6.72	MPCA 1997c
1881	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.46 mg growth	Not toxic	6.72	MPCA 1997c
1881	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	6.72	MPCA 1997c
1881	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	87 % survival	Not toxic	6.72	MPCA 1997c
1948	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	52 % survival	Toxic	3.42	IT Corp. 1996
1948	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.56 mg growth	Not determined	3.42	IT Corp. 1996
1948	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	38 % survival	Toxic	3.42	IT Corp. 1996
1948	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.2 mg growth	Not toxic	3.42	IT Corp. 1996
2278	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	12 % survival	Toxic	14.19	MPCA 1997b
2278	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.16 EC50 biolum.#	Toxic	14.19	MPCA 1997b
2278	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0 % survival	Toxic	14.19	MPCA 1997b

**Table G-13. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Chrysene in the St. Louis River Area of Concern**

Chrysene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
2278	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	67.9 % red. biolum.^	Toxic	14.19	MPCA 1997b
2303	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	30.8 % red. biolum.^	Toxic	6.77	MPCA 1997c
2303	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	18 % survival	Toxic	6.77	MPCA 1997c
2303	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	6.77	MPCA 1997c
2303	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.02 EC50 biolum.#	Toxic	6.77	MPCA 1997c
2303	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	6.77	MPCA 1997c
2728	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	55 % survival	Not toxic	3.07	MPCA 1997b
2728	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	32.24 % red. biolum.^	Toxic	3.07	MPCA 1997b
2728	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.73 EC50 biolum.#	Not toxic	3.07	MPCA 1997b
2900	St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	87 % survival	Not toxic	5.88	MPCA 1993
3400	D-S Harbor - Slip C	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
3400	D-S Harbor - Slip C	10 day	Diptera	<i>Chironomus tentans</i>	LAR	55 % survival	Toxic	NR	Crane <i>et al.</i> 1997
3770	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	53 % survival	Toxic	8.08	IT Corp. 1996
3770	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.14 mg growth	Toxic	8.08	IT Corp. 1996
3770	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.8 mg growth	Toxic	8.08	IT Corp. 1996
3770	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	48 % survival	Toxic	8.08	IT Corp. 1996
3942	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	99.9 % red. biolum.^	Toxic	8.26	MPCA 1997b
3942	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.06 EC50 biolum.#	Toxic	8.26	MPCA 1997b
3942	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0 % survival	Toxic	8.26	MPCA 1997b
3942	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0 % survival	Toxic	8.26	MPCA 1997b
4068	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	4.13	MPCA 1997b
4068	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	4.13	MPCA 1997b
4068	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.35 EC50 biolum.#	Toxic	4.13	MPCA 1997b
4068	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	21.7 % red. biolum.^	Toxic	4.13	MPCA 1997b
4669	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.23 mg growth	Not toxic	100	IT Corp. 1996
4669	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	60 % survival	Toxic	100	IT Corp. 1996
4669	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	100	IT Corp. 1996
4669	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.18 mg growth	Not toxic	100	IT Corp. 1996
4706	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.27 EC50 biolum.#	Not toxic	1.71	MPCA 1997c
4706	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.4 mg growth	Not toxic	1.71	MPCA 1997c
4706	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	78 % survival	Not toxic	1.71	MPCA 1997c
4706	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	1.71	MPCA 1997c
4706	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	42.1 % red. biolum.^	Toxic	1.71	MPCA 1997c
4786	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	5.59	MPCA 1997b
4786	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.16 EC50 biolum.#	Toxic	5.59	MPCA 1997b
4786	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	95 % survival	Not toxic	5.59	MPCA 1997b
4786	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	4 % red. biolum.^	Not toxic	5.59	MPCA 1997b
5780	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	75 % survival	Toxic	12.95	IT Corp. 1996
5780	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.1 mg growth	Toxic	12.95	IT Corp. 1996
5780	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.65 mg growth	Not determined	12.95	IT Corp. 1996

**Table G-13. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Chrysene in the St. Louis River Area of Concern**

Chrysene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
5780	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	30 % survival	Toxic	12.95	IT Corp. 1996
6271	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	13.91	MPCA 1997c
6271	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	18 % survival	Toxic	13.91	MPCA 1997c
6271	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	93.4 % red. biolum.^	Toxic	13.91	MPCA 1997c
6271	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	13.91	MPCA 1997c
6271	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.4 EC50 biolum.#	Toxic	13.91	MPCA 1997c
6410	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	2.55 EC50 biolum.#	Not toxic	4.7	MPCA 1997b
6410	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	88 % survival	Not toxic	4.7	MPCA 1997b
6410	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	65 % survival	Not toxic	4.7	MPCA 1997b
6410	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	12.7 % red. biolum.^	Not toxic	4.7	MPCA 1997b
6500	D-S Harbor - Minnesota Slip	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
7800	St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	93 % survival	Not toxic	9.58	MPCA 1993
8054	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	85 % survival	Not toxic	6.03	MPCA 1997c
8054	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	58 % red. biolum.^	Toxic	6.03	MPCA 1997c
8054	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	4.07 EC50 biolum.#	Not toxic	6.03	MPCA 1997c
8861	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	30 % survival	Toxic	4.64	IT Corp. 1996
8861	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.13 mg growth	Not determined	4.64	IT Corp. 1996
8861	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	4.64	IT Corp. 1996
8861	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.16 mg growth	Toxic	4.64	IT Corp. 1996
9800	D-S Harbor - Minnesota Slip	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	89 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
23866	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0 % survival	Toxic	50.12	IT Corp. 1996
23866	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.09 mg growth	Not determined	50.12	IT Corp. 1996
23866	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	8 % survival	Toxic	50.12	IT Corp. 1996
23866	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	Not determined	Not determined	50.12	IT Corp. 1996
36313	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	30 % survival	Toxic	NR	IT Corp. 1996
36313	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.07 mg growth	Not determined	NR	IT Corp. 1996
36313	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	8 % survival	Toxic	NR	IT Corp. 1996
36313	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.24 mg growth	Not determined	NR	IT Corp. 1996
83682	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	Not determined	Not determined	11.16	IT Corp. 1996
83682	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0 % survival	Toxic	11.16	IT Corp. 1996
83682	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0 % survival	Toxic	11.16	IT Corp. 1996
83682	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	11.16	IT Corp. 1996
88050	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.38 EC50 biolum.#	Toxic	11.98	MPCA 1997c
88050	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	84.7 % red. biolum.^	Toxic	11.98	MPCA 1997c
88050	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0 % survival	Toxic	11.98	MPCA 1997c
88050	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	12 % survival	Toxic	11.98	MPCA 1997c
88050	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	11.98	MPCA 1997c
190000	St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	63 % survival	Toxic	6.12	MPCA 1993

**Table G-13. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Chrysene in the St. Louis River Area of Concern**

Chrysene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
---------------------	------	------------------	---------------	---------	------------	--------------------	--------	------------	-----------

^ = relative to control; D-S = Duluth-Superior; # = expressed as % DW sediment; red. biolum. = reduced bioluminescence; EC50 = effective concentration affecting 50% of the population.  
 LAR = larvae; JUV = juvenile; TOC = total organic carbon; NR = not reported.

**Table G-14. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Fluoranthene in the St. Louis River Area of Concern**

Fluoranthene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
6.20	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	26.3 % red. biolum.^	Toxic	0.08	MPCA 1997b
6.20	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	100 EC50 biolum.#	Not toxic	0.08	MPCA 1997b
6.20	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	90 mg growth	Not toxic	0.08	MPCA 1997b
6.20	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	86 % survival	Not toxic	0.08	MPCA 1997b
10.8	Allouez Bay - Miller & Coffee Creek Embayment	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	11.24 EC50 biolum.#	Not toxic	0.35	MPCA 1997b
10.8	Allouez Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	55 % survival	Not toxic	0.35	MPCA 1997b
10.8	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	26.2 % red. biolum.^	Toxic	0.35	MPCA 1997b
11.0	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.14 mg growth	Toxic	2.93	IT Corp. 1996
11.0	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	78 % survival	Not toxic	2.93	IT Corp. 1996
11.0	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.04 mg growth	Toxic	2.93	IT Corp. 1996
11.0	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	97 % survival	Not toxic	2.93	IT Corp. 1996
11.9	Allouez Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	0.59	MPCA 1997b
11.9	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	0.59	MPCA 1997b
11.9	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	3.96 EC50 biolum.#	Not toxic	0.59	MPCA 1997b
12.0	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	78 % survival	Not toxic	0.12	MPCA 1997b
12.0	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	3.4 % red. biolum.^	Not toxic	0.12	MPCA 1997b
12.0	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	100 EC50 biolum.#	Not toxic	0.12	MPCA 1997b
12.0	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	95 % survival	Not toxic	0.12	MPCA 1997b
12.4	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	58 % survival	Not toxic	0.14	MPCA 1997b
12.4	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	17.83 EC50 biolum.#	Not toxic	0.14	MPCA 1997b
12.4	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	0.14	MPCA 1997b
12.4	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	67.3 % red. biolum.^	Toxic	0.14	MPCA 1997b
15.3	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	29.7 % red. biolum.^	Toxic	1.02	MPCA 1997b
15.3	Allouez Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	1.02	MPCA 1997b
15.3	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.81 EC50 biolum.#	Not toxic	1.02	MPCA 1997b
15.3	Allouez Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	1.02	MPCA 1997b
32.0	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	4.94 EC50 biolum.#	Not toxic	0.2	MPCA 1997b
32.0	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	86 % survival	Not toxic	0.2	MPCA 1997b
32.0	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	0.2	MPCA 1997b
32.0	D-S Harbor	30 minute	Bacteria	<i>Chironomus tentans</i>	NA	25.2 % red. biolum.^	Toxic	0.2	MPCA 1997b
53.1	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	90 % survival	Not toxic	0.16	MPCA 1997b
53.1	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	22.95 % red. biolum.^	Toxic	0.16	MPCA 1997b
53.1	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	100 EC50 biolum.#	Not toxic	0.16	MPCA 1997b
54.5	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	6.73 EC50 biolum.#	Not toxic	5.77	MPCA 1997b
54.5	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	75 % survival	Not toxic	5.77	MPCA 1997b
54.5	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	6.4 % red. biolum.^	Not toxic	5.77	MPCA 1997b

**Table G-14. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Fluoranthene in the St. Louis River Area of Concern**

Fluoranthene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
54.5	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	5.77	MPCA 1997b
59.0	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.96 EC50 biolum.#	Not toxic	2.91	MPCA 1997b
59.0	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	18.89 % red. biolum.^	Not toxic	2.91	MPCA 1997b
59.0	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	90 % survival	Not toxic	2.91	MPCA 1997b
59.0	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	2.91	MPCA 1997b
63.0	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	70 % survival	Not toxic	2.82	MPCA 1997b
63.0	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	2.82	MPCA 1997b
63.0	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.4 EC50 biolum.#	Toxic	2.82	MPCA 1997b
63.0	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	10.2 % red. biolum.^	Not toxic	2.82	MPCA 1997b
69.9	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	1.42	MPCA 1997b
69.9	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	60 % survival	Not toxic	1.42	MPCA 1997b
69.9	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.72 EC50 biolum.#	Not toxic	1.42	MPCA 1997b
69.9	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	41.98 % red. biolum.^	Toxic	1.42	MPCA 1997b
78.5	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	2.07 EC50 biolum.#	Not toxic	1.87	MPCA 1997c
78.5	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	93 % survival	Not toxic	1.87	MPCA 1997c
78.5	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	1.87	MPCA 1997c
78.5	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.53 mg growth	Not toxic	1.87	MPCA 1997c
78.5	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	21.8 % red. biolum.^	Toxic	1.87	MPCA 1997c
90.0	Superior Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	100 % survival	Not toxic	6.7	Wenck Associates Inc. 1995
90.0	Superior Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	6.7	Wenck Associates Inc. 1995
90.0	Superior Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.57 mg growth	Not toxic	6.7	Wenck Associates Inc. 1995
90.0	Superior Bay	48 hour	Cladoceran	<i>Ceriodaphnia dubia</i>	ADT	100 % survival	Not toxic	6.7	Wenck Associates Inc. 1995
90.5	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	7.4 % red. biolum.^	Not toxic	2.59	MPCA 1997b
90.5	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.41 EC50 biolum.#	Toxic	2.59	MPCA 1997b
90.5	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	65 % survival	Not toxic	2.59	MPCA 1997b
90.5	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	97.5 % survival	Not toxic	2.59	MPCA 1997b
92.8	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.52 EC50 biolum.#	Not toxic	2.7	MPCA 1997c
92.8	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	5.3 % red. biolum.^	Not toxic	2.7	MPCA 1997c
92.8	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	93 % survival	Not toxic	2.7	MPCA 1997c
92.8	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.52 EC50 biolum.#	Not toxic	2.7	MPCA 1997c
92.8	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	12 % red. biolum.^	Not toxic	2.7	MPCA 1997c
92.8	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	2.7	MPCA 1997c
92.8	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.56 mg growth	Not toxic	2.7	MPCA 1997c
92.8	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	68 % survival	Not toxic	2.7	MPCA 1997c
92.8	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.44 mg growth	Not toxic	2.7	MPCA 1997c
92.8	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	2.7	MPCA 1997c

**Table G-14. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Fluoranthene in the St. Louis River Area of Concer**

Fluoranthene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
95.0	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	100 EC50 biolum.#	Not toxic	0.4	MPCA 1997b
95.0	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	85 % survival	Not toxic	0.4	MPCA 1997b
95.0	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	39.7 % red. biolum.^	Toxic	0.4	MPCA 1997b
95.0	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	88 % survival	Not toxic	0.4	MPCA 1997b
95.0	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	0.4	MPCA 1997b
95.0	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	82 % survival	Not toxic	0.4	MPCA 1997b
98.0	Spirit Lake - Grassy Point	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	80 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
98.0	Spirit Lake - Grassy Point	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
111	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	84 % survival	Not toxic	1.69	MPCA 1997c
111	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	12.1 % red. biolum.^	Not toxic	1.69	MPCA 1997c
111	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	4.29 EC50 biolum.#	Not toxic	1.69	MPCA 1997c
117	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	3.56 EC50 biolum.#	Not toxic	1.82	MPCA 1997b
117	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	70 % survival	Not toxic	1.82	MPCA 1997b
117	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	1.82	MPCA 1997b
117	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	-2.8 % red. biolum.^	Not toxic	1.82	MPCA 1997b
127	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	12.1 % red. biolum.^	Not toxic	2.34	MPCA 1997c
127	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.37 mg growth	Not toxic	2.34	MPCA 1997c
127	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	95 % survival	Not toxic	2.34	MPCA 1997c
127	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	2.34	MPCA 1997c
127	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.77 EC50 biolum.#	Not toxic	2.34	MPCA 1997c
143	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	28.8 % red. biolum.^	Toxic	3.25	MPCA 1997c
143	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.42 EC50 biolum.#	Toxic	3.25	MPCA 1997c
143	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	3.25	MPCA 1997c
158	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	1.35	MPCA 1997b
158	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	1.35	MPCA 1997b
158	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.96 EC50 biolum.#	Not toxic	1.35	MPCA 1997b
158	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	1.35	MPCA 1997b
160	Spirit Lake - Grassy Point	10 day	Diptera	<i>Chironomus tentans</i>	LAR	92 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
160	Spirit Lake - Grassy Point	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
170	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	95 % survival	Not toxic	2.24	MPCA 1997c
170	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.3 EC50 biolum.#	Not toxic	2.24	MPCA 1997c
170	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.46 mg growth	Not toxic	2.24	MPCA 1997c
170	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	2.24	MPCA 1997c
170	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	98 % survival	Not toxic	2.24	MPCA 1997c
181	St. Louis Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0 % survival/normal & UV	Toxic	0.7	Ankley <i>et al.</i> 1994
181	St. Louis Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.04 mg growth	Not determined	0.7	Ankley <i>et al.</i> 1994

**Table G-14. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Fluoranthene in the St. Louis River Area of Concern**

Fluoranthene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
181	St. Louis Harbor	10 day	Oligochaete	<i>Lumbriculus variegatus</i>	ADT	0 % survival/normal & UV	Toxic	0.7	Ankley <i>et al.</i> 1994
181	St. Louis Harbor	10 day	Oligochaete	<i>Lumbriculus variegatus</i>	ADT	0.65 mg growth	Toxic	0.7	Ankley <i>et al.</i> 1994
181	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.74 % weight using UV light	Not toxic	0.7	Ankley <i>et al.</i> 1994
181	St. Louis Harbor	10 day	Oligochaete	<i>Lumbriculus variegatus</i>	ADT	85 % survival	Not toxic	0.7	Ankley <i>et al.</i> 1994
181	St. Louis Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	65 % survival	Not toxic	0.7	Ankley <i>et al.</i> 1994
181	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	65 % survival/normal & UV	Toxic	0.7	Ankley <i>et al.</i> 1994
181	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	87.5 % survival	Not toxic	0.7	Ankley <i>et al.</i> 1994
181	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.8 mg growth	Not toxic	0.7	Ankley <i>et al.</i> 1994
246	St. Louis River - Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	90 % survival	Not toxic	4.84	MPCA 1997b
246	St. Louis River - Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	18.2 % red. biolum.^	Not toxic	4.84	MPCA 1997b
246	St. Louis River - Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	4.84	MPCA 1997b
246	St. Louis River - Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.09 EC50 biolum.#	Toxic	4.84	MPCA 1997b
308	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	3.82 EC50 biolum.#	Not toxic	3.85	MPCA 1997c
308	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	88 % survival	Not toxic	3.85	MPCA 1997c
308	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	3.85	MPCA 1997c
308	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.64 mg growth	Not toxic	3.85	MPCA 1997c
308	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	3.85	MPCA 1997c
335	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	18.8 % red. biolum.^	Not toxic	5.34	MPCA 1997b
335	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	5.34	MPCA 1997b
335	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.97 EC50 biolum.#	Not toxic	5.34	MPCA 1997b
335	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	5.34	MPCA 1997b
362	St. Louis Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	72.5 % survival/normal & UV	Not toxic	4.1	Ankley <i>et al.</i> 1994
362	St. Louis Harbor	10 day	Oligochaete	<i>Lumbriculus variegatus</i>	ADT	87.5 % survival/normal & UV	Not toxic	4.1	Ankley <i>et al.</i> 1994
362	St. Louis Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.04 mg growth	Toxic	4.1	Ankley <i>et al.</i> 1994
362	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	4.1	Ankley <i>et al.</i> 1994
362	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.93 mg growth	Not toxic	4.1	Ankley <i>et al.</i> 1994
362	St. Louis Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	80 % survival	Not toxic	4.1	Ankley <i>et al.</i> 1994
362	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	95 % survival/normal & UV	Not toxic	4.1	Ankley <i>et al.</i> 1994
362	St. Louis Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.05 % weight using UV light	Not toxic	4.1	Ankley <i>et al.</i> 1994
362	St. Louis Harbor	10 day	Oligochaete	<i>Lumbriculus variegatus</i>	ADT	0.85 mg growth	Not toxic	4.1	Ankley <i>et al.</i> 1994
362	St. Louis Harbor	10 day	Oligochaete	<i>Lumbriculus variegatus</i>	ADT	0.83 % weight using UV light	Toxic	4.1	Ankley <i>et al.</i> 1994
362	St. Louis Harbor	10 day	Oligochaete	<i>Lumbriculus variegatus</i>	ADT	100 % survival	Not toxic	4.1	Ankley <i>et al.</i> 1994
362	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.08 % weight using UV light	Not toxic	4.1	Ankley <i>et al.</i> 1994
438	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	4.42 EC50 biolum.#	Not toxic	1.65	MPCA 1997c
438	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	1.65	MPCA 1997c
438	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	87 % survival	Not toxic	1.65	MPCA 1997c

**Table G-14. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Fluoranthene in the St. Louis River Area of Concern**

Fluoranthene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
438	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	88 % survival	Not toxic	1.65	MPCA 1997c
438	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.53 mg growth	Not toxic	1.65	MPCA 1997c
458	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.51 EC50 biolum.#	Not toxic	3.95	MPCA 1997c
458	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	88 % survival	Not toxic	3.95	MPCA 1997c
458	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	30.7 % red. biolum.^	Toxic	3.95	MPCA 1997c
458	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	70 % survival	Toxic	3.95	MPCA 1997c
458	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	23.7 % red. biolum.^	Toxic	3.95	MPCA 1997c
458	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.51 EC50 biolum.#	Not toxic	3.95	MPCA 1997c
530	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.92 EC50 biolum.#	Not toxic	2.98	MPCA 1997c
530	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	97 % survival	Not toxic	2.98	MPCA 1997c
530	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	10.5 % red. biolum.^	Not toxic	2.98	MPCA 1997c
530	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.58 mg growth	Not toxic	2.98	MPCA 1997c
530	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	2.98	MPCA 1997c
640	Spirit Lake - Grassy Point	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
640	Spirit Lake - Grassy Point	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
670	Spirit Lake - Grassy Point	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	75 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
670	Spirit Lake - Grassy Point	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
679	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	67 % survival	Not toxic	11.76	IT Corp. 1996
679	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	11.76	IT Corp. 1996
679	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.11 mg growth	Toxic	11.76	IT Corp. 1996
679	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.02 mg growth	Toxic	11.76	IT Corp. 1996
730	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	4.1 % red. biolum.^	Not toxic	4.02	MPCA 1997c
730	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	57 % survival	Toxic	4.02	MPCA 1997c
730	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	4.02	MPCA 1997c
730	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	4.02	MPCA 1997c
730	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.76 EC50 biolum.#	Not toxic	4.02	MPCA 1997c
776	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	6.4	IT Corp. 1996
776	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.59 mg growth	Not toxic	6.4	IT Corp. 1996
776	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.2 mg growth	Not toxic	6.4	IT Corp. 1996
776	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	87 % survival	Not toxic	6.4	IT Corp. 1996
804	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.74 EC50 biolum.#	Not toxic	3.4	MPCA 1997c
804	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.37 mg growth	Not toxic	3.4	MPCA 1997c
804	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	77 % survival	Not toxic	3.4	MPCA 1997c
804	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.9 % red. biolum.^	Not toxic	3.4	MPCA 1997c
804	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.2 % red. biolum.^	Not toxic	3.4	MPCA 1997c
804	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.74 EC50 biolum.#	Not toxic	3.4	MPCA 1997c

**Table G-14. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Fluoranthene in the St. Louis River Area of Concern**

Fluoranthene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
804	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	87 % survival	Not toxic	3.4	MPCA 1997c
804	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.49 mg growth	Not toxic	3.4	MPCA 1997c
804	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	3.4	MPCA 1997c
804	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	87 % survival	Not toxic	3.4	MPCA 1997c
950	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	1	MPCA 1997c
950	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0 % survival	Toxic	1	MPCA 1997c
950	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	52.4 % red. biolum.^	Toxic	1	MPCA 1997c
950	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.77 EC50 biolum.#	Not toxic	1	MPCA 1997c
950	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	63 % survival	Toxic	1	MPCA 1997c
970	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	96 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
1080	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	42.1 % red. biolum.^	Toxic	8.97	MPCA 1997c
1080	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	75 % survival	Toxic	8.97	MPCA 1997c
1080	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.05 EC50 biolum.#	Toxic	8.97	MPCA 1997c
1080	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	8.97	MPCA 1997c
1080	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	3 % survival	Toxic	8.97	MPCA 1997c
1084	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	5.4 % red. biolum.^	Not toxic	1.44	MPCA 1997c
1084	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	98 % survival	Not toxic	1.44	MPCA 1997c
1084	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.14 EC50 biolum.#	Not toxic	1.44	MPCA 1997c
1107	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	1.37	MPCA 1997c
1107	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	52 % survival	Not toxic	1.37	MPCA 1997c
1107	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	3.52 EC50 biolum.#	Not toxic	1.37	MPCA 1997c
1107	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	8.2 % red. biolum.^	Not toxic	1.37	MPCA 1997c
1107	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.57 mg growth	Not toxic	1.37	MPCA 1997c
1118	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	15.5 % red. biolum.^	Not toxic	4.11	MPCA 1997b
1118	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	72 % survival	Not toxic	4.11	MPCA 1997b
1118	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	88 % survival	Not toxic	4.11	MPCA 1997b
1118	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.24 EC50 biolum.#	Toxic	4.11	MPCA 1997b
1118	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	98 % survival	Not toxic	4.11	MPCA 1997b
1118	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	68 % survival	Not toxic	4.11	MPCA 1997b
1190	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.05 EC50 biolum.#	Toxic	4.54	MPCA 1997b
1190	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	69 % survival	Not toxic	4.54	MPCA 1997b
1190	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	5 % survival	Not toxic	4.54	MPCA 1997b
1190	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	30 % red. biolum.^	Toxic	4.54	MPCA 1997b
1200	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	93 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
1200	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	96 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
1300	D-S Harbor - Slip C	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	NR	Crane <i>et al.</i> 1997

**Table G-14. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Fluoranthene in the St. Louis River Area of Concer**

Fluoranthene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
1300	D-S Harbor - Slip C	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	85 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
1363	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	95 % survival	Not toxic	2.43	MPCA 1997c
1363	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	8.5 % red. biolum.^	Not toxic	2.43	MPCA 1997c
1363	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.67 EC50 biolum.#	Not toxic	2.43	MPCA 1997c
1388	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	52 % survival	Not toxic	0.24	MPCA 1997b
1388	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	23.05 % red. biolum.^	Toxic	0.24	MPCA 1997b
1388	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	72 % survival	Not toxic	0.24	MPCA 1997b
1388	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	100 EC50 biolum.#	Not toxic	0.24	MPCA 1997b
1400	Spirit Lake - Grassy Point	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	82 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
1400	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	96 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
1400	Spirit Lake - Grassy Point	10 day	Diptera	<i>Chironomus tentans</i>	LAR	82 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
1437	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	3.99	MPCA 1997c
1437	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	86 % survival	Not toxic	3.99	MPCA 1997c
1437	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.5 EC50 biolum.#	Not toxic	3.99	MPCA 1997c
1560	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.1 % red. biolum.^	Not toxic	3.87	MPCA 1997c
1560	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.23 mg growth	Toxic	3.87	MPCA 1997c
1560	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	3.87	MPCA 1997c
1560	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.41 EC50 biolum.#	Toxic	3.87	MPCA 1997c
1560	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	93 % survival	Not toxic	3.87	MPCA 1997c
1600	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
1600	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
1600	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Diptera	<i>Chironomus tentans</i>	LAR	90 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
1600	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
1651	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	4.05	MPCA 1997b
1651	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	8.3 % red. biolum.^	Not toxic	4.05	MPCA 1997b
1651	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	67 % survival	Not toxic	4.05	MPCA 1997b
1651	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.36 EC50 biolum.#	Toxic	4.05	MPCA 1997b
1700	D-S Harbor - Slip C	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	96 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
1700	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	72 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
1700	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
1745	St. Louis Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.08 mg growth	Not determined	6.1	Ankley <i>et al.</i> 1994
1745	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	92.5 % survival	Not toxic	6.1	Ankley <i>et al.</i> 1994
1745	St. Louis Harbor	10 day	Oligochaete	<i>Lumbriculus variegatus</i>	ADT	0 % survival/normal & UV	Toxic	6.1	Ankley <i>et al.</i> 1994
1745	St. Louis Harbor	10 day	Oligochaete	<i>Lumbriculus variegatus</i>	ADT	0.54 mg growth	Toxic	6.1	Ankley <i>et al.</i> 1994
1745	St. Louis Harbor	10 day	Oligochaete	<i>Lumbriculus variegatus</i>	ADT	75 % survival	Toxic	6.1	Ankley <i>et al.</i> 1994
1745	St. Louis Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	2.5 % survival/normal & UV	Toxic	6.1	Ankley <i>et al.</i> 1994

**Table G-14. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Fluoranthene in the St. Louis River Area of Concern**

Fluoranthene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
1745	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.65 mg growth	Toxic	6.1	Ankley <i>et al.</i> 1994
1745	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	82.5 % survival/normal & UV	Not toxic	6.1	Ankley <i>et al.</i> 1994
1745	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.8 % weight using UV light	Not toxic	6.1	Ankley <i>et al.</i> 1994
1745	St. Louis Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	42.5 % survival	Toxic	6.1	Ankley <i>et al.</i> 1994
1775	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.35 mg growth	Not toxic	23.1	IT Corp. 1996
1775	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	82 % survival	Not toxic	23.1	IT Corp. 1996
1775	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	23.1	IT Corp. 1996
1775	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.2 mg growth	Not toxic	23.1	IT Corp. 1996
1900	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
1900	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
1900	Spirit Lake - Grassy Point	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
1900	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	98 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
1900	Spirit Lake - Grassy Point	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	65 % survival	Toxic	NR	Crane <i>et al.</i> 1997
1900	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Diptera	<i>Chironomus tentans</i>	LAR	78 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
1901	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	29.6 % red. biolum.^	Toxic	2.13	MPCA 1997b
1901	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	82 % survival	Not toxic	2.13	MPCA 1997b
1901	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.47 EC50 biolum.#	Toxic	2.13	MPCA 1997b
1901	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	86 % survival	Not toxic	2.13	MPCA 1997b
1917	St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	26.54	IT Corp. 1996
1917	St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	83 % survival	Not toxic	26.54	IT Corp. 1996
1917	St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.18 mg growth	Toxic	26.54	IT Corp. 1996
1917	St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.3 mg growth	Not toxic	26.54	IT Corp. 1996
2048	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.1 % red. biolum.^	Not toxic	13.81	MPCA 1997b
2048	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	3.88 EC50 biolum.#	Not toxic	13.81	MPCA 1997b
2048	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	62 % survival	Not toxic	13.81	MPCA 1997b
2048	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	98 % survival	Not toxic	13.81	MPCA 1997b
2160	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.49 EC50 biolum.#	Not toxic	17.49	MPCA 1997b
2160	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	75 % survival	Not toxic	17.49	MPCA 1997b
2160	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	17.49	MPCA 1997b
2160	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	17.49	MPCA 1997b
2180	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	82 % survival	Not toxic	13.98	MPCA 1997b
2180	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.38 EC50 biolum.#	Toxic	13.98	MPCA 1997b
2180	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	56 % survival	Not toxic	13.98	MPCA 1997b
2180	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	29.59 % red. biolum.^	Toxic	13.98	MPCA 1997b
2200	D-S Harbor - NW side of Lakehead Dock	10 day	Diptera	<i>Chironomus tentans</i>	LAR	100 % survival	Not toxic	8.4	Wenck Associates Inc. 1995
2200	D-S Harbor - NW side of Lakehead Dock	48 hour	Cladoceran	<i>Ceriodaphnia dubia</i>	ADT	100 % survival	Not toxic	8.4	Wenck Associates Inc. 1995

**Table G-14. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Fluoranthene in the St. Louis River Area of Concern**

Fluoranthene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
2200	D-S Harbor - NW side of Lakehead Dock	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	95 % survival	Not toxic	8.4	Wenck Associates Inc. 1995
2200	D-S Harbor - NW side of Lakehead Dock	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.04 mg growth	Not toxic	8.4	Wenck Associates Inc. 1995
2204	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	8.6 % red. biolum.^	Not toxic	3.98	MPCA 1997b
2204	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	3.98	MPCA 1997b
2204	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	3.98	MPCA 1997b
2204	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.37 EC50 biolum.#	Toxic	3.98	MPCA 1997b
2223	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	33.03 % red. biolum.^	Toxic	4.47	MPCA 1997b
2223	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.82 EC50 biolum.#	Not toxic	4.47	MPCA 1997b
2223	Allouez Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	68 % survival	Not toxic	4.47	MPCA 1997b
2223	Allouez Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	85 % survival	Not toxic	4.47	MPCA 1997b
2382	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.48 EC50 biolum.#	Toxic	3.47	MPCA 1997b
2382	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	94 % survival	Not toxic	3.47	MPCA 1997b
2382	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	3.47	MPCA 1997b
2382	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	20.18 % red. biolum.^	Toxic	3.47	MPCA 1997b
2505	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	59 % survival	Not toxic	0.82	MPCA 1997b
2505	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.05 EC50 biolum.#	Toxic	0.82	MPCA 1997b
2505	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0 % survival	Toxic	0.82	MPCA 1997b
2505	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	26.1 % red. biolum.^	Toxic	0.82	MPCA 1997b
2549	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.02 EC50 biolum.#	Toxic	6.77	MPCA 1997c
2549	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	6.77	MPCA 1997c
2549	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	30.8 % red. biolum.^	Toxic	6.77	MPCA 1997c
2549	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	18 % survival	Toxic	6.77	MPCA 1997c
2549	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	6.77	MPCA 1997c
2580	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	16 % survival	Toxic	4.48	MPCA 1997c
2580	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.29 EC50 biolum.#	Toxic	4.48	MPCA 1997c
2580	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	20 % red. biolum.^	Toxic	4.48	MPCA 1997c
2636	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	65 % survival	Not toxic	3.74	MPCA 1997c
2636	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	3.74	MPCA 1997c
2636	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.57 mg growth	Not toxic	3.74	MPCA 1997c
2636	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.06 EC50 biolum.#	Not toxic	3.74	MPCA 1997c
2636	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	3.74	MPCA 1997c
2708	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	33.45 % red. biolum.^	Toxic	2.63	MPCA 1997b
2708	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	75 % survival	Not toxic	2.63	MPCA 1997b
2708	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	68 % survival	Not toxic	2.63	MPCA 1997b
2708	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.32 EC50 biolum.#	Toxic	2.63	MPCA 1997b
2760	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.56 mg growth	Not determined	3.42	IT Corp. 1996

**Table G-14. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Fluoranthene in the St. Louis River Area of Concern**

Fluoranthene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
2760	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	38 % survival	Toxic	3.42	IT Corp. 1996
2760	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.2 mg growth	Not toxic	3.42	IT Corp. 1996
2760	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	52 % survival	Toxic	3.42	IT Corp. 1996
2811	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	93 % survival	Not toxic	29.84	MPCA 1997c
2811	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.43 mg growth	Not toxic	29.84	MPCA 1997c
2811	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	45 % survival	Not toxic	29.84	MPCA 1997c
2811	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	7.4 % red. biolum.^	Not toxic	29.84	MPCA 1997c
2811	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.12 EC50 biolum.#	Not toxic	29.84	MPCA 1997c
2839	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.15 mg growth	Toxic	6.15	IT Corp. 1996
2839	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	77 % survival	Not toxic	6.15	IT Corp. 1996
2839	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.84 mg growth	Toxic	6.15	IT Corp. 1996
2839	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	83 % survival	Not toxic	6.15	IT Corp. 1996
2860	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	68 % survival	Not toxic	4.36	MPCA 1997b
2860	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	4.36	MPCA 1997b
2860	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.96 EC50 biolum.#	Not toxic	4.36	MPCA 1997b
2860	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	-0.6 % red. biolum.^	Not toxic	4.36	MPCA 1997b
2865	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	3.97	MPCA 1997c
2865	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	3.97	MPCA 1997c
2865	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	3.97	MPCA 1997c
2865	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.49 mg growth	Not toxic	3.97	MPCA 1997c
2865	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.77 EC50 biolum.#	Not toxic	3.97	MPCA 1997c
2900	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Diptera	<i>Chironomus tentans</i>	LAR	68 % survival	Toxic	NR	Crane <i>et al.</i> 1997
2900	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	85 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
3026	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.35 mg growth	Not toxic	4.05	MPCA 1997c
3026	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.4 EC50 biolum.#	Toxic	4.05	MPCA 1997c
3026	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	58 % survival	Not toxic	4.05	MPCA 1997c
3026	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	20.9 % red. biolum.^	Toxic	4.05	MPCA 1997c
3026	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	85 % survival	Not toxic	4.05	MPCA 1997c
3100	St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	87 % survival	Not toxic	5.88	MPCA 1993
3348	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	92 % survival	Not toxic	45.37	IT Corp. 1996
3348	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.07 mg growth	Toxic	45.37	IT Corp. 1996
3348	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	87 % survival	Not toxic	45.37	IT Corp. 1996
3348	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.17 mg growth	Toxic	45.37	IT Corp. 1996
4130	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.46 mg growth	Not toxic	6.72	MPCA 1997c
4130	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	87 % survival	Not toxic	6.72	MPCA 1997c
4130	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.35 EC50 biolum.#	Not toxic	6.72	MPCA 1997c

**Table G-14. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Fluoranthene in the St. Louis River Area of Concern**

Fluoranthene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
4130	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	6.72	MPCA 1997c
4130	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	88 % survival	Not toxic	6.72	MPCA 1997c
6710	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0 % survival	Toxic	14.19	MPCA 1997b
6710	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	12 % survival	Toxic	14.19	MPCA 1997b
6710	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	67.9 % red. biolum.^	Toxic	14.19	MPCA 1997b
6710	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.16 EC50 biolum.#	Toxic	14.19	MPCA 1997b
7406	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.35 EC50 biolum.#	Toxic	4.13	MPCA 1997b
7406	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	4.13	MPCA 1997b
7406	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	4.13	MPCA 1997b
7406	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	21.7 % red. biolum.^	Toxic	4.13	MPCA 1997b
7507	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.73 EC50 biolum.#	Not toxic	3.07	MPCA 1997b
7507	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	55 % survival	Not toxic	3.07	MPCA 1997b
7507	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	32.24 % red. biolum.^	Toxic	3.07	MPCA 1997b
7800	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.06 EC50 biolum.#	Toxic	8.26	MPCA 1997b
7800	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0 % survival	Toxic	8.26	MPCA 1997b
7800	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	99.9 % red. biolum.^	Toxic	8.26	MPCA 1997b
7800	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0 % survival	Toxic	8.26	MPCA 1997b
8419	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	42.1 % red. biolum.^	Toxic	1.71	MPCA 1997c
8419	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.27 EC50 biolum.#	Not toxic	1.71	MPCA 1997c
8419	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	1.71	MPCA 1997c
8419	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	78 % survival	Not toxic	1.71	MPCA 1997c
8419	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.4 mg growth	Not toxic	1.71	MPCA 1997c
8618	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	53 % survival	Toxic	8.08	IT Corp. 1996
8618	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.14 mg growth	Toxic	8.08	IT Corp. 1996
8618	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	48 % survival	Toxic	8.08	IT Corp. 1996
8618	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.8 mg growth	Toxic	8.08	IT Corp. 1996
8863	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	30 % survival	Toxic	12.95	IT Corp. 1996
8863	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.65 mg growth	Not determined	12.95	IT Corp. 1996
8863	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	75 % survival	Toxic	12.95	IT Corp. 1996
8863	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.1 mg growth	Toxic	12.95	IT Corp. 1996
9100	D-S Harbor - Slip C	10 day	Diptera	<i>Chironomus tentans</i>	LAR	55 % survival	Toxic	NR	Crane <i>et al.</i> 1997
9100	D-S Harbor - Slip C	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
9100	St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	93 % survival	Not toxic	9.58	MPCA 1993
9297	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	18 % survival	Toxic	13.91	MPCA 1997c
9297	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.4 EC50 biolum.#	Toxic	13.91	MPCA 1997c
9297	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	13.91	MPCA 1997c

**Table G-14. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Fluoranthene in the St. Louis River Area of Concern**

Fluoranthene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
9297	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	13.91	MPCA 1997c
9297	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	93.4 % red. biolum.^	Toxic	13.91	MPCA 1997c
9339	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	100	IT Corp. 1996
9339	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	60 % survival	Toxic	100	IT Corp. 1996
9339	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.18 mg growth	Not toxic	100	IT Corp. 1996
9339	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.23 mg growth	Not toxic	100	IT Corp. 1996
9500	D-S Harbor - Minnesota Slip	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	89 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
9946	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	4 % red. biolum.^	Not toxic	5.59	MPCA 1997b
9946	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	5.59	MPCA 1997b
9946	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	95 % survival	Not toxic	5.59	MPCA 1997b
9946	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.16 EC50 biolum.#	Toxic	5.59	MPCA 1997b
12943	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	88 % survival	Not toxic	4.7	MPCA 1997b
12943	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	65 % survival	Not toxic	4.7	MPCA 1997b
12943	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	12.7 % red. biolum.^	Not toxic	4.7	MPCA 1997b
12943	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	2.55 EC50 biolum.#	Not toxic	4.7	MPCA 1997b
13000	D-S Harbor - Minnesota Slip	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
16802	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	85 % survival	Not toxic	6.03	MPCA 1997c
16802	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	58 % red. biolum.^	Toxic	6.03	MPCA 1997c
16802	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	4.07 EC50 biolum.#	Not toxic	6.03	MPCA 1997c
23910	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	30 % survival	Toxic	4.64	IT Corp. 1996
23910	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.16 mg growth	Toxic	4.64	IT Corp. 1996
23910	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.13 mg growth	Not determined	4.64	IT Corp. 1996
23910	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	4.64	IT Corp. 1996
67039	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.24 mg growth	Not determined	NR	IT Corp. 1996
67039	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	8 % survival	Toxic	NR	IT Corp. 1996
67039	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.07 mg growth	Not determined	NR	IT Corp. 1996
67039	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	30 % survival	Toxic	NR	IT Corp. 1996
76372	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	Not determined	Not determined	50.12	IT Corp. 1996
76372	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0 % survival	Toxic	50.12	IT Corp. 1996
76372	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.09 mg growth	Not determined	50.12	IT Corp. 1996
76372	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	8 % survival	Toxic	50.12	IT Corp. 1996
163180	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	Not determined	Not determined	11.16	IT Corp. 1996
163180	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	11.16	IT Corp. 1996
163180	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0 % survival	Toxic	11.16	IT Corp. 1996
163180	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0 % survival	Toxic	11.16	IT Corp. 1996
246002	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.38 EC50 biolum.#	Toxic	11.98	MPCA 1997c

**Table G-14. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Fluoranthene in the St. Louis River Area of Concer**

Fluoranthene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
246002	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	84.7 % red. biolum.^	Toxic	11.98	MPCA 1997c
246002	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0 % survival	Toxic	11.98	MPCA 1997c
246002	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	12 % survival	Toxic	11.98	MPCA 1997c
246002	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	11.98	MPCA 1997c
530000	St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	63 % survival	Toxic	6.12	MPCA 1993

^ = relative to control; D-S = Duluth-Superior; # = expressed as % DW sediment; red. biolum. = reduced bioluminescence; EC50 = effective concentration affecting 50% of the population.

LAR = larvae; JUV = juvenile; TOC = total organic carbon; NR = not reported.

**Table G-15. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Pyrene in the St. Louis River Area of Concern**

Pyrene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
6.80	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	86 % survival	Not toxic	0.08	MPCA 1997b
6.80	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	26.3 % red. biolum.^	Toxic	0.08	MPCA 1997b
6.80	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	90 mg growth	Not toxic	0.08	MPCA 1997b
6.80	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	100 EC50 biolum.#	Not toxic	0.08	MPCA 1997b
9.30	St. Louis River - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	97 % survival	Not toxic	2.93	IT Corp. 1996
9.30	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.04 mg growth	Toxic	2.93	IT Corp. 1996
9.30	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.14 mg growth	Toxic	2.93	IT Corp. 1996
9.30	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	78 % survival	Not toxic	2.93	IT Corp. 1996
11.8	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	11.24 EC50 biolum.#	Not toxic	0.35	MPCA 1997b
11.8	Allouez Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	55 % survival	Not toxic	0.35	MPCA 1997b
11.8	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	26.2 % red. biolum.^	Toxic	0.35	MPCA 1997b
12.0	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	95 % survival	Not toxic	0.12	MPCA 1997b
12.0	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	100 EC50 biolum.#	Not toxic	0.12	MPCA 1997b
12.0	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	78 % survival	Not toxic	0.12	MPCA 1997b
12.0	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	3.4 % red. biolum.^	Not toxic	0.12	MPCA 1997b
12.5	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	0.14	MPCA 1997b
12.5	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	17.83 EC50 biolum.#	Not toxic	0.14	MPCA 1997b
12.5	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	58 % survival	Not toxic	0.14	MPCA 1997b
12.5	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	67.3 % red. biolum.^	Toxic	0.14	MPCA 1997b
12.8	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	0.59	MPCA 1997b
12.8	Allouez Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	0.59	MPCA 1997b
12.8	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	3.96 EC50 biolum.#	Not toxic	0.59	MPCA 1997b
17.6	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	29.7 % red. biolum.^	Toxic	1.02	MPCA 1997b
17.6	Allouez Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	1.02	MPCA 1997b
17.6	Allouez Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	1.02	MPCA 1997b
17.6	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.81 EC50 biolum.#	Not toxic	1.02	MPCA 1997b
27.8	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	4.94 EC50 biolum.#	Not toxic	0.2	MPCA 1997b
27.8	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	25.2 % red. biolum.^	Toxic	0.2	MPCA 1997b
27.8	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	86 % survival	Not toxic	0.2	MPCA 1997b
27.8	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	0.2	MPCA 1997b
47.0	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	6.4 % red. biolum.^	Not toxic	5.77	MPCA 1997b
47.0	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	6.73 EC50 biolum.#	Not toxic	5.77	MPCA 1997b
47.0	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	5.77	MPCA 1997b
47.0	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	75 % survival	Not toxic	5.77	MPCA 1997b
48.2	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	22.95 % red. biolum.^	Toxic	0.16	MPCA 1997b
48.2	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	90 % survival	Not toxic	0.16	MPCA 1997b

**Table G-15. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Pyrene in the St. Louis River Area of Concern**

Pyrene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
48.2	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	100 EC50 biolum.#	Not toxic	0.16	MPCA 1997b
<50.0	Superior Bay	48 hour	Cladoceran	<i>Ceriodaphnia dubia</i>	ADT	100 % survival	Not toxic	6.7	Wenck Associates Inc. 1995
<50.0	Superior Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	6.7	Wenck Associates Inc. 1995
<50.0	Superior Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	100 % survival	Not toxic	6.7	Wenck Associates Inc. 1995
<50.0	Superior Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.57 mg growth	Not toxic	6.7	Wenck Associates Inc. 1995
52.0	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	90 % survival	Not toxic	2.91	MPCA 1997b
52.0	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	18.89 % red. biolum.^	Not toxic	2.91	MPCA 1997b
52.0	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.96 EC50 biolum.#	Not toxic	2.91	MPCA 1997b
52.0	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	2.91	MPCA 1997b
53.0	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	10.2 % red. biolum.^	Not toxic	2.82	MPCA 1997b
53.0	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.4 EC50 biolum.#	Toxic	2.82	MPCA 1997b
53.0	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	2.82	MPCA 1997b
53.0	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	70 % survival	Not toxic	2.82	MPCA 1997b
57.4	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.72 EC50 biolum.#	Not toxic	1.42	MPCA 1997b
57.4	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	1.42	MPCA 1997b
57.4	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	60 % survival	Not toxic	1.42	MPCA 1997b
57.4	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	41.98 % red. biolum.^	Toxic	1.42	MPCA 1997b
60.5	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	93 % survival	Not toxic	1.87	MPCA 1997c
60.5	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	1.87	MPCA 1997c
60.5	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	21.8 % red. biolum.^	Toxic	1.87	MPCA 1997c
60.5	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.53 mg growth	Not toxic	1.87	MPCA 1997c
60.5	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	2.07 EC50 biolum.#	Not toxic	1.87	MPCA 1997c
71.0	Spirit Lake - Grassy Point	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	80 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
71.0	Spirit Lake - Grassy Point	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
79.5	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	7.4 % red. biolum.^	Not toxic	2.59	MPCA 1997b
79.5	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.41 EC50 biolum.#	Toxic	2.59	MPCA 1997b
79.5	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	65 % survival	Not toxic	2.59	MPCA 1997b
79.5	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	97.5 % survival	Not toxic	2.59	MPCA 1997b
84.0	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	0.4	MPCA 1997b
84.0	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	85 % survival	Not toxic	0.4	MPCA 1997b
84.0	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	82 % survival	Not toxic	0.4	MPCA 1997b
84.0	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	39.7 % red. biolum.^	Toxic	0.4	MPCA 1997b
84.0	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	100 EC50 biolum.#	Not toxic	0.4	MPCA 1997b
84.0	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	88 % survival	Not toxic	0.4	MPCA 1997b
95.0	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	2.7	MPCA 1997c
95.0	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.52 EC50 biolum.#	Not toxic	2.7	MPCA 1997c

**Table G-15. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Pyrene in the St. Louis River Area of Concern**

Pyrene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
95.0	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	5.3 % red. biolum.^	Not toxic	2.7	MPCA 1997c
95.0	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	68 % survival	Not toxic	2.7	MPCA 1997c
95.0	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.52 EC50 biolum.#	Not toxic	2.7	MPCA 1997c
95.0	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	93 % survival	Not toxic	2.7	MPCA 1997c
95.0	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	2.7	MPCA 1997c
95.0	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	12 % red. biolum.^	Not toxic	2.7	MPCA 1997c
95.0	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.56 mg growth	Not toxic	2.7	MPCA 1997c
95.0	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.44 mg growth	Not toxic	2.7	MPCA 1997c
99.0	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	4.29 EC50 biolum.#	Not toxic	1.69	MPCA 1997c
99.0	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	84 % survival	Not toxic	1.69	MPCA 1997c
99.0	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	12.1 % red. biolum.^	Not toxic	1.69	MPCA 1997c
105	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	2.34	MPCA 1997c
105	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.77 EC50 biolum.#	Not toxic	2.34	MPCA 1997c
105	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	95 % survival	Not toxic	2.34	MPCA 1997c
105	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.37 mg growth	Not toxic	2.34	MPCA 1997c
105	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	12.1 % red. biolum.^	Not toxic	2.34	MPCA 1997c
106	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	-2.8 % red. biolum.^	Not toxic	1.82	MPCA 1997b
106	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	70 % survival	Not toxic	1.82	MPCA 1997b
106	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	1.82	MPCA 1997b
106	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	3.56 EC50 biolum.#	Not toxic	1.82	MPCA 1997b
130	Spirit Lake - Grassy Point	10 day	Diptera	<i>Chironomus tentans</i>	LAR	92 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
130	Spirit Lake - Grassy Point	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
137	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.42 EC50 biolum.#	Toxic	3.25	MPCA 1997c
137	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	3.25	MPCA 1997c
137	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	28.8 % red. biolum.^	Toxic	3.25	MPCA 1997c
145	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	1.35	MPCA 1997b
145	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	1.35	MPCA 1997b
145	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	1.35	MPCA 1997b
145	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.96 EC50 biolum.#	Not toxic	1.35	MPCA 1997b
158	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.46 mg growth	Not toxic	2.24	MPCA 1997c
158	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	95 % survival	Not toxic	2.24	MPCA 1997c
158	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	2.24	MPCA 1997c
158	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.3 EC50 biolum.#	Not toxic	2.24	MPCA 1997c
158	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	98 % survival	Not toxic	2.24	MPCA 1997c
190	St. Louis Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.04 mg growth	Not determined	0.7	Ankley <i>et al.</i> 1994
190	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.74 % weight using UV light	Not toxic	0.7	Ankley <i>et al.</i> 1994

**Table G-15. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Pyrene in the St. Louis River Area of Concern**

Pyrene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
190	St. Louis Harbor	10 day	Oligochaete	<i>Lumbriculus variegatus</i>	ADT	0 % survival/normal & UV	Toxic	0.7	Ankley <i>et al.</i> 1994
190	St. Louis Harbor	10 day	Oligochaete	<i>Lumbriculus variegatus</i>	ADT	0.65 mg growth	Toxic	0.7	Ankley <i>et al.</i> 1994
190	St. Louis Harbor	10 day	Oligochaete	<i>Lumbriculus variegatus</i>	ADT	85 % survival	Not toxic	0.7	Ankley <i>et al.</i> 1994
190	St. Louis Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0 % survival/normal & UV	Toxic	0.7	Ankley <i>et al.</i> 1994
190	St. Louis Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	65 % survival	Not toxic	0.7	Ankley <i>et al.</i> 1994
190	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	65 % survival/normal & UV	Toxic	0.7	Ankley <i>et al.</i> 1994
190	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	87.5 % survival	Not toxic	0.7	Ankley <i>et al.</i> 1994
190	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.8 mg growth	Not toxic	0.7	Ankley <i>et al.</i> 1994
196	St. Louis River - Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	18.2 % red. biolum.^	Not toxic	4.84	MPCA 1997b
196	St. Louis River - Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	4.84	MPCA 1997b
196	St. Louis River - Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.09 EC50 biolum.#	Toxic	4.84	MPCA 1997b
196	St. Louis River - Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	90 % survival	Not toxic	4.84	MPCA 1997b
255	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.64 mg growth	Not toxic	3.85	MPCA 1997c
255	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	3.82 EC50 biolum.#	Not toxic	3.85	MPCA 1997c
255	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	88 % survival	Not toxic	3.85	MPCA 1997c
255	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	3.85	MPCA 1997c
255	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	3.85	MPCA 1997c
343	Spirit Lake - Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.53 mg growth	Not toxic	1.65	MPCA 1997c
343	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	4.42 EC50 biolum.#	Not toxic	1.65	MPCA 1997c
343	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	1.65	MPCA 1997c
343	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	87 % survival	Not toxic	1.65	MPCA 1997c
343	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	88 % survival	Not toxic	1.65	MPCA 1997c
351	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.97 EC50 biolum.#	Not toxic	5.34	MPCA 1997b
351	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	18.8 % red. biolum.^	Not toxic	5.34	MPCA 1997b
351	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	5.34	MPCA 1997b
351	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	5.34	MPCA 1997b
401	St. Louis Harbor	10 day	Oligochaete	<i>Lumbriculus variegatus</i>	ADT	100 % survival	Not toxic	4.1	Ankley <i>et al.</i> 1994
401	St. Louis Harbor	10 day	Oligochaete	<i>Lumbriculus variegatus</i>	ADT	0.83 % weight using UV light	Toxic	4.1	Ankley <i>et al.</i> 1994
401	St. Louis Harbor	10 day	Oligochaete	<i>Lumbriculus variegatus</i>	ADT	0.85 mg growth	Not toxic	4.1	Ankley <i>et al.</i> 1994
401	St. Louis Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.05 % weight using UV light	Not toxic	4.1	Ankley <i>et al.</i> 1994
401	St. Louis Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	72.5 % survival/normal & UV	Not toxic	4.1	Ankley <i>et al.</i> 1994
401	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.08 % weight using UV light	Not toxic	4.1	Ankley <i>et al.</i> 1994
401	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	95 % survival/normal & UV	Not toxic	4.1	Ankley <i>et al.</i> 1994
401	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.93 mg growth	Not toxic	4.1	Ankley <i>et al.</i> 1994
401	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	4.1	Ankley <i>et al.</i> 1994
401	St. Louis Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.04 mg growth	Toxic	4.1	Ankley <i>et al.</i> 1994

**Table G-15. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Pyrene in the St. Louis River Area of Concern**

Pyrene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
401	St. Louis Harbor	10 day	Oligochaete	<i>Lumbriculus variegatus</i>	ADT	87.5 % survival/normal & UV	Not toxic	4.1	Ankley <i>et al.</i> 1994
401	St. Louis Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	80 % survival	Not toxic	4.1	Ankley <i>et al.</i> 1994
430	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.51 EC50 biolum.#	Not toxic	3.95	MPCA 1997c
430	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	23.7 % red. biolum.^	Toxic	3.95	MPCA 1997c
430	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	70 % survival	Toxic	3.95	MPCA 1997c
430	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	30.7 % red. biolum.^	Toxic	3.95	MPCA 1997c
430	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.51 EC50 biolum.#	Not toxic	3.95	MPCA 1997c
430	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	88 % survival	Not toxic	3.95	MPCA 1997c
447	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.92 EC50 biolum.#	Not toxic	2.98	MPCA 1997c
447	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	97 % survival	Not toxic	2.98	MPCA 1997c
447	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	2.98	MPCA 1997c
447	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	10.5 % red. biolum.^	Not toxic	2.98	MPCA 1997c
447	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.58 mg growth	Not toxic	2.98	MPCA 1997c
480	Spirit Lake - Grassy Point	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
480	Spirit Lake - Grassy Point	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
523	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.59 mg growth	Not toxic	6.4	IT Corp. 1996
523	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	87 % survival	Not toxic	6.4	IT Corp. 1996
523	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	6.4	IT Corp. 1996
523	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.2 mg growth	Not toxic	6.4	IT Corp. 1996
580	Spirit Lake - Grassy Point	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	75 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
580	Spirit Lake - Grassy Point	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
679	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	11.76	IT Corp. 1996
679	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.11 mg growth	Toxic	11.76	IT Corp. 1996
679	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	67 % survival	Not toxic	11.76	IT Corp. 1996
679	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.02 mg growth	Toxic	11.76	IT Corp. 1996
693	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	63 % survival	Toxic	1	MPCA 1997c
693	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	52.4 % red. biolum.^	Toxic	1	MPCA 1997c
693	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	1	MPCA 1997c
693	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.77 EC50 biolum.#	Not toxic	1	MPCA 1997c
693	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0 % survival	Toxic	1	MPCA 1997c
718	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.49 mg growth	Not toxic	3.4	MPCA 1997c
718	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	3.4	MPCA 1997c
718	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	87 % survival	Not toxic	3.4	MPCA 1997c
718	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.74 EC50 biolum.#	Not toxic	3.4	MPCA 1997c
718	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.2 % red. biolum.^	Not toxic	3.4	MPCA 1997c
718	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.74 EC50 biolum.#	Not toxic	3.4	MPCA 1997c

**Table G-15. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Pyrene in the St. Louis River Area of Concern**

Pyrene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
718	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	87 % survival	Not toxic	3.4	MPCA 1997c
718	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.37 mg growth	Not toxic	3.4	MPCA 1997c
718	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	4.1 % red. biolum.^	Not toxic	4.02	MPCA 1997c
718	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	57 % survival	Toxic	4.02	MPCA 1997c
718	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	4.02	MPCA 1997c
718	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	4.02	MPCA 1997c
718	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.76 EC50 biolum.#	Not toxic	4.02	MPCA 1997c
718	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	77 % survival	Not toxic	3.4	MPCA 1997c
718	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.9 % red. biolum.^	Not toxic	3.4	MPCA 1997c
805	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	8.2 % red. biolum.^	Not toxic	1.37	MPCA 1997c
805	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	1.37	MPCA 1997c
805	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.57 mg growth	Not toxic	1.37	MPCA 1997c
805	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	3.52 EC50 biolum.#	Not toxic	1.37	MPCA 1997c
805	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	52 % survival	Not toxic	1.37	MPCA 1997c
840	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	96 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
1000	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	96 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
1031	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	23.05 % red. biolum.^	Toxic	0.24	MPCA 1997b
1031	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	52 % survival	Not toxic	0.24	MPCA 1997b
1031	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	100 EC50 biolum.#	Not toxic	0.24	MPCA 1997b
1031	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	72 % survival	Not toxic	0.24	MPCA 1997b
1064	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.24 EC50 biolum.#	Toxic	4.11	MPCA 1997b
1064	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	98 % survival	Not toxic	4.11	MPCA 1997b
1064	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	88 % survival	Not toxic	4.11	MPCA 1997b
1064	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	68 % survival	Not toxic	4.11	MPCA 1997b
1064	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	72 % survival	Not toxic	4.11	MPCA 1997b
1064	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	15.5 % red. biolum.^	Not toxic	4.11	MPCA 1997b
1099	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	5.4 % red. biolum.^	Not toxic	1.44	MPCA 1997c
1099	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.14 EC50 biolum.#	Not toxic	1.44	MPCA 1997c
1099	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	98 % survival	Not toxic	1.44	MPCA 1997c
1100	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	93 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
1100	D-S Harbor - Slip C	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	85 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
1100	D-S Harbor - Slip C	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
1200	Spirit Lake - Grassy Point	10 day	Diptera	<i>Chironomus tentans</i>	LAR	82 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
1200	Spirit Lake - Grassy Point	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	82 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
1200	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	96 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
1252	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	8.5 % red. biolum.^	Not toxic	2.43	MPCA 1997c

**Table G-15. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Pyrene in the St. Louis River Area of Concern**

Pyrene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
1252	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.67 EC50 biolum.#	Not toxic	2.43	MPCA 1997c
1252	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	95 % survival	Not toxic	2.43	MPCA 1997c
1296	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.35 mg growth	Not toxic	23.1	IT Corp. 1996
1296	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	23.1	IT Corp. 1996
1296	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.2 mg growth	Not toxic	23.1	IT Corp. 1996
1296	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	82 % survival	Not toxic	23.1	IT Corp. 1996
1300	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
1300	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Diptera	<i>Chironomus tentans</i>	LAR	90 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
1317	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.5 EC50 biolum.#	Not toxic	3.99	MPCA 1997c
1317	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	3.99	MPCA 1997c
1317	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	86 % survival	Not toxic	3.99	MPCA 1997c
1333	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.23 mg growth	Toxic	3.87	MPCA 1997c
1333	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.41 EC50 biolum.#	Toxic	3.87	MPCA 1997c
1333	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.1 % red. biolum.^	Not toxic	3.87	MPCA 1997c
1333	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	3.87	MPCA 1997c
1333	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	93 % survival	Not toxic	3.87	MPCA 1997c
1340	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	69 % survival	Not toxic	4.54	MPCA 1997b
1340	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.05 EC50 biolum.#	Toxic	4.54	MPCA 1997b
1340	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	5 % survival	Not toxic	4.54	MPCA 1997b
1340	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	30 % red. biolum.^	Toxic	4.54	MPCA 1997b
1384	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.05 EC50 biolum.#	Toxic	8.97	MPCA 1997c
1384	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	42.1 % red. biolum.^	Toxic	8.97	MPCA 1997c
1384	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	3 % survival	Toxic	8.97	MPCA 1997c
1384	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	8.97	MPCA 1997c
1384	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	75 % survival	Toxic	8.97	MPCA 1997c
1400	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
1400	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
1400	D-S Harbor - Slip C	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	96 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
1400	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	72 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
1400	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
1500	Spirit Lake - Grassy Point	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
1500	Spirit Lake - Grassy Point	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	65 % survival	Toxic	NR	Crane <i>et al.</i> 1997
1519	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.36 EC50 biolum.#	Toxic	4.05	MPCA 1997b
1519	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	4.05	MPCA 1997b
1519	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	67 % survival	Not toxic	4.05	MPCA 1997b
1519	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	8.3 % red. biolum.^	Not toxic	4.05	MPCA 1997b

**Table G-15. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Pyrene in the St. Louis River Area of Concern**

Pyrene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
1572	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	26.54	IT Corp. 1996
1572	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	83 % survival	Not toxic	26.54	IT Corp. 1996
1572	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.3 mg growth	Not toxic	26.54	IT Corp. 1996
1572	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.18 mg growth	Toxic	26.54	IT Corp. 1996
1600	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	98 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
1600	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Diptera	<i>Chironomus tentans</i>	LAR	78 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
1635	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.1 % red. biolum.^	Not toxic	13.81	MPCA 1997b
1635	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	98 % survival	Not toxic	13.81	MPCA 1997b
1635	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	3.88 EC50 biolum.#	Not toxic	13.81	MPCA 1997b
1635	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	62 % survival	Not toxic	13.81	MPCA 1997b
1689	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	86 % survival	Not toxic	2.13	MPCA 1997b
1689	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.47 EC50 biolum.#	Toxic	2.13	MPCA 1997b
1689	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	82 % survival	Not toxic	2.13	MPCA 1997b
1689	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	29.6 % red. biolum.^	Toxic	2.13	MPCA 1997b
1700	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
1700	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
1714	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	17.49	MPCA 1997b
1714	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.49 EC50 biolum.#	Not toxic	17.49	MPCA 1997b
1714	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	75 % survival	Not toxic	17.49	MPCA 1997b
1714	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	17.49	MPCA 1997b
1796	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	59 % survival	Not toxic	0.82	MPCA 1997b
1796	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0 % survival	Toxic	0.82	MPCA 1997b
1796	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	26.1 % red. biolum.^	Toxic	0.82	MPCA 1997b
1796	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.05 EC50 biolum.#	Toxic	0.82	MPCA 1997b
1800	D-S Harbor - NW side of Lakehead Dock	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.04 mg growth	Not toxic	8.4	Wenck Associates Inc. 1995
1800	D-S Harbor - NW side of Lakehead Dock	48 hour	Cladoceran	<i>Ceriodaphnia dubia</i>	ADT	100 % survival	Not toxic	8.4	Wenck Associates Inc. 1995
1800	D-S Harbor - NW side of Lakehead Dock	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	95 % survival	Not toxic	8.4	Wenck Associates Inc. 1995
1800	D-S Harbor - NW side of Lakehead Dock	10 day	Diptera	<i>Chironomus tentans</i>	LAR	100 % survival	Not toxic	8.4	Wenck Associates Inc. 1995
1826	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	3.98	MPCA 1997b
1826	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	3.98	MPCA 1997b
1826	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	8.6 % red. biolum.^	Not toxic	3.98	MPCA 1997b
1826	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.37 EC50 biolum.#	Toxic	3.98	MPCA 1997b
1836	St. Louis Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	2.5 % survival/normal & UV	Toxic	6.1	Ankley <i>et al.</i> 1994
1836	St. Louis Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	42.5 % survival	Toxic	6.1	Ankley <i>et al.</i> 1994
1836	St. Louis Harbor	10 day	Oligochaete	<i>Lumbriculus variegatus</i>	ADT	0 % survival/normal & UV	Toxic	6.1	Ankley <i>et al.</i> 1994
1836	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	92.5 % survival	Not toxic	6.1	Ankley <i>et al.</i> 1994

**Table G-15. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Pyrene in the St. Louis River Area of Concern**

Pyrene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
1836	St. Louis Harbor	10 day	Oligochaete	<i>Lumbriculus variegatus</i>	ADT	0.54 mg growth	Toxic	6.1	Ankley <i>et al.</i> 1994
1836	St. Louis Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.08 mg growth	Not determined	6.1	Ankley <i>et al.</i> 1994
1836	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.8 % weight using UV light	Not toxic	6.1	Ankley <i>et al.</i> 1994
1836	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	82.5 % survival/normal & UV	Not toxic	6.1	Ankley <i>et al.</i> 1994
1836	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.65 mg growth	Toxic	6.1	Ankley <i>et al.</i> 1994
1836	St. Louis Harbor	10 day	Oligochaete	<i>Lumbriculus variegatus</i>	ADT	75 % survival	Toxic	6.1	Ankley <i>et al.</i> 1994
1838	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	82 % survival	Not toxic	13.98	MPCA 1997b
1838	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.38 EC50 biolum.#	Toxic	13.98	MPCA 1997b
1838	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	56 % survival	Not toxic	13.98	MPCA 1997b
1838	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	29.59 % red. biolum.^	Toxic	13.98	MPCA 1997b
1946	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.57 mg growth	Not toxic	3.74	MPCA 1997c
1946	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	65 % survival	Not toxic	3.74	MPCA 1997c
1946	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	3.74	MPCA 1997c
1946	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.06 EC50 biolum.#	Not toxic	3.74	MPCA 1997c
1946	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	3.74	MPCA 1997c
2128	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	94 % survival	Not toxic	3.47	MPCA 1997b
2128	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.48 EC50 biolum.#	Toxic	3.47	MPCA 1997b
2128	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	20.18 % red. biolum.^	Toxic	3.47	MPCA 1997b
2128	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	3.47	MPCA 1997b
2133	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	75 % survival	Not toxic	2.63	MPCA 1997b
2133	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	33.45 % red. biolum.^	Toxic	2.63	MPCA 1997b
2133	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	68 % survival	Not toxic	2.63	MPCA 1997b
2133	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.32 EC50 biolum.#	Toxic	2.63	MPCA 1997b
2191	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.29 EC50 biolum.#	Toxic	4.48	MPCA 1997c
2191	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	16 % survival	Toxic	4.48	MPCA 1997c
2191	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	20 % red. biolum.^	Toxic	4.48	MPCA 1997c
2212	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	7.4 % red. biolum.^	Not toxic	29.84	MPCA 1997c
2212	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	45 % survival	Not toxic	29.84	MPCA 1997c
2212	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.12 EC50 biolum.#	Not toxic	29.84	MPCA 1997c
2212	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	93 % survival	Not toxic	29.84	MPCA 1997c
2212	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.43 mg growth	Not toxic	29.84	MPCA 1997c
2308	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	4.36	MPCA 1997b
2308	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	68 % survival	Not toxic	4.36	MPCA 1997b
2308	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	-0.6 % red. biolum.^	Not toxic	4.36	MPCA 1997b
2308	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.96 EC50 biolum.#	Not toxic	4.36	MPCA 1997b
2400	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	85 % survival	Not toxic	NR	Crane <i>et al.</i> 1997

**Table G-15. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Pyrene in the St. Louis River Area of Concern**

Pyrene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
2400	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Diptera	<i>Chironomus tentans</i>	LAR	68 % survival	Toxic	NR	Crane <i>et al.</i> 1997
2429	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.84 mg growth	Toxic	6.15	IT Corp. 1996
2429	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	77 % survival	Not toxic	6.15	IT Corp. 1996
2429	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.15 mg growth	Toxic	6.15	IT Corp. 1996
2429	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	83 % survival	Not toxic	6.15	IT Corp. 1996
2503	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.82 EC50 biolum.#	Not toxic	4.47	MPCA 1997b
2503	Allouez Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	85 % survival	Not toxic	4.47	MPCA 1997b
2503	Allouez Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	68 % survival	Not toxic	4.47	MPCA 1997b
2503	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	33.03 % red. biolum.^	Toxic	4.47	MPCA 1997b
2505	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	3.97	MPCA 1997c
2505	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.77 EC50 biolum.#	Not toxic	3.97	MPCA 1997c
2505	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	3.97	MPCA 1997c
2505	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.49 mg growth	Not toxic	3.97	MPCA 1997c
2505	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	3.97	MPCA 1997c
2597	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.2 mg growth	Not toxic	3.42	IT Corp. 1996
2597	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	52 % survival	Toxic	3.42	IT Corp. 1996
2597	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.56 mg growth	Not determined	3.42	IT Corp. 1996
2597	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	38 % survival	Toxic	3.42	IT Corp. 1996
2632	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	58 % survival	Not toxic	4.05	MPCA 1997c
2632	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	20.9 % red. biolum.^	Toxic	4.05	MPCA 1997c
2632	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	85 % survival	Not toxic	4.05	MPCA 1997c
2632	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.4 EC50 biolum.#	Toxic	4.05	MPCA 1997c
2632	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.35 mg growth	Not toxic	4.05	MPCA 1997c
2819	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	92 % survival	Not toxic	45.37	IT Corp. 1996
2819	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.07 mg growth	Toxic	45.37	IT Corp. 1996
2819	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	87 % survival	Not toxic	45.37	IT Corp. 1996
2819	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.17 mg growth	Toxic	45.37	IT Corp. 1996
2933	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	6.72	MPCA 1997c
2933	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.46 mg growth	Not toxic	6.72	MPCA 1997c
2933	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.35 EC50 biolum.#	Not toxic	6.72	MPCA 1997c
2933	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	87 % survival	Not toxic	6.72	MPCA 1997c
2933	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	88 % survival	Not toxic	6.72	MPCA 1997c
3000	St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	87 % survival	Not toxic	5.88	MPCA 1993
3143	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	6.77	MPCA 1997c
3143	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	6.77	MPCA 1997c
3143	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	18 % survival	Toxic	6.77	MPCA 1997c

**Table G-15. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Pyrene in the St. Louis River Area of Concern**

Pyrene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
3143	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	30.8 % red. biolum.^	Toxic	6.77	MPCA 1997c
3143	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.02 EC50 biolum.#	Toxic	6.77	MPCA 1997c
5216	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.73 EC50 biolum.#	Not toxic	3.07	MPCA 1997b
5216	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	55 % survival	Not toxic	3.07	MPCA 1997b
5216	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	32.24 % red. biolum.^	Toxic	3.07	MPCA 1997b
5291	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	67.9 % red. biolum.^	Toxic	14.19	MPCA 1997b
5291	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.16 EC50 biolum.#	Toxic	14.19	MPCA 1997b
5291	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	12 % survival	Toxic	14.19	MPCA 1997b
5291	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0 % survival	Toxic	14.19	MPCA 1997b
5412	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	4.13	MPCA 1997b
5412	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	21.7 % red. biolum.^	Toxic	4.13	MPCA 1997b
5412	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.35 EC50 biolum.#	Toxic	4.13	MPCA 1997b
5412	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	4.13	MPCA 1997b
5794	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	78 % survival	Not toxic	1.71	MPCA 1997c
5794	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.4 mg growth	Not toxic	1.71	MPCA 1997c
5794	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	1.71	MPCA 1997c
5794	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.27 EC50 biolum.#	Not toxic	1.71	MPCA 1997c
5794	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	42.1 % red. biolum.^	Toxic	1.71	MPCA 1997c
5858	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0 % survival	Toxic	8.26	MPCA 1997b
5858	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.06 EC50 biolum.#	Toxic	8.26	MPCA 1997b
5858	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	99.9 % red. biolum.^	Toxic	8.26	MPCA 1997b
5858	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0 % survival	Toxic	8.26	MPCA 1997b
6615	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	60 % survival	Toxic	100	IT Corp. 1996
6615	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.23 mg growth	Not toxic	100	IT Corp. 1996
6615	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.18 mg growth	Not toxic	100	IT Corp. 1996
6615	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	100	IT Corp. 1996
6658	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	18 % survival	Toxic	13.91	MPCA 1997c
6658	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.4 EC50 biolum.#	Toxic	13.91	MPCA 1997c
6658	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	13.91	MPCA 1997c
6658	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	93.4 % red. biolum.^	Toxic	13.91	MPCA 1997c
6658	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	13.91	MPCA 1997c
6822	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	53 % survival	Toxic	8.08	IT Corp. 1996
6822	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.14 mg growth	Toxic	8.08	IT Corp. 1996
6822	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.8 mg growth	Toxic	8.08	IT Corp. 1996
6822	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	48 % survival	Toxic	8.08	IT Corp. 1996
6936	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.65 mg growth	Not determined	12.95	IT Corp. 1996

**Table G-15. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Pyrene in the St. Louis River Area of Concern**

Pyrene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
6936	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	75 % survival	Toxic	12.95	IT Corp. 1996
6936	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.1 mg growth	Toxic	12.95	IT Corp. 1996
6936	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	30 % survival	Toxic	12.95	IT Corp. 1996
7200	D-S Harbor - Slip C	10 day	Diptera	<i>Chironomus tentans</i>	LAR	55 % survival	Toxic	NR	Crane <i>et al.</i> 1997
7200	D-S Harbor - Slip C	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
7426	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	95 % survival	Not toxic	5.59	MPCA 1997b
7426	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	5.59	MPCA 1997b
7426	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.16 EC50 biolum.#	Toxic	5.59	MPCA 1997b
7426	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	4 % red. biolum.^	Not toxic	5.59	MPCA 1997b
7700	D-S Harbor - Minnesota Slip	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	89 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
8500	St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	93 % survival	Not toxic	9.58	MPCA 1993
9800	D-S Harbor - Minnesota Slip	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
9844	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	12.7 % red. biolum.^	Not toxic	4.7	MPCA 1997b
9844	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	2.55 EC50 biolum.#	Not toxic	4.7	MPCA 1997b
9844	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	65 % survival	Not toxic	4.7	MPCA 1997b
9844	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	88 % survival	Not toxic	4.7	MPCA 1997b
12481	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	4.07 EC50 biolum.#	Not toxic	6.03	MPCA 1997c
12481	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	58 % red. biolum.^	Toxic	6.03	MPCA 1997c
12481	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	85 % survival	Not toxic	6.03	MPCA 1997c
19691	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	4.64	IT Corp. 1996
19691	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.13 mg growth	Not determined	4.64	IT Corp. 1996
19691	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	30 % survival	Toxic	4.64	IT Corp. 1996
19691	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.16 mg growth	Toxic	4.64	IT Corp. 1996
50119	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.09 mg growth	Not determined	50.12	IT Corp. 1996
50119	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	Not determined	Not determined	50.12	IT Corp. 1996
50119	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0 % survival	Toxic	50.12	IT Corp. 1996
50119	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	8 % survival	Toxic	50.12	IT Corp. 1996
67039	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.24 mg growth	Not determined	NR	IT Corp. 1996
67039	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	30 % survival	Toxic	NR	IT Corp. 1996
67039	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.07 mg growth	Not determined	NR	IT Corp. 1996
67039	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	8 % survival	Toxic	NR	IT Corp. 1996
155612	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.38 EC50 biolum.#	Toxic	11.98	MPCA 1997c
155612	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	84.7 % red. biolum.^	Toxic	11.98	MPCA 1997c
155612	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0 % survival	Toxic	11.98	MPCA 1997c
155612	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	12 % survival	Toxic	11.98	MPCA 1997c
155612	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	11.98	MPCA 1997c

**Table G-15. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Pyrene in the St. Louis River Area of Concern**

Pyrene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
158996	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	Not determined	Not determined	11.16	IT Corp. 1996
158996	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	0 % survival	Toxic	11.16	IT Corp. 1996
158996	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0 % survival	Toxic	11.16	IT Corp. 1996
158996	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	11.16	IT Corp. 1996
410000	St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	63 % survival	Toxic	6.12	MPCA 1993

^ = relative to control; D-S = Duluth-Superior; # = expressed as % DW sediment; red. biolum. = reduced bioluminescence; EC50 = effective concentration affecting 50% of the population.

LAR = larvae; JUV = juvenile; TOC = total organic carbon; NR = not reported.

**Table G-16. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Anthracene in the St. Louis River Area of Concern**

Anthracene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
1.40	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	90 % survival	Not toxic	0.08
1.40	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	100 EC50 biolum.#	Not toxic	0.08
1.40	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	26.3 mg growth	Toxic	0.08
1.40	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	86 % survival	Not toxic	0.08
2.50	Allouez Bay - Miller & Coffee Creek Embayment	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	26.2 % red. biolum.^	Toxic	0.35
2.50	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	11.24 EC50 biolum.#	Not toxic	0.35
2.50	Allouez Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	55 % survival	Not toxic	0.35
2.60	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	17.83 EC50 biolum.#	Not toxic	0.14
2.60	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	58 % survival	Not toxic	0.14
2.60	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	0.14
2.60	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	67.3 % red. biolum.^	Toxic	0.14
2.70	Allouez Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	0.59
2.70	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	0.59
2.70	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	3.96 EC50 biolum.#	Not toxic	0.59
3.20	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	78 % survival	Not toxic	2.93
3.20	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	97 % survival	Not toxic	2.93
3.20	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.14 mg growth	Toxic	2.93
3.20	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.04 mg growth	Toxic	2.93
3.40	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	29.7 % red. biolum.^	Toxic	1.02
3.40	Allouez Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	1.02
3.40	Allouez Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	1.02
3.40	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.81 EC50 biolum.#	Not toxic	1.02
4.00	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	78 % survival	Not toxic	0.12
4.00	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	95 % survival	Not toxic	0.12
4.00	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	100 EC50 biolum.#	Not toxic	0.12
4.00	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	3.4 % red. biolum.^	Not toxic	0.12
4.90	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	25.2 % red. biolum.^	Toxic	0.2
4.90	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	0.2
4.90	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	86 % survival	Not toxic	0.2
4.90	D-S Harbor	30 minute	Bacteria	<i>Chironomus tentans</i>	NA	4.94 EC50 biolum.#	Not toxic	0.2
8.00	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.96 EC50 biolum.#	Not toxic	2.91
8.00	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	18.89 % red. biolum.^	Not toxic	2.91
8.00	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	90 % survival	Not toxic	2.91
8.00	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	2.91
9.00	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.4 EC50 biolum.#	Toxic	2.82

**Table G-16. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Anthracene in the St. Louis River Area of Concern**

Anthracene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
9.00	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	70 % survival	Not toxic	2.82
9.00	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	2.82
9.00	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	10.2 % red. biolum.^	Not toxic	2.82
10.0	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	6.73 EC50 biolum.#	Not toxic	5.77
10.0	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	6.4 % red. biolum.^	Not toxic	5.77
10.0	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	5.77
10.0	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	75 % survival	Not toxic	5.77
11.5	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	21.8 % red. biolum.^	Toxic	1.87
11.5	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.53 mg growth	Not toxic	1.87
11.5	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	1.87
11.5	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	93 % survival	Not toxic	1.87
11.5	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	2.07 EC50 biolum.#	Not toxic	1.87
11.8	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	100 EC50 biolum.#	Not toxic	0.16
11.8	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	90 % survival	Not toxic	0.16
11.8	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	22.95 % red. biolum.^	Toxic	0.16
12.0	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	65 % survival	Not toxic	2.59
12.0	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	97.5 % survival	Not toxic	2.59
12.0	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.41 EC50 biolum.#	Toxic	2.59
12.0	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	7.4 % red. biolum.^	Not toxic	2.59
12.4	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	41.98 % red. biolum.^	Toxic	1.42
12.4	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	1.42
12.4	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	60 % survival	Not toxic	1.42
12.4	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.72 EC50 biolum.#	Not toxic	1.42
13.5	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.44 mg growth	Not toxic	2.7
13.5	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	5.3 % red. biolum.^	Not toxic	2.7
13.5	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	93 % survival	Not toxic	2.7
13.5	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.52 EC50 biolum.#	Not toxic	2.7
13.5	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	2.7
13.5	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	68 % survival	Not toxic	2.7
13.5	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.56 mg growth	Not toxic	2.7
13.5	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.52 EC50 biolum.#	Not toxic	2.7
13.5	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	2.7
13.5	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	12 % red. biolum.^	Not toxic	2.7
14.0	Spirit Lake - Grassy Point	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	80 % survival	Not toxic	NR
14.0	Spirit Lake - Grassy Point	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	NR

**Table G-16. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Anthracene in the St. Louis River Area of Concern**

Anthracene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
16.2	St. Louis Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	65 % survival	Not toxic	0.7
16.2	St. Louis Harbor	10 day	Oligochaete	<i>Lumbriculus variegatus</i>	ADT	0 Percent survival/normal & UV	Toxic	0.7
16.2	St. Louis Harbor	10 day	Oligochaete	<i>Lumbriculus variegatus</i>	ADT	0.65 mg growth	Toxic	0.7
16.2	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.74 Percent weight using UV light	Not toxic	0.7
16.2	St. Louis Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0 Percent survival/normal & UV	Toxic	0.7
16.2	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	65 Percent survival/normal & UV	Toxic	0.7
16.2	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.8 mg growth	Not toxic	0.7
16.2	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	87.5 % survival	Not toxic	0.7
16.2	St. Louis Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.04 mg growth	Not determined	0.7
16.2	St. Louis Harbor	10 day	Oligochaete	<i>Lumbriculus variegatus</i>	ADT	85 % survival	Not toxic	0.7
17.0	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	95 % survival	Not toxic	2.34
17.0	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.37 mg growth	Not toxic	2.34
17.0	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	2.34
17.0	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.77 EC50 biolum.#	Not toxic	2.34
17.0	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	12.1 % red. biolum.^	Not toxic	2.34
25.5	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.42 EC50 biolum.#	Toxic	3.25
25.5	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	3.25
25.5	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	28.8 % red. biolum.^	Toxic	3.25
26.0	Spirit Lake - Grassy Point	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	NR
26.0	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	82 % survival	Not toxic	0.4
26.0	Spirit Lake - Grassy Point	10 day	Diptera	<i>Chironomus tentans</i>	LAR	92 % survival	Not toxic	NR
26.0	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	85 % survival	Not toxic	0.4
26.0	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	88 % survival	Not toxic	0.4
26.0	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	39.7 % red. biolum.^	Toxic	0.4
26.0	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	0.4
26.0	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	100 EC50 biolum.#	Not toxic	0.4
27.0	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	1.35
27.0	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	1.35
27.0	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	1.35
27.0	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.96 EC50 biolum.#	Not toxic	1.35
28.0	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	4.29 EC50 biolum.#	Not toxic	1.69
28.0	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	12.1 % red. biolum.^	Not toxic	1.69
28.0	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	3.56 EC50 biolum.#	Not toxic	1.82
28.0	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	84 % survival	Not toxic	1.69
28.0	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	1.82

**Table G-16. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Anthracene in the St. Louis River Area of Concern**

Anthracene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
28.0	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	-2.8 % red. biolum.^	Not toxic	1.82
28.0	St. Louis Bay	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	70 % survival	Not toxic	1.82
29.0	St. Louis River - Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	18.2 % red. biolum.^	Not toxic	4.84
29.0	St. Louis River - Lower St. Louis River	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	92 % survival	Not toxic	4.84
29.0	St. Louis River - Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	90 % survival	Not toxic	4.84
29.0	St. Louis River - Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.09 EC50 biolum.#	Toxic	4.84
30.0	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	2.24
30.0	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.3 EC50 biolum.#	Not toxic	2.24
30.0	D-S Harbor	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	98 % survival	Not toxic	2.24
30.0	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.46 mg growth	Not toxic	2.24
30.0	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	95 % survival	Not toxic	2.24
<50.0	Superior Bay	48 hour	Cladoceran	<i>Ceriodaphnia dubia</i>	ADT	100 % survival	Not toxic	6.7
<50.0	Superior Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	100 % survival	Not toxic	6.7
<50.0	Superior Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.57 mg growth	Not toxic	6.7
<50.0	Superior Bay	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	90 % survival	Not toxic	6.7
59.0	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	5.34
59.0	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.97 EC50 biolum.#	Not toxic	5.34
59.0	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	18.8 % red. biolum.^	Not toxic	5.34
59.0	Spirit Lake	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	100 % survival	Not toxic	5.34
68.9	St. Louis Harbor	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	72.5 Percent survival/normal & UV	Not toxic	4.1
68.9	St. Louis Harbor	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	80 % survival	Not toxic	4.1
68.9	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.08 Percent weight using UV light	Not toxic	4.1
68.9	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	95 Percent survival/normal & UV	Not toxic	4.1
68.9	St. Louis Harbor	10 day	Oligochaete	<i>Lumbriculus variegatus</i>	ADT	0.85 mg growth	Not toxic	4.1
68.9	St. Louis Harbor	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	0.05 Percent weight using UV light	Not toxic	4.1
68.9	St. Louis Harbor	10 day	Oligochaete	<i>Lumbriculus variegatus</i>	ADT	87.5 Percent survival/normal & UV	Not toxic	4.1
68.9	St. Louis Harbor	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	0.04 mg growth	Toxic	4.1
68.9	St. Louis Harbor	10 day	Oligochaete	<i>Lumbriculus variegatus</i>	ADT	100 % survival	Not toxic	4.1
68.9	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	4.1
68.9	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.93 mg growth	Not toxic	4.1
68.9	St. Louis Harbor	10 day	Oligochaete	<i>Lumbriculus variegatus</i>	ADT	0.83 Percent weight using UV light	Toxic	4.1
72.0	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	3.85
72.0	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	3.82 EC50 biolum.#	Not toxic	3.85
72.0	D-S Harbor	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	88 % survival	Not toxic	3.85
72.0	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.64 mg growth	Not toxic	3.85

**Table G-16. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Anthracene in the St. Louis River Area of Concern**

Anthracene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
72.0	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	3.85
89.3	Spirit Lake	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	88 % survival	Not toxic	3.95
89.3	Spirit Lake	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	70 % survival	Toxic	3.95
89.3	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	23.7 % red. biolum.^	Toxic	3.95
89.3	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.51 EC50 biolum.#	Not toxic	3.95
89.3	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	30.7 % red. biolum.^	Toxic	3.95
89.3	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.51 EC50 biolum.#	Not toxic	3.95
100	Spirit Lake - Grassy Point	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	NR
100	Spirit Lake - Grassy Point	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	NR
100	Spirit Lake - Grassy Point	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	90 % survival	Not toxic	NR
100	Spirit Lake - Grassy Point	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	75 % survival	Not toxic	NR
111	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.53 mg growth	Not toxic	1.65
111	Spirit Lake	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	87 % survival	Not toxic	1.65
111	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	1.65
111	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	88 % survival	Not toxic	1.65
111	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	4.42 EC50 biolum.#	Not toxic	1.65
115	D-S Harbor	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	97 % survival	Not toxic	2.98
115	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.92 EC50 biolum.#	Not toxic	2.98
115	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	2.98
115	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	10.5 % red. biolum.^	Not toxic	2.98
115	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.58 mg growth	Not toxic	2.98
140	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	96 % survival	Not toxic	NR
154	D-S Harbor	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	87 % survival	Not toxic	3.4
154	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.49 mg growth	Not toxic	3.4
154	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	3.4
154	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.74 EC50 biolum.#	Not toxic	3.4
154	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.2 % red. biolum.^	Not toxic	3.4
154	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.74 EC50 biolum.#	Not toxic	3.4
154	D-S Harbor	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	87 % survival	Not toxic	3.4
154	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	77 % survival	Not toxic	3.4
154	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.9 % red. biolum.^	Not toxic	3.4
154	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.37 mg growth	Not toxic	3.4
160	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Diptera	<i>Chironomus tentans</i>	LAR	90 % survival	Not toxic	NR
160	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	90 % survival	Not toxic	NR
170	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	96 % survival	Not toxic	NR

**Table G-16. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Anthracene in the St. Louis River Area of Concern**

Anthracene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
170	D-S Harbor - Slip C	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	85 % survival	Not toxic	NR
170	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	NR
172	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	4.1 % red. biolum.^	Not toxic	4.02
172	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	57 % survival	Toxic	4.02
172	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	4.02
172	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	4.02
172	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.76 EC50 biolum.#	Not toxic	4.02
180	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	96 % survival	Not toxic	NR
187	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.57 mg growth	Not toxic	1.37
187	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	3.52 EC50 biolum.#	Not toxic	1.37
187	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	8.2 % red. biolum.^	Not toxic	1.37
187	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	1.37
187	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	52 % survival	Not toxic	1.37
190	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Diptera	<i>Chironomus tentans</i>	LAR	78 % survival	Not toxic	NR
190	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	98 % survival	Not toxic	NR
190	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	93 % survival	Not toxic	NR
212	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.24 EC50 biolum.#	Toxic	4.11
212	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	15.5 % red. biolum.^	Not toxic	4.11
212	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	68 % survival	Not toxic	4.11
212	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	98 % survival	Not toxic	4.11
212	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	88 % survival	Not toxic	4.11
212	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	72 % survival	Not toxic	4.11
217	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.32 EC50 biolum.#	Toxic	2.63
217	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	75 % survival	Not toxic	2.63
217	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	68 % survival	Not toxic	2.63
217	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	33.45 % red. biolum.^	Toxic	2.63
220	Spirit Lake - Grassy Point	10 day	Diptera	<i>Chironomus tentans</i>	LAR	82 % survival	Not toxic	NR
220	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	NR
220	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	72 % survival	Not toxic	NR
220	Spirit Lake - Grassy Point	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	82 % survival	Not toxic	NR
227	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	52.4 % red. biolum.^	Toxic	1
227	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0 % survival	Toxic	1
227	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	1
227	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	63 % survival	Toxic	1
227	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.77 EC50 biolum.#	Not toxic	1
230	D-S Harbor - NW side of Lakehead Dock	48 hour	Cladoceran	<i>Ceriodaphnia dubia</i>	ADT	100 % survival	Not toxic	8.4
230	D-S Harbor - NW side of Lakehead Dock	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	95 % survival	Not toxic	8.4

**Table G-16. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Anthracene in the St. Louis River Area of Concern**

Anthracene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
230	D-S Harbor - NW side of Lakehead Dock	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.04 mg growth	Not toxic	8.4
230	D-S Harbor - NW side of Lakehead Dock	10 day	Diptera	<i>Chironomus tentans</i>	LAR	100 % survival	Not toxic	8.4
235	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.48 EC50 biolum.#	Toxic	3.47
235	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	94 % survival	Not toxic	3.47
235	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	3.47
235	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	20.18 % red. biolum.^	Toxic	3.47
249	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	98 % survival	Not toxic	1.44
249	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.14 EC50 biolum.#	Not toxic	1.44
249	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	5.4 % red. biolum.^	Not toxic	1.44
250	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	3.97
250	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	3.97
250	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.77 EC50 biolum.#	Not toxic	3.97
250	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.49 mg growth	Not toxic	3.97
250	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	3.97
254	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.35 mg growth	Not toxic	4.05
254	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	85 % survival	Not toxic	4.05
254	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.4 EC50 biolum.#	Toxic	4.05
254	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	20.9 % red. biolum.^	Toxic	4.05
254	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	58 % survival	Not toxic	4.05
260	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	NR
260	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	85 % survival	Not toxic	NR
260	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Diptera	<i>Chironomus tentans</i>	LAR	68 % survival	Toxic	NR
260	D-S Harbor - Slip C	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	96 % survival	Not toxic	NR
260	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	NR
294	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.11 mg growth	Toxic	11.76
294	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	11.76
294	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.02 mg growth	Toxic	11.76
294	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	67 % survival	Not toxic	11.76
303	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	5 % survival	Not toxic	4.54
303	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	69 % survival	Not toxic	4.54
303	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	30 % red. biolum.^	Toxic	4.54
303	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.05 EC50 biolum.#	Toxic	4.54
304	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	100 EC50 biolum.#	Not toxic	0.24
304	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	72 % survival	Not toxic	0.24
304	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	23.05 % red. biolum.^	Toxic	0.24
304	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	52 % survival	Not toxic	0.24
304	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.2 mg growth	Not toxic	6.4

**Table G-16. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Anthracene in the St. Louis River Area of Concern**

Anthracene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
304	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	6.4
304	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	87 % survival	Not toxic	6.4
304	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.59 mg growth	Not toxic	6.4
305	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	95 % survival	Not toxic	2.43
305	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.67 EC50 biolum.#	Not toxic	2.43
305	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	8.5 % red. biolum.^	Not toxic	2.43
307	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.41 EC50 biolum.#	Toxic	3.87
307	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	93 % survival	Not toxic	3.87
307	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.23 mg growth	Toxic	3.87
307	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	3.87
307	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.1 % red. biolum.^	Not toxic	3.87
310	Spirit Lake - Grassy Point	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	NR
310	Spirit Lake - Grassy Point	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	65 % survival	Toxic	NR
312	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.5 EC50 biolum.#	Not toxic	3.99
312	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	3.99
312	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	86 % survival	Not toxic	3.99
326	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	4.05
326	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	67 % survival	Not toxic	4.05
326	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	8.3 % red. biolum.^	Not toxic	4.05
326	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.36 EC50 biolum.#	Toxic	4.05
336	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	3.88 EC50 biolum.#	Not toxic	13.81
336	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.1 % red. biolum.^	Not toxic	13.81
336	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	62 % survival	Not toxic	13.81
336	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	98 % survival	Not toxic	13.81
344	St. Louis Harbor	10 day	Oligochaete	<i>Lumbriculus variegatus</i>	ADT	75 % survival	Toxic	6.1
344	St. Louis Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	2.5 Percent survival/normal & UV	Toxic	6.1
344	St. Louis Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.08 mg growth	Not determined	6.1
344	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.8 Percent weight using UV light	Not toxic	6.1
344	St. Louis Harbor	10 day	Oligochaete	<i>Lumbriculus variegatus</i>	ADT	0.54 mg growth	Toxic	6.1
344	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	82.5 Percent survival/normal & UV	Not toxic	6.1
344	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.65 mg growth	Toxic	6.1
344	St. Louis Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	42.5 % survival	Toxic	6.1
344	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	92.5 % survival	Not toxic	6.1
344	St. Louis Harbor	10 day	Oligochaete	<i>Lumbriculus variegatus</i>	ADT	0 Percent survival/normal & UV	Toxic	6.1
347	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.05 EC50 biolum.#	Toxic	8.97
347	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	42.1 % red. biolum.^	Toxic	8.97
347	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	3 % survival	Toxic	8.97

**Table G-16. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Anthracene in the St. Louis River Area of Concern**

Anthracene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
347	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	8.97
347	D-S Harbor	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	75 % survival	Toxic	8.97
348	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	20 % red. biolum.^	Toxic	4.48
348	St. Louis Bay	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	16 % survival	Toxic	4.48
348	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.29 EC50 biolum.#	Toxic	4.48
393	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0 % survival	Toxic	0.82
393	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	26.1 % red. biolum.^	Toxic	0.82
393	Spirit Lake	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	59 % survival	Not toxic	0.82
393	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.05 EC50 biolum.#	Toxic	0.82
402	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	33.03 % red. biolum.^	Toxic	4.47
402	Allouez Bay	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	85 % survival	Not toxic	4.47
402	Allouez Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	68 % survival	Not toxic	4.47
402	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.82 EC50 biolum.#	Not toxic	4.47
407	St. Louis Bay	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	86 % survival	Not toxic	2.13
407	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.47 EC50 biolum.#	Toxic	2.13
407	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	29.6 % red. biolum.^	Toxic	2.13
407	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	82 % survival	Not toxic	2.13
568	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.49 EC50 biolum.#	Not toxic	17.49
568	Spirit Lake	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	75 % survival	Not toxic	17.49
568	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	17.49
568	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	17.49
570	St. Louis Bay	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	56 % survival	Not toxic	13.98
570	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	29.59 % red. biolum.^	Toxic	13.98
570	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	82 % survival	Not toxic	13.98
570	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.38 EC50 biolum.#	Toxic	13.98
581	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.37 EC50 biolum.#	Toxic	3.98
581	Spirit Lake	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	100 % survival	Not toxic	3.98
581	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	3.98
581	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	8.6 % red. biolum.^	Not toxic	3.98
620	St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	87 % survival	Not toxic	5.88
627	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	30.8 % red. biolum.^	Toxic	6.77
627	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	18 % survival	Toxic	6.77
627	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	6.77
627	D-S Harbor	10 day	Amphipod	<i>Hyaella azteca</i>	JUV	92 % survival	Not toxic	6.77
627	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.02 EC50 biolum.#	Toxic	6.77
659	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	-0.6 % red. biolum.^	Not toxic	4.36
659	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.96 EC50 biolum.#	Not toxic	4.36

**Table G-16. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Anthracene in the St. Louis River Area of Concern**

Anthracene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
659	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	68 % survival	Not toxic	4.36
659	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	4.36
729	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	83 % survival	Not toxic	26.54
729	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	26.54
729	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.3 mg growth	Not toxic	26.54
729	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.18 mg growth	Toxic	26.54
751	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	7.4 % red. biolum.^	Not toxic	29.84
751	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	45 % survival	Not toxic	29.84
751	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.43 mg growth	Not toxic	29.84
751	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	93 % survival	Not toxic	29.84
751	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.12 EC50 biolum.#	Not toxic	29.84
789	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	23.1
789	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.35 mg growth	Not toxic	23.1
789	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	82 % survival	Not toxic	23.1
789	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.2 mg growth	Not toxic	23.1
820	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	83 % survival	Not toxic	6.15
820	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.84 mg growth	Toxic	6.15
820	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	77 % survival	Not toxic	6.15
820	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.15 mg growth	Toxic	6.15
850	D-S Harbor - Minnesota Slip	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	89 % survival	Not toxic	NR
914	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	3.74
914	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	3.74
914	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.57 mg growth	Not toxic	3.74
914	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.06 EC50 biolum.#	Not toxic	3.74
914	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	65 % survival	Not toxic	3.74
981	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	67.9 % red. biolum.^	Toxic	14.19
981	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	12 % survival	Toxic	14.19
981	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0 % survival	Toxic	14.19
981	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.16 EC50 biolum.#	Toxic	14.19
1145	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	87 % survival	Not toxic	45.37
1145	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.07 mg growth	Toxic	45.37
1145	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.17 mg growth	Toxic	45.37
1145	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	92 % survival	Not toxic	45.37
1342	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	6.72
1342	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	87 % survival	Not toxic	6.72
1342	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.46 mg growth	Not toxic	6.72
1342	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.35 EC50 biolum.#	Not toxic	6.72

**Table G-16. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Anthracene in the St. Louis River Area of Concern**

Anthracene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
1342	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	88 % survival	Not toxic	6.72
1400	D-S Harbor - Minnesota Slip	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	NR
1452	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	65 % survival	Not toxic	4.7
1452	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	12.7 % red. biolum.^	Not toxic	4.7
1452	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	2.55 EC50 biolum.#	Not toxic	4.7
1452	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	88 % survival	Not toxic	4.7
1454	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	53 % survival	Toxic	8.08
1454	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.14 mg growth	Toxic	8.08
1454	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	48 % survival	Toxic	8.08
1454	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.8 mg growth	Toxic	8.08
1606	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	4.07 EC50 biolum.#	Not toxic	6.03
1606	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	58 % red. biolum.^	Toxic	6.03
1606	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	85 % survival	Not toxic	6.03
1800	St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	93 % survival	Not toxic	9.58
2109	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.16 EC50 biolum.#	Toxic	5.59
2109	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	95 % survival	Not toxic	5.59
2109	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	5.59
2109	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	4 % red. biolum.^	Not toxic	5.59
2272	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	4.13
2272	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	21.7 % red. biolum.^	Toxic	4.13
2272	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	4.13
2272	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.35 EC50 biolum.#	Toxic	4.13
2273	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	38 % survival	Toxic	3.42
2273	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.2 mg growth	Not toxic	3.42
2273	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	52 % survival	Toxic	3.42
2273	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.56 mg growth	Not determined	3.42
2634	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.73 EC50 biolum.#	Not toxic	3.07
2634	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	55 % survival	Not toxic	3.07
2634	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	32.24 % red. biolum.^	Toxic	3.07
2685	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	100
2685	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	60 % survival	Toxic	100
2685	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.18 mg growth	Not toxic	100
2685	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.23 mg growth	Not toxic	100
2800	D-S Harbor - Slip C	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	NR
2800	D-S Harbor - Slip C	10 day	Diptera	<i>Chironomus tentans</i>	LAR	55 % survival	Toxic	NR
3661	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	30 % survival	Toxic	12.95
3661	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.1 mg growth	Toxic	12.95

**Table G-16. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Anthracene in the St. Louis River Area of Concern**

Anthracene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
3661	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	75 % survival	Toxic	12.95
3661	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.65 mg growth	Not determined	12.95
3756	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	1.71
3756	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	42.1 % red. biolum.^	Toxic	1.71
3756	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.27 EC50 biolum.#	Not toxic	1.71
3756	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.4 mg growth	Not toxic	1.71
3756	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	78 % survival	Not toxic	1.71
3990	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	13.91
3990	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	93.4 % red. biolum.^	Toxic	13.91
3990	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	18 % survival	Toxic	13.91
3990	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	13.91
3990	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.4 EC50 biolum.#	Toxic	13.91
5285	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.06 EC50 biolum.#	Toxic	8.26
5285	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0 % survival	Toxic	8.26
5285	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0 % survival	Toxic	8.26
5285	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	99.9 % red. biolum.^	Toxic	8.26
12658	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	30 % survival	Toxic	4.64
12658	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.13 mg growth	Not determined	4.64
12658	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	4.64
12658	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.16 mg growth	Toxic	4.64
16760	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.24 mg growth	Not determined	NR
16760	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	8 % survival	Toxic	NR
16760	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	30 % survival	Toxic	NR
16760	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.07 mg growth	Not determined	NR
46025	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	Not determined	Not determined	11.16
46025	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0 % survival	Toxic	11.16
46025	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0 % survival	Toxic	11.16
46025	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	11.16
50119	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	8 % survival	Toxic	50.12
50119	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.09 mg growth	Not determined	50.12
50119	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0 % survival	Toxic	50.12
50119	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	Not determined	Not determined	50.12
97366	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.38 EC50 biolum.#	Toxic	11.98
97366	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	84.7 % red. biolum.^	Toxic	11.98
97366	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0 % survival	Toxic	11.98
97366	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	12 % survival	Toxic	11.98
97366	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	11.98
170000	St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	63 % survival	Toxic	6.12

**Table G-16. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Anthracene in the St. Louis River Area of Concern**

Anthracene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
-----------------------	------	------------------	---------------	---------	------------	--------------------	--------	------------

^ = relative to control; D-S = Duluth-Superior; # = expressed as % DW sediment; red. biolum. = reduced bioluminescence; EC50 = effective concentration affecting 50% of the population.  
 LAR = larvae; JUV = juvenile; TOC = total organic carbon; NR = not reported.

---

**Reference**

---

MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b

---



---

**Reference**

---

Ankley *et al.* 1994  
Ankley *et al.* 1994  
Ankley *et al.* 1994  
Ankley *et al.* 1994  
Ankley *et al.* 1994  
Ankley *et al.* 1994  
Ankley *et al.* 1994  
Ankley *et al.* 1994  
Ankley *et al.* 1994  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
Crane *et al.* 1997  
MPCA 1997b  
Crane *et al.* 1997  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997c  
MPCA 1997c  
MPCA 1997b  
MPCA 1997c  
MPCA 1997b

---

---

**Reference**

---

MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
Wenck Associates Inc. 1995  
Wenck Associates Inc. 1995  
Wenck Associates Inc. 1995  
Wenck Associates Inc. 1995  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
Ankley *et al.* 1994  
Ankley *et al.* 1994  
Ankley *et al.* 1994  
Ankley *et al.* 1994  
Ankley *et al.* 1994  
Ankley *et al.* 1994  
Ankley *et al.* 1994  
Ankley *et al.* 1994  
Ankley *et al.* 1994  
Ankley *et al.* 1994  
Ankley *et al.* 1994  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c

---

---

**Reference**

---

MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
Crane *et al.* 1997  
Crane *et al.* 1997  
Crane *et al.* 1997  
Crane *et al.* 1997  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
Crane *et al.* 1997  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
Crane *et al.* 1997  
Crane *et al.* 1997  
Crane *et al.* 1997

---

---

**Reference**

---

Crane *et al.* 1997  
Crane *et al.* 1997  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
Crane *et al.* 1997  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
Crane *et al.* 1997  
Crane *et al.* 1997  
Crane *et al.* 1997  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
Crane *et al.* 1997  
Crane *et al.* 1997  
Crane *et al.* 1997  
Crane *et al.* 1997  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
Wenck Associates Inc. 1995  
Wenck Associates Inc. 1995

---

---

**Reference**

---

Wenck Associates Inc. 1995  
Wenck Associates Inc. 1995  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
Crane *et al.* 1997  
Crane *et al.* 1997  
Crane *et al.* 1997  
Crane *et al.* 1997  
Crane *et al.* 1997  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
IT Corp. 1996

---

---

**Reference**

---

IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
Crane *et al.* 1997  
Crane *et al.* 1997  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
Ankley *et al.* 1994  
Ankley *et al.* 1994  
Ankley *et al.* 1994  
Ankley *et al.* 1994  
Ankley *et al.* 1994  
Ankley *et al.* 1994  
Ankley *et al.* 1994  
Ankley *et al.* 1994  
Ankley *et al.* 1994  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c

---



---

**Reference**

---

MPCA 1997b  
MPCA 1997b  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
Crane *et al.* 1997  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c

---

---

**Reference**

---

MPCA 1997c  
Crane *et al.* 1997  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1993  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
Crane *et al.* 1997  
Crane *et al.* 1997  
IT Corp. 1996  
IT Corp. 1996

---



---

**Reference**

---

**Table G-17. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Fluorene in the St. Louis River Area of Concern**

Fluorene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
0.50	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	100 EC50 biolum.#	Not toxic	0.08	MPCA 1997b
0.50	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	90 % survival	Not toxic	0.08	MPCA 1997b
0.50	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	86 mg growth	Not toxic	0.08	MPCA 1997b
0.50	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	26.3 % red. biolum.^	Toxic	0.08	MPCA 1997b
0.90	D-S Harbor - Miller & Coffee Creek Embayment	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	67.3 % red. biolum.^	Toxic	0.14	MPCA 1997b
0.90	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	0.14	MPCA 1997b
0.90	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	58 % survival	Not toxic	0.14	MPCA 1997b
0.90	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	17.83 EC50 biolum.#	Not toxic	0.14	MPCA 1997b
1.40	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	86 % survival	Not toxic	0.2	MPCA 1997b
1.40	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	0.2	MPCA 1997b
1.40	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	25.2 % red. biolum.^	Toxic	0.2	MPCA 1997b
1.40	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	4.94 EC50 biolum.#	Not toxic	0.2	MPCA 1997b
1.40	Allouez Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	55 % survival	Not toxic	0.35	MPCA 1997b
1.40	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	26.2 % red. biolum.^	Toxic	0.35	MPCA 1997b
1.40	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	11.24 EC50 biolum.#	Not toxic	0.35	MPCA 1997b
1.50	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.14 mg growth	Toxic	2.93	IT Corp. 1996
1.50	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.04 mg growth	Toxic	2.93	IT Corp. 1996
1.50	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	97 % survival	Not toxic	2.93	IT Corp. 1996
1.50	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	78 % survival	Not toxic	2.93	IT Corp. 1996
2.00	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	95 % survival	Not toxic	0.12	MPCA 1997b
2.00	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	3.4 % red. biolum.^	Not toxic	0.12	MPCA 1997b
2.00	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	78 % survival	Not toxic	0.12	MPCA 1997b
2.00	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	100 EC50 biolum.#	Not toxic	0.12	MPCA 1997b
2.60	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	29.7 % red. biolum.^	Toxic	1.02	MPCA 1997b
2.60	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.81 EC50 biolum.#	Not toxic	1.02	MPCA 1997b
2.60	Allouez Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	1.02	MPCA 1997b
2.60	Allouez Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	1.02	MPCA 1997b
2.70	Allouez Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	0.59	MPCA 1997b
2.70	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	3.96 EC50 biolum.#	Not toxic	0.59	MPCA 1997b
2.70	Allouez Bay	30 minute	Bacteria	<i>Chironomus tentans</i>	NA	0 % red. biolum.^	Not toxic	0.59	MPCA 1997b
4.00	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.96 EC50 biolum.#	Not toxic	2.91	MPCA 1997b
4.00	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	18.89 % red. biolum.^	Not toxic	2.91	MPCA 1997b
4.00	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	90 % survival	Not toxic	2.91	MPCA 1997b
4.00	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	2.91	MPCA 1997b
5.50	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	100 EC50 biolum.#	Not toxic	0.16	MPCA 1997b
5.50	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	22.95 % red. biolum.^	Toxic	0.16	MPCA 1997b

**Table G-17. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Fluorene in the St. Louis River Area of Concern**

Fluorene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
5.50	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	90 % survival	Not toxic	0.16	MPCA 1997b
6.00	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	6.73 EC50 biolum.#	Not toxic	5.77	MPCA 1997b
6.00	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	6.4 % red. biolum.^	Not toxic	5.77	MPCA 1997b
6.00	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	75 % survival	Not toxic	5.77	MPCA 1997b
6.00	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	5.77	MPCA 1997b
6.65	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	1.42	MPCA 1997b
6.65	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	60 % survival	Not toxic	1.42	MPCA 1997b
6.65	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.72 EC50 biolum.#	Not toxic	1.42	MPCA 1997b
6.65	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	41.98 % red. biolum.^	Toxic	1.42	MPCA 1997b
8.00	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	70 % survival	Not toxic	2.82	MPCA 1997b
8.00	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	21.8 % red. biolum.^	Toxic	1.87	MPCA 1997c
8.00	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	2.07 EC50 biolum.#	Not toxic	1.87	MPCA 1997c
8.00	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	1.87	MPCA 1997c
8.00	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	93 % survival	Not toxic	1.87	MPCA 1997c
8.00	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.53 mg growth	Not toxic	1.87	MPCA 1997c
8.00	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.4 EC50 biolum.#	Toxic	2.82	MPCA 1997b
8.00	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	2.82	MPCA 1997b
8.00	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	10.2 % red. biolum.^	Not toxic	2.82	MPCA 1997b
8.75	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	12 % red. biolum.^	Not toxic	2.7	MPCA 1997c
8.75	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.44 mg growth	Not toxic	2.7	MPCA 1997c
8.75	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	93 % survival	Not toxic	2.7	MPCA 1997c
8.75	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	5.3 % red. biolum.^	Not toxic	2.7	MPCA 1997c
8.75	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.52 EC50 biolum.#	Not toxic	2.7	MPCA 1997c
8.75	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	2.7	MPCA 1997c
8.75	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	68 % survival	Not toxic	2.7	MPCA 1997c
8.75	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	2.7	MPCA 1997c
8.75	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.52 EC50 biolum.#	Not toxic	2.7	MPCA 1997c
8.75	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.56 mg growth	Not toxic	2.7	MPCA 1997c
9.50	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	7.4 % red. biolum.^	Not toxic	2.59	MPCA 1997b
9.50	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	97.5 % survival	Not toxic	2.59	MPCA 1997b
9.50	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.41 EC50 biolum.#	Toxic	2.59	MPCA 1997b
9.50	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	65 % survival	Not toxic	2.59	MPCA 1997b
10.0	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	1.82	MPCA 1997b
10.0	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	3.56 EC50 biolum.#	Not toxic	1.82	MPCA 1997b
10.0	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	70 % survival	Not toxic	1.82	MPCA 1997b
10.0	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	-2.8 % red. biolum.^	Not toxic	1.82	MPCA 1997b

**Table G-17. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Fluorene in the St. Louis River Area of Concern**

Fluorene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
11.0	Spirit Lake - Grassy Point	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
11.0	Spirit Lake - Grassy Point	10 day	Diptera	<i>Chironomus tentans</i>	LAR	92 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
11.3	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	28.8 % red. biolum.^	Toxic	3.25	MPCA 1997c
11.3	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	3.25	MPCA 1997c
11.3	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.42 EC50 biolum.#	Toxic	3.25	MPCA 1997c
12.0	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	100 EC50 biolum.#	Not toxic	0.4	MPCA 1997b
12.0	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	0.4	MPCA 1997b
12.0	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	88 % survival	Not toxic	0.4	MPCA 1997b
12.0	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	85 % survival	Not toxic	0.4	MPCA 1997b
12.0	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	82 % survival	Not toxic	0.4	MPCA 1997b
12.0	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	39.7 % red. biolum.^	Toxic	0.4	MPCA 1997b
13.7	St. Louis Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.04 mg growth	Not determined	0.7	Ankley <i>et al.</i> 1994
13.7	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	87.5 % survival	Not toxic	0.7	Ankley <i>et al.</i> 1994
13.7	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.8 mg growth	Not toxic	0.7	Ankley <i>et al.</i> 1994
13.7	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	65 % survival/normal & UV	Toxic	0.7	Ankley <i>et al.</i> 1994
13.7	St. Louis Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	65 % survival	Not toxic	0.7	Ankley <i>et al.</i> 1994
13.7	St. Louis Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0 % survival/normal & UV	Toxic	0.7	Ankley <i>et al.</i> 1994
13.7	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.74 % weight using UV light	Not toxic	0.7	Ankley <i>et al.</i> 1994
13.7	St. Louis Harbor	10 day	Oligochaete	<i>Lumbriculus variegatus</i>	ADT	85 % survival	Not toxic	0.7	Ankley <i>et al.</i> 1994
13.7	St. Louis Harbor	10 day	Oligochaete	<i>Lumbriculus variegatus</i>	ADT	0 % survival/normal & UV	Toxic	0.7	Ankley <i>et al.</i> 1994
13.7	St. Louis Harbor	10 day	Oligochaete	<i>Lumbriculus variegatus</i>	ADT	0.65 mg growth	Toxic	0.7	Ankley <i>et al.</i> 1994
14.0	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.37 mg growth	Not toxic	2.34	MPCA 1997c
14.0	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	95 % survival	Not toxic	2.34	MPCA 1997c
14.0	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	2.34	MPCA 1997c
14.0	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.77 EC50 biolum.#	Not toxic	2.34	MPCA 1997c
14.0	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	12.1 % red. biolum.^	Not toxic	2.34	MPCA 1997c
14.1	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	1.35	MPCA 1997b
14.1	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	1.35	MPCA 1997b
14.1	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.96 EC50 biolum.#	Not toxic	1.35	MPCA 1997b
14.1	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	1.35	MPCA 1997b
20.0	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	2.24	MPCA 1997c
20.0	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.3 EC50 biolum.#	Not toxic	2.24	MPCA 1997c
20.0	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	98 % survival	Not toxic	2.24	MPCA 1997c
20.0	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.46 mg growth	Not toxic	2.24	MPCA 1997c
20.0	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	95 % survival	Not toxic	2.24	MPCA 1997c
20.0	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	12.1 % red. biolum.^	Not toxic	1.69	MPCA 1997c

**Table G-17. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Fluorene in the St. Louis River Area of Concern**

Fluorene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
20.0	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	84 % survival	Not toxic	1.69	MPCA 1997c
20.0	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	4.29 EC50 biolum.#	Not toxic	1.69	MPCA 1997c
22.0	St. Louis River - Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.09 EC50 biolum.#	Toxic	4.84	MPCA 1997b
22.0	St. Louis River - Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	4.84	MPCA 1997b
22.0	St. Louis River - Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	18.2 % red. biolum.^	Not toxic	4.84	MPCA 1997b
22.0	St. Louis River - Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	90 % survival	Not toxic	4.84	MPCA 1997b
22.0	Spirit Lake - Grassy Point	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	80 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
22.0	Spirit Lake - Grassy Point	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
29.0	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	8.2 % red. biolum.^	Not toxic	1.37	MPCA 1997c
29.0	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	1.37	MPCA 1997c
29.0	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	3.52 EC50 biolum.#	Not toxic	1.37	MPCA 1997c
29.0	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	52 % survival	Not toxic	1.37	MPCA 1997c
29.0	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.57 mg growth	Not toxic	1.37	MPCA 1997c
30.0	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	3.85	MPCA 1997c
30.0	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.64 mg growth	Not toxic	3.85	MPCA 1997c
30.0	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	3.85	MPCA 1997c
30.0	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	88 % survival	Not toxic	3.85	MPCA 1997c
30.0	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	3.82 EC50 biolum.#	Not toxic	3.85	MPCA 1997c
33.0	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	1.65	MPCA 1997c
33.0	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.53 mg growth	Not toxic	1.65	MPCA 1997c
33.0	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	4.42 EC50 biolum.#	Not toxic	1.65	MPCA 1997c
33.0	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	87 % survival	Not toxic	1.65	MPCA 1997c
33.0	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	88 % survival	Not toxic	1.65	MPCA 1997c
42.0	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	5.34	MPCA 1997b
42.0	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	5.34	MPCA 1997b
42.0	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	18.8 % red. biolum.^	Not toxic	5.34	MPCA 1997b
42.0	Spirit Lake - Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.97 EC50 biolum.#	Not toxic	5.34	MPCA 1997b
43.0	Spirit Lake - Grassy Point	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	75 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
43.0	Spirit Lake - Grassy Point	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
48.8	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	95 % survival/normal & UV	Not toxic	4.1	Ankley <i>et al.</i> 1994
48.8	St. Louis Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.04 mg growth	Toxic	4.1	Ankley <i>et al.</i> 1994
48.8	St. Louis Harbor	10 day	Oligochaete	<i>Lumbriculus variegatus</i>	ADT	87.5 % survival/normal & UV	Not toxic	4.1	Ankley <i>et al.</i> 1994
48.8	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.93 mg growth	Not toxic	4.1	Ankley <i>et al.</i> 1994
48.8	St. Louis Harbor	10 day	Oligochaete	<i>Lumbriculus variegatus</i>	ADT	100 % survival	Not toxic	4.1	Ankley <i>et al.</i> 1994
48.8	St. Louis Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	80 % survival	Not toxic	4.1	Ankley <i>et al.</i> 1994
48.8	St. Louis Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	72.5 % survival/normal & UV	Not toxic	4.1	Ankley <i>et al.</i> 1994

**Table G-17. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Fluorene in the St. Louis River Area of Concern**

Fluorene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
48.8	St. Louis Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.05 % weight using UV light	Not toxic	4.1	Ankley <i>et al.</i> 1994
48.8	St. Louis Harbor	10 day	Oligochaete	<i>Lumbriculus variegatus</i>	ADT	0.85 mg growth	Not toxic	4.1	Ankley <i>et al.</i> 1994
48.8	St. Louis Harbor	10 day	Oligochaete	<i>Lumbriculus variegatus</i>	ADT	0.83 % weight using UV light	Toxic	4.1	Ankley <i>et al.</i> 1994
48.8	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.08 % weight using UV light	Not toxic	4.1	Ankley <i>et al.</i> 1994
48.8	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	4.1	Ankley <i>et al.</i> 1994
<50.0	Superior Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	100 % survival	Not toxic	6.7	Wenck Associates Inc. 1995
<50.0	Superior Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.57 mg growth	Not toxic	6.7	Wenck Associates Inc. 1995
<50.0	D-S Harbor - NW side of Lakehead Dock	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.04 mg growth	Not toxic	8.4	Wenck Associates Inc. 1995
<50.0	D-S Harbor - NW side of Lakehead Dock	48 hour	Cladoceran	<i>Ceriodaphnia dubia</i>	ADT	100 % survival	Not toxic	8.4	Wenck Associates Inc. 1995
<50.0	Superior Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	6.7	Wenck Associates Inc. 1995
<50.0	D-S Harbor - NW side of Lakehead Dock	10 day	Diptera	<i>Chironomus tentans</i>	LAR	100 % survival	Not toxic	8.4	Wenck Associates Inc. 1995
<50.0	Superior Bay	48 hour	Cladoceran	<i>Ceriodaphnia dubia</i>	ADT	100 % survival	Not toxic	6.7	Wenck Associates Inc. 1995
<50.0	D-S Harbor - NW side of Lakehead Dock	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	95 % survival	Not toxic	8.4	Wenck Associates Inc. 1995
50.9	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	52 % survival	Not toxic	0.24	MPCA 1997b
50.9	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	23.05 % red. biolum.^	Toxic	0.24	MPCA 1997b
50.9	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	72 % survival	Not toxic	0.24	MPCA 1997b
50.9	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	100 EC50 biolum.#	Not toxic	0.24	MPCA 1997b
51.0	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.92 EC50 biolum.#	Not toxic	2.98	MPCA 1997c
51.0	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.24 EC50 biolum.#	Toxic	4.11	MPCA 1997b
51.0	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.58 mg growth	Not toxic	2.98	MPCA 1997c
51.0	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	72 % survival	Not toxic	4.11	MPCA 1997b
51.0	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	88 % survival	Not toxic	4.11	MPCA 1997b
51.0	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	10.5 % red. biolum.^	Not toxic	2.98	MPCA 1997c
51.0	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	97 % survival	Not toxic	2.98	MPCA 1997c
51.0	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.51 EC50 biolum.#	Not toxic	3.95	MPCA 1997c
51.0	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	88 % survival	Not toxic	3.95	MPCA 1997c
51.0	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	30.7 % red. biolum.^	Toxic	3.95	MPCA 1997c
51.0	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	23.7 % red. biolum.^	Toxic	3.95	MPCA 1997c
51.0	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.51 EC50 biolum.#	Not toxic	3.95	MPCA 1997c
51.0	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	70 % survival	Toxic	3.95	MPCA 1997c
51.0	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	68 % survival	Not toxic	4.11	MPCA 1997b
51.0	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	15.5 % red. biolum.^	Not toxic	4.11	MPCA 1997b
51.0	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	2.98	MPCA 1997c
51.0	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	98 % survival	Not toxic	4.11	MPCA 1997b
58.0	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.48 EC50 biolum.#	Toxic	3.47	MPCA 1997b
58.0	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	94 % survival	Not toxic	3.47	MPCA 1997b

**Table G-17. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Fluorene in the St. Louis River Area of Concern**

Fluorene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
58.0	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	3.47	MPCA 1997b
58.0	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	20.18 % red. biolum.^	Toxic	3.47	MPCA 1997b
59.0	Spirit Lake - Grassy Point	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
59.0	Spirit Lake - Grassy Point	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
71.0	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
71.0	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Diptera	<i>Chironomus tentans</i>	LAR	90 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
74.0	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
74.0	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
83.0	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	98 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
83.0	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Diptera	<i>Chironomus tentans</i>	LAR	78 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
86.0	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	96 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
90.5	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	77 % survival	Not toxic	3.4	MPCA 1997c
90.5	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.74 EC50 biolum.#	Not toxic	3.4	MPCA 1997c
90.5	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.2 % red. biolum.^	Not toxic	3.4	MPCA 1997c
90.5	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	87 % survival	Not toxic	3.4	MPCA 1997c
90.5	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.37 mg growth	Not toxic	3.4	MPCA 1997c
90.5	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	87 % survival	Not toxic	3.4	MPCA 1997c
90.5	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.74 EC50 biolum.#	Not toxic	3.4	MPCA 1997c
90.5	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	3.4	MPCA 1997c
90.5	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.49 mg growth	Not toxic	3.4	MPCA 1997c
90.5	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.9 % red. biolum.^	Not toxic	3.4	MPCA 1997c
91.0	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	67 % survival	Not toxic	4.05	MPCA 1997b
91.0	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	4.05	MPCA 1997b
91.0	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	8.3 % red. biolum.^	Not toxic	4.05	MPCA 1997b
91.0	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.36 EC50 biolum.#	Toxic	4.05	MPCA 1997b
94.0	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.32 EC50 biolum.#	Toxic	2.63	MPCA 1997b
94.0	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	33.45 % red. biolum.^	Toxic	2.63	MPCA 1997b
94.0	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	68 % survival	Not toxic	2.63	MPCA 1997b
94.0	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	75 % survival	Not toxic	2.63	MPCA 1997b
97.0	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	3.97	MPCA 1997c
97.0	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	3.97	MPCA 1997c
97.0	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.77 EC50 biolum.#	Not toxic	3.97	MPCA 1997c
97.0	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	3.97	MPCA 1997c
97.0	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.49 mg growth	Not toxic	3.97	MPCA 1997c
97.0	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	96 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
100	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	72 % survival	Not toxic	NR	Crane <i>et al.</i> 1997

**Table G-17. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Fluorene in the St. Louis River Area of Concern**

Fluorene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
100	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
104	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	20.9 % red. biolum.^	Toxic	4.05	MPCA 1997c
104	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	85 % survival	Not toxic	4.05	MPCA 1997c
104	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.35 mg growth	Not toxic	4.05	MPCA 1997c
104	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.4 EC50 biolum.#	Toxic	4.05	MPCA 1997c
104	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	58 % survival	Not toxic	4.05	MPCA 1997c
110	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	85 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
110	D-S Harbor - Slip C	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
110	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Diptera	<i>Chironomus tentans</i>	LAR	68 % survival	Toxic	NR	Crane <i>et al.</i> 1997
110	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	96 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
110	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	93 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
110	D-S Harbor - Slip C	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	85 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
123	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.76 EC50 biolum.#	Not toxic	4.02	MPCA 1997c
123	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	57 % survival	Toxic	4.02	MPCA 1997c
123	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	4.02	MPCA 1997c
123	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	4.1 % red. biolum.^	Not toxic	4.02	MPCA 1997c
123	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	4.02	MPCA 1997c
130	Spirit Lake - Grassy Point	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	82 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
130	Spirit Lake - Grassy Point	10 day	Diptera	<i>Chironomus tentans</i>	LAR	82 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
133	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.1 % red. biolum.^	Not toxic	13.81	MPCA 1997b
133	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	3.88 EC50 biolum.#	Not toxic	13.81	MPCA 1997b
133	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	62 % survival	Not toxic	13.81	MPCA 1997b
133	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	98 % survival	Not toxic	13.81	MPCA 1997b
140	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
140	D-S Harbor - Slip C	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	96 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
140	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
153	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.47 EC50 biolum.#	Toxic	2.13	MPCA 1997b
153	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	82 % survival	Not toxic	2.13	MPCA 1997b
153	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	86 % survival	Not toxic	2.13	MPCA 1997b
153	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	29.6 % red. biolum.^	Toxic	2.13	MPCA 1997b
160	Spirit Lake - Grassy Point	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
160	Spirit Lake - Grassy Point	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	65 % survival	Toxic	NR	Crane <i>et al.</i> 1997
163	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.11 mg growth	Toxic	11.76	IT Corp. 1996
163	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	11.76	IT Corp. 1996
163	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.02 mg growth	Toxic	11.76	IT Corp. 1996
163	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	67 % survival	Not toxic	11.76	IT Corp. 1996

**Table G-17. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Fluorene in the St. Louis River Area of Concern**

Fluorene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
164	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.77 EC50 biolum.#	Not toxic	1	MPCA 1997c
164	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	63 % survival	Toxic	1	MPCA 1997c
164	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	1	MPCA 1997c
164	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	52.4 % red. biolum.^	Toxic	1	MPCA 1997c
164	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0 % survival	Toxic	1	MPCA 1997c
165	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.2 mg growth	Not toxic	6.4	IT Corp. 1996
165	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.59 mg growth	Not toxic	6.4	IT Corp. 1996
165	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	87 % survival	Not toxic	6.4	IT Corp. 1996
165	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	6.4	IT Corp. 1996
183	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	82 % survival	Not toxic	23.1	IT Corp. 1996
183	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	23.1	IT Corp. 1996
183	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.2 mg growth	Not toxic	23.1	IT Corp. 1996
183	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.35 mg growth	Not toxic	23.1	IT Corp. 1996
187	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	86 % survival	Not toxic	3.99	MPCA 1997c
187	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.5 EC50 biolum.#	Not toxic	3.99	MPCA 1997c
187	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	3.99	MPCA 1997c
194	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.23 mg growth	Toxic	3.87	MPCA 1997c
194	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	93 % survival	Not toxic	3.87	MPCA 1997c
194	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	3.87	MPCA 1997c
194	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.1 % red. biolum.^	Not toxic	3.87	MPCA 1997c
194	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.41 EC50 biolum.#	Toxic	3.87	MPCA 1997c
198	Allouez Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	68 % survival	Not toxic	4.47	MPCA 1997b
198	Allouez Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	85 % survival	Not toxic	4.47	MPCA 1997b
198	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.82 EC50 biolum.#	Not toxic	4.47	MPCA 1997b
198	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	33.03 % red. biolum.^	Toxic	4.47	MPCA 1997b
211	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	17.49	MPCA 1997b
211	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	17.49	MPCA 1997b
211	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	75 % survival	Not toxic	17.49	MPCA 1997b
211	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.49 EC50 biolum.#	Not toxic	17.49	MPCA 1997b
227	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.14 EC50 biolum.#	Not toxic	1.44	MPCA 1997c
227	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	5.4 % red. biolum.^	Not toxic	1.44	MPCA 1997c
227	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	98 % survival	Not toxic	1.44	MPCA 1997c
236	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	8.5 % red. biolum.^	Not toxic	2.43	MPCA 1997c
236	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	95 % survival	Not toxic	2.43	MPCA 1997c
236	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.67 EC50 biolum.#	Not toxic	2.43	MPCA 1997c
238	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	20 % red. biolum.^	Toxic	4.48	MPCA 1997c

**Table G-17. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Fluorene in the St. Louis River Area of Concern**

Fluorene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
238	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	16 % survival	Toxic	4.48	MPCA 1997c
238	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.29 EC50 biolum.#	Toxic	4.48	MPCA 1997c
243	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	3.98	MPCA 1997b
243	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	3.98	MPCA 1997b
243	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.37 EC50 biolum.#	Toxic	3.98	MPCA 1997b
243	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	8.6 % red. biolum.^	Not toxic	3.98	MPCA 1997b
275	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0 % survival	Toxic	0.82	MPCA 1997b
275	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	26.1 % red. biolum.^	Toxic	0.82	MPCA 1997b
275	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	59 % survival	Not toxic	0.82	MPCA 1997b
275	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.05 EC50 biolum.#	Toxic	0.82	MPCA 1997b
315	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	-0.6 % red. biolum.^	Not toxic	4.36	MPCA 1997b
315	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	4.36	MPCA 1997b
315	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.96 EC50 biolum.#	Not toxic	4.36	MPCA 1997b
315	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	68 % survival	Not toxic	4.36	MPCA 1997b
345	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	26.54	IT Corp. 1996
345	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	83 % survival	Not toxic	26.54	IT Corp. 1996
345	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.18 mg growth	Toxic	26.54	IT Corp. 1996
345	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.3 mg growth	Not toxic	26.54	IT Corp. 1996
368	St. Louis Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	42.5 % survival	Toxic	6.1	Ankley <i>et al.</i> 1994
368	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	92.5 % survival	Not toxic	6.1	Ankley <i>et al.</i> 1994
368	St. Louis Harbor	10 day	Oligochaete	<i>Lumbriculus variegatus</i>	ADT	0 % survival/normal & UV	Toxic	6.1	Ankley <i>et al.</i> 1994
368	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.8 % weight using UV light	Not toxic	6.1	Ankley <i>et al.</i> 1994
368	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.65 mg growth	Toxic	6.1	Ankley <i>et al.</i> 1994
368	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	82.5 % survival/normal & UV	Not toxic	6.1	Ankley <i>et al.</i> 1994
368	St. Louis Harbor	10 day	Oligochaete	<i>Lumbriculus variegatus</i>	ADT	0.54 mg growth	Toxic	6.1	Ankley <i>et al.</i> 1994
368	St. Louis Harbor	10 day	Oligochaete	<i>Lumbriculus variegatus</i>	ADT	75 % survival	Toxic	6.1	Ankley <i>et al.</i> 1994
368	St. Louis Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	2.5 % survival/normal & UV	Toxic	6.1	Ankley <i>et al.</i> 1994
368	St. Louis Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.08 mg growth	Not determined	6.1	Ankley <i>et al.</i> 1994
380	D-S Harbor - Minnesota Slip	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	89 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
383	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	87 % survival	Not toxic	45.37	IT Corp. 1996
383	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.07 mg growth	Toxic	45.37	IT Corp. 1996
383	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.17 mg growth	Toxic	45.37	IT Corp. 1996
383	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	92 % survival	Not toxic	45.37	IT Corp. 1996
384	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.02 EC50 biolum.#	Toxic	6.77	MPCA 1997c
384	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	6.77	MPCA 1997c
384	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	6.77	MPCA 1997c

**Table G-17. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Fluorene in the St. Louis River Area of Concern**

Fluorene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
384	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	18 % survival	Toxic	6.77	MPCA 1997c
384	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	30.8 % red. biolum.^	Toxic	6.77	MPCA 1997c
398	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	88 % survival	Not toxic	6.72	MPCA 1997c
398	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.35 EC50 biolum.#	Not toxic	6.72	MPCA 1997c
398	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	87 % survival	Not toxic	6.72	MPCA 1997c
398	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	6.72	MPCA 1997c
398	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.46 mg growth	Not toxic	6.72	MPCA 1997c
417	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.57 mg growth	Not toxic	3.74	MPCA 1997c
417	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	65 % survival	Not toxic	3.74	MPCA 1997c
417	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.06 EC50 biolum.#	Not toxic	3.74	MPCA 1997c
417	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	3.74	MPCA 1997c
417	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	3.74	MPCA 1997c
417	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	69 % survival	Not toxic	4.54	MPCA 1997b
417	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	5 % survival	Not toxic	4.54	MPCA 1997b
417	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	30 % red. biolum.^	Toxic	4.54	MPCA 1997b
417	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.05 EC50 biolum.#	Toxic	4.54	MPCA 1997b
440	St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	87 % survival	Not toxic	5.88	MPCA 1993
487	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.56 mg growth	Not determined	3.42	IT Corp. 1996
487	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	38 % survival	Toxic	3.42	IT Corp. 1996
487	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	52 % survival	Toxic	3.42	IT Corp. 1996
487	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.2 mg growth	Not toxic	3.42	IT Corp. 1996
519	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0 % survival	Toxic	14.19	MPCA 1997b
519	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	67.9 % red. biolum.^	Toxic	14.19	MPCA 1997b
519	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.16 EC50 biolum.#	Toxic	14.19	MPCA 1997b
519	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	12 % survival	Toxic	14.19	MPCA 1997b
536	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	77 % survival	Not toxic	6.15	IT Corp. 1996
536	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.15 mg growth	Toxic	6.15	IT Corp. 1996
536	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.84 mg growth	Toxic	6.15	IT Corp. 1996
536	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	83 % survival	Not toxic	6.15	IT Corp. 1996
539	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.38 EC50 biolum.#	Toxic	13.98	MPCA 1997b
539	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	29.59 % red. biolum.^	Toxic	13.98	MPCA 1997b
539	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	56 % survival	Not toxic	13.98	MPCA 1997b
539	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	82 % survival	Not toxic	13.98	MPCA 1997b
539	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.8 mg growth	Toxic	8.08	IT Corp. 1996
539	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	48 % survival	Toxic	8.08	IT Corp. 1996
539	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.14 mg growth	Toxic	8.08	IT Corp. 1996

**Table G-17. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Fluorene in the St. Louis River Area of Concern**

Fluorene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
539	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	53 % survival	Toxic	8.08	IT Corp. 1996
550	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	60 % survival	Toxic	100	IT Corp. 1996
550	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.18 mg growth	Not toxic	100	IT Corp. 1996
550	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.23 mg growth	Not toxic	100	IT Corp. 1996
550	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	100	IT Corp. 1996
581	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	8.97	MPCA 1997c
581	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	42.1 % red. biolum.^	Toxic	8.97	MPCA 1997c
581	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	75 % survival	Toxic	8.97	MPCA 1997c
581	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.05 EC50 biolum.#	Toxic	8.97	MPCA 1997c
581	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	3 % survival	Toxic	8.97	MPCA 1997c
604	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	2.55 EC50 biolum.#	Not toxic	4.7	MPCA 1997b
604	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	88 % survival	Not toxic	4.7	MPCA 1997b
604	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	12.7 % red. biolum.^	Not toxic	4.7	MPCA 1997b
604	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	65 % survival	Not toxic	4.7	MPCA 1997b
729	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	4.13	MPCA 1997b
729	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.35 EC50 biolum.#	Toxic	4.13	MPCA 1997b
729	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	21.7 % red. biolum.^	Toxic	4.13	MPCA 1997b
729	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	4.13	MPCA 1997b
744	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	58 % red. biolum.^	Toxic	6.03	MPCA 1997c
744	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	4.07 EC50 biolum.#	Not toxic	6.03	MPCA 1997c
744	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	85 % survival	Not toxic	6.03	MPCA 1997c
780	D-S Harbor - Minnesota Slip	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
983	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.12 EC50 biolum.#	Not toxic	29.84	MPCA 1997c
983	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	93 % survival	Not toxic	29.84	MPCA 1997c
983	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.43 mg growth	Not toxic	29.84	MPCA 1997c
983	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	45 % survival	Not toxic	29.84	MPCA 1997c
983	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	7.4 % red. biolum.^	Not toxic	29.84	MPCA 1997c
1125	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	4 % red. biolum.^	Not toxic	5.59	MPCA 1997b
1125	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	95 % survival	Not toxic	5.59	MPCA 1997b
1125	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	5.59	MPCA 1997b
1125	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.16 EC50 biolum.#	Toxic	5.59	MPCA 1997b
1200	St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	93 % survival	Not toxic	9.58	MPCA 1993
1436	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	1.71	MPCA 1997c
1436	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.27 EC50 biolum.#	Not toxic	1.71	MPCA 1997c
1436	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	78 % survival	Not toxic	1.71	MPCA 1997c
1436	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.4 mg growth	Not toxic	1.71	MPCA 1997c

**Table G-17. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Fluorene in the St. Louis River Area of Concern**

Fluorene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
1436	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	42.1 % red. biolum.^	Toxic	1.71	MPCA 1997c
1455	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	32.24 % red. biolum.^	Toxic	3.07	MPCA 1997b
1455	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.73 EC50 biolum.#	Not toxic	3.07	MPCA 1997b
1455	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	55 % survival	Not toxic	3.07	MPCA 1997b
2600	D-S Harbor - Slip C	10 day	Diptera	<i>Chironomus tentans</i>	LAR	55 % survival	Toxic	NR	Crane <i>et al.</i> 1997
2600	D-S Harbor - Slip C	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
3272	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	93.4 % red. biolum.^	Toxic	13.91	MPCA 1997c
3272	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	13.91	MPCA 1997c
3272	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.4 EC50 biolum.#	Toxic	13.91	MPCA 1997c
3272	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	13.91	MPCA 1997c
3272	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	18 % survival	Toxic	13.91	MPCA 1997c
5010	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.1 mg growth	Toxic	12.95	IT Corp. 1996
5010	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.65 mg growth	Not determined	12.95	IT Corp. 1996
5010	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	30 % survival	Toxic	12.95	IT Corp. 1996
5010	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	75 % survival	Toxic	12.95	IT Corp. 1996
7542	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.07 mg growth	Not determined	NR	IT Corp. 1996
7542	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	8 % survival	Toxic	NR	IT Corp. 1996
7542	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	30 % survival	Toxic	NR	IT Corp. 1996
7542	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.24 mg growth	Not determined	NR	IT Corp. 1996
8093	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.06 EC50 biolum.#	Toxic	8.26	MPCA 1997b
8093	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0 % survival	Toxic	8.26	MPCA 1997b
8093	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	99.9 % red. biolum.^	Toxic	8.26	MPCA 1997b
8093	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0 % survival	Toxic	8.26	MPCA 1997b
8578	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.16 mg growth	Toxic	4.64	IT Corp. 1996
8578	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	4.64	IT Corp. 1996
8578	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	30 % survival	Toxic	4.64	IT Corp. 1996
8578	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.13 mg growth	Not determined	4.64	IT Corp. 1996
28640	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	Not determined	Not determined	50.12	IT Corp. 1996
28640	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0 % survival	Toxic	50.12	IT Corp. 1996
28640	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.09 mg growth	Not determined	50.12	IT Corp. 1996
28640	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	8 % survival	Toxic	50.12	IT Corp. 1996
33473	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	Not determined	Not determined	11.16	IT Corp. 1996
33473	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0 % survival	Toxic	11.16	IT Corp. 1996
33473	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0 % survival	Toxic	11.16	IT Corp. 1996
33473	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	11.16	IT Corp. 1996
78786	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.38 EC50 biolum.#	Toxic	11.98	MPCA 1997c

**Table G-17. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Fluorene in the St. Louis River Area of Concern**

Fluorene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
78786	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	84.7 % red. biolum.^	Toxic	11.98	MPCA 1997c
78786	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0 % survival	Toxic	11.98	MPCA 1997c
78786	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	12 % survival	Toxic	11.98	MPCA 1997c
78786	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	11.98	MPCA 1997c
170000	St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	63 % survival	Toxic	6.12	MPCA 1993

^ = relative to control; D-S = Duluth-Superior; # = expressed as % DW sediment; red. biolum. = reduced bioluminescence; EC50 = effective concentration affecting 50% of the population.

LAR = larvae; JUV = juvenile; TOC = total organic carbon; NR = not reported.

**Table G-18. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Phenanthrene in the St. Louis River Area of Conce**

Phenanthrene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
3.70	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	100 EC50 biolum.#	Not toxic	0.08
3.70	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	90 % survival	Not toxic	0.08
3.70	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	86 mg growth	Not toxic	0.08
3.70	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	26.3 % red. biolum.^	Toxic	0.08
6.60	St. Louis River - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	97 % survival	Not toxic	2.93
6.60	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.14 mg growth	Toxic	2.93
6.60	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.04 mg growth	Toxic	2.93
6.60	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	78 % survival	Not toxic	2.93
7.90	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	17.83 EC50 biolum.#	Not toxic	0.14
7.90	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	58 % survival	Not toxic	0.14
7.90	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	67.3 % red. biolum.^	Toxic	0.14
7.90	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	0.14
8.00	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	95 % survival	Not toxic	0.12
8.00	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	78 % survival	Not toxic	0.12
8.00	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	3.4 % red. biolum.^	Not toxic	0.12
8.00	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	100 EC50 biolum.#	Not toxic	0.12
9.20	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	11.24 EC50 biolum.#	Not toxic	0.35
9.20	Allouez Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	55 % survival	Not toxic	0.35
9.20	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	26.2 % red. biolum.^	Toxic	0.35
12.9	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	3.96 EC50 biolum.#	Not toxic	0.59
12.9	Allouez Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	0.59
12.9	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	0.59
15.2	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.81 EC50 biolum.#	Not toxic	1.02
15.2	Allouez Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	1.02
15.2	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	29.7 % red. biolum.^	Toxic	1.02
15.2	Allouez Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	1.02
18.3	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	4.94 EC50 biolum.#	Not toxic	0.2
18.3	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	86 % survival	Not toxic	0.2
18.3	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	0.2
18.3	D-S Harbor	30 minute	Bacteria	<i>Chironomus tentans</i>	NA	25.2 % red. biolum.^	Toxic	0.2
21.5	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	6.73 EC50 biolum.#	Not toxic	5.77
21.5	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	75 % survival	Not toxic	5.77
21.5	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	5.77
21.5	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	6.4 % red. biolum.^	Not toxic	5.77
35.0	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.4 EC50 biolum.#	Toxic	2.82

**Table G-18. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Phenanthrene in the St. Louis River Area of Conce**

Phenanthrene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
35.0	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	70 % survival	Not toxic	2.82
35.0	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	2.82
35.0	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	10.2 % red. biolum.^	Not toxic	2.82
36.0	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	18.89 % red. biolum.^	Not toxic	2.91
36.0	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	90 % survival	Not toxic	2.91
36.0	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	2.91
36.0	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.96 EC50 biolum.#	Not toxic	2.91
36.4	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	90 % survival	Not toxic	0.16
36.4	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	22.95 % red. biolum.^	Toxic	0.16
36.4	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	100 EC50 biolum.#	Not toxic	0.16
41.2	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	1.42
41.2	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	60 % survival	Not toxic	1.42
41.2	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.72 EC50 biolum.#	Not toxic	1.42
41.2	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	41.98 % red. biolum.^	Toxic	1.42
42.5	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	65 % survival	Not toxic	2.59
42.5	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.41 EC50 biolum.#	Toxic	2.59
42.5	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	97.5 % survival	Not toxic	2.59
42.5	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	7.4 % red. biolum.^	Not toxic	2.59
43.0	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	2.07 EC50 biolum.#	Not toxic	1.87
43.0	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	93 % survival	Not toxic	1.87
43.0	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.53 mg growth	Not toxic	1.87
43.0	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	21.8 % red. biolum.^	Toxic	1.87
43.0	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	1.87
<50.0	Superior Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	100 % survival	Not toxic	6.7
<50.0	Superior Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	6.7
<50.0	Superior Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.57 mg growth	Not toxic	6.7
<50.0	Superior Bay	48 hour	Cladoceran	<i>Ceriodaphnia dubia</i>	ADT	100 % survival	Not toxic	6.7
53.0	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	3.56 EC50 biolum.#	Not toxic	1.82
53.0	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	70 % survival	Not toxic	1.82
53.0	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	1.82
53.0	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	-2.8 % red. biolum.^	Not toxic	1.82
55.0	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.44 mg growth	Not toxic	2.7
55.0	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	12 % red. biolum.^	Not toxic	2.7
55.0	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	5.3 % red. biolum.^	Not toxic	2.7
55.0	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.52 EC50 biolum.#	Not toxic	2.7

**Table G-18. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Phenanthrene in the St. Louis River Area of Conce**

Phenanthrene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
55.0	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	68 % survival	Not toxic	2.7
55.0	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	2.7
55.0	Spirit Lake - Grassy Point	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	NR
55.0	Spirit Lake - Grassy Point	10 day	Diptera	<i>Chironomus tentans</i>	LAR	92 % survival	Not toxic	NR
55.0	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	93 % survival	Not toxic	2.7
55.0	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.52 EC50 biolum.#	Not toxic	2.7
55.0	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	2.7
55.0	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.56 mg growth	Not toxic	2.7
65.0	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	12.1 % red. biolum.^	Not toxic	2.34
65.0	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	95 % survival	Not toxic	2.34
65.0	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	2.34
65.0	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.77 EC50 biolum.#	Not toxic	2.34
65.0	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.37 mg growth	Not toxic	2.34
70.0	Spirit Lake - Grassy Point	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	NR
70.0	Spirit Lake - Grassy Point	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	80 % survival	Not toxic	NR
74.2	St. Louis Harbor	10 day	Oligochaete	<i>Lumbriculus variegatus</i>	ADT	0.65 mg growth	Toxic	0.7
74.2	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.74 % weight using UV light	Not toxic	0.7
74.2	St. Louis Harbor	10 day	Oligochaete	<i>Lumbriculus variegatus</i>	ADT	85 % survival	Not toxic	0.7
74.2	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	65 % survival/normal & UV	Toxic	0.7
74.2	St. Louis Harbor	10 day	Oligochaete	<i>Lumbriculus variegatus</i>	ADT	0 % survival/normal & UV	Toxic	0.7
74.2	St. Louis Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0 % survival/normal & UV	Toxic	0.7
74.2	St. Louis Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	65 % survival	Not toxic	0.7
74.2	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.8 mg growth	Not toxic	0.7
74.2	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	87.5 % survival	Not toxic	0.7
74.2	St. Louis Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.04 mg growth	Not determined	0.7
78.5	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.42 EC50 biolum.#	Toxic	3.25
78.5	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	3.25
78.5	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	28.8 % red. biolum.^	Toxic	3.25
90.4	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	1.35
90.4	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	1.35
90.4	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.96 EC50 biolum.#	Not toxic	1.35
90.4	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	1.35
96.0	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	84 % survival	Not toxic	1.69
96.0	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	2.24
96.0	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	95 % survival	Not toxic	2.24

**Table G-18. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Phenanthrene in the St. Louis River Area of Conce**

Phenanthrene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
96.0	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	98 % survival	Not toxic	2.24
96.0	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.3 EC50 biolum.#	Not toxic	2.24
96.0	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.46 mg growth	Not toxic	2.24
96.0	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	12.1 % red. biolum.^	Not toxic	1.69
96.0	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	4.29 EC50 biolum.#	Not toxic	1.69
107	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	82 % survival	Not toxic	0.4
107	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	0.4
107	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	88 % survival	Not toxic	0.4
107	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	39.7 % red. biolum.^	Toxic	0.4
107	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	100 EC50 biolum.#	Not toxic	0.4
107	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	85 % survival	Not toxic	0.4
133	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	3.85
133	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.64 mg growth	Not toxic	3.85
133	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	3.85
133	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	3.82 EC50 biolum.#	Not toxic	3.85
133	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	88 % survival	Not toxic	3.85
151	St. Louis River - Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	18.2 % red. biolum.^	Not toxic	4.84
151	St. Louis River - Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	4.84
151	St. Louis River - Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	90 % survival	Not toxic	4.84
151	St. Louis River - Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.09 EC50 biolum.#	Toxic	4.84
181	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.97 EC50 biolum.#	Not toxic	5.34
181	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	5.34
181	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	5.34
181	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	18.8 % red. biolum.^	Not toxic	5.34
213	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.51 EC50 biolum.#	Not toxic	3.95
213	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	70 % survival	Toxic	3.95
213	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	23.7 % red. biolum.^	Toxic	3.95
213	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	30.7 % red. biolum.^	Toxic	3.95
213	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.51 EC50 biolum.#	Not toxic	3.95
213	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	88 % survival	Not toxic	3.95
220	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.08 % weight using UV light	Not toxic	4.1
220	St. Louis Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.04 mg growth	Toxic	4.1
220	St. Louis Harbor	10 day	Oligochaete	<i>Lumbriculus variegatus</i>	ADT	0.83 % weight using UV light	Toxic	4.1
220	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	95 % survival/normal & UV	Not toxic	4.1
220	St. Louis Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	80 % survival	Not toxic	4.1

**Table G-18. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Phenanthrene in the St. Louis River Area of Conce**

Phenanthrene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
220	St. Louis Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	72.5 % survival/normal & UV	Not toxic	4.1
220	St. Louis Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.05 % weight using UV light	Not toxic	4.1
220	St. Louis Harbor	10 day	Oligochaete	<i>Lumbriculus variegatus</i>	ADT	0.85 mg growth	Not toxic	4.1
220	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	4.1
220	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.93 mg growth	Not toxic	4.1
220	St. Louis Harbor	10 day	Oligochaete	<i>Lumbriculus variegatus</i>	ADT	87.5 % survival/normal & UV	Not toxic	4.1
220	St. Louis Harbor	10 day	Oligochaete	<i>Lumbriculus variegatus</i>	ADT	100 % survival	Not toxic	4.1
280	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.53 mg growth	Not toxic	1.65
280	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	87 % survival	Not toxic	1.65
280	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	1.65
280	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	88 % survival	Not toxic	1.65
280	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	4.42 EC50 biolum.#	Not toxic	1.65
300	Spirit Lake - Grassy Point	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	NR
300	Spirit Lake - Grassy Point	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	NR
330	Spirit Lake - Grassy Point	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	75 % survival	Not toxic	NR
330	Spirit Lake - Grassy Point	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	NR
376	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.58 mg growth	Not toxic	2.98
376	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	10.5 % red. biolum.^	Not toxic	2.98
376	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	2.98
376	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	97 % survival	Not toxic	2.98
376	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.92 EC50 biolum.#	Not toxic	2.98
420	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	96 % survival	Not toxic	NR
423	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	98 % survival	Not toxic	13.81
423	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	3.88 EC50 biolum.#	Not toxic	13.81
423	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	62 % survival	Not toxic	13.81
423	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.1 % red. biolum.^	Not toxic	13.81
470	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	NR
470	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	NR
472	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	87 % survival	Not toxic	6.4
472	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.2 mg growth	Not toxic	6.4
472	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	6.4
472	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.59 mg growth	Not toxic	6.4
476	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	1.37
476	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	8.2 % red. biolum.^	Not toxic	1.37
476	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.57 mg growth	Not toxic	1.37

**Table G-18. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Phenanthrene in the St. Louis River Area of Conce**

Phenanthrene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
476	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	3.52 EC50 biolum.#	Not toxic	1.37
476	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	52 % survival	Not toxic	1.37
515	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	87 % survival	Not toxic	3.4
515	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.49 mg growth	Not toxic	3.4
515	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.74 EC50 biolum.#	Not toxic	3.4
515	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	87 % survival	Not toxic	3.4
515	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.2 % red. biolum.^	Not toxic	3.4
515	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.74 EC50 biolum.#	Not toxic	3.4
515	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	77 % survival	Not toxic	3.4
515	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.37 mg growth	Not toxic	3.4
515	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	3.4
515	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.9 % red. biolum.^	Not toxic	3.4
520	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	96 % survival	Not toxic	NR
540	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	96 % survival	Not toxic	NR
550	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	93 % survival	Not toxic	NR
550	Spirit Lake - Grassy Point	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	82 % survival	Not toxic	NR
550	Spirit Lake - Grassy Point	10 day	Diptera	<i>Chironomus tentans</i>	LAR	82 % survival	Not toxic	NR
566	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	11.76
566	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	67 % survival	Not toxic	11.76
566	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.02 mg growth	Toxic	11.76
566	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.11 mg growth	Toxic	11.76
590	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	NR
590	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Diptera	<i>Chironomus tentans</i>	LAR	90 % survival	Not toxic	NR
600	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Diptera	<i>Chironomus tentans</i>	LAR	78 % survival	Not toxic	NR
600	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	98 % survival	Not toxic	NR
622	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.77 EC50 biolum.#	Not toxic	1
622	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	63 % survival	Toxic	1
622	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	1
622	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	52.4 % red. biolum.^	Toxic	1
622	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0 % survival	Toxic	1
645	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	72 % survival	Not toxic	4.11
645	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.24 EC50 biolum.#	Toxic	4.11
645	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	88 % survival	Not toxic	4.11
645	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	98 % survival	Not toxic	4.11
645	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	68 % survival	Not toxic	4.11

**Table G-18. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Phenanthrene in the St. Louis River Area of Conce**

Phenanthrene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
645	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	15.5 % red. biolum.^	Not toxic	4.11
650	Spirit Lake - Grassy Point	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	65 % survival	Toxic	NR
650	Spirit Lake - Grassy Point	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	NR
670	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	NR
670	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	NR
673	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.1 % red. biolum.^	Not toxic	3.87
673	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.41 EC50 biolum.#	Toxic	3.87
673	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	93 % survival	Not toxic	3.87
673	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	3.87
673	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.23 mg growth	Toxic	3.87
700	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	72 % survival	Not toxic	NR
700	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	NR
707	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	4.02
707	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.76 EC50 biolum.#	Not toxic	4.02
707	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	4.02
707	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	57 % survival	Toxic	4.02
707	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	4.1 % red. biolum.^	Not toxic	4.02
710	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.3 mg growth	Not toxic	26.54
710	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	83 % survival	Not toxic	26.54
710	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	26.54
710	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.18 mg growth	Toxic	26.54
744	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	4.05
744	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.36 EC50 biolum.#	Toxic	4.05
744	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	67 % survival	Not toxic	4.05
744	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	8.3 % red. biolum.^	Not toxic	4.05
774	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	3.98
774	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.37 EC50 biolum.#	Toxic	3.98
774	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	8.6 % red. biolum.^	Not toxic	3.98
774	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	3.98
780	D-S Harbor - Slip C	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	NR
780	D-S Harbor - Slip C	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	85 % survival	Not toxic	NR
785	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0 % survival	Toxic	0.82
785	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	59 % survival	Not toxic	0.82
785	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.05 EC50 biolum.#	Toxic	0.82
785	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	26.1 % red. biolum.^	Toxic	0.82

**Table G-18. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Phenanthrene in the St. Louis River Area of Conce**

Phenanthrene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
848	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	29.6 % red. biolum.^	Toxic	2.13
848	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.47 EC50 biolum.#	Toxic	2.13
848	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	82 % survival	Not toxic	2.13
848	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	86 % survival	Not toxic	2.13
853	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.5 EC50 biolum.#	Not toxic	3.99
853	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	86 % survival	Not toxic	3.99
853	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	3.99
900	D-S Harbor - NW side of Lakehead Dock	10 day	Diptera	<i>Chironomus tentans</i>	LAR	100 % survival	Not toxic	8.4
900	D-S Harbor - NW side of Lakehead Dock	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	95 % survival	Not toxic	8.4
900	D-S Harbor - NW side of Lakehead Dock	48 hour	Cladoceran	<i>Ceriodaphnia dubia</i>	ADT	100 % survival	Not toxic	8.4
900	D-S Harbor - NW side of Lakehead Dock	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.04 mg growth	Not toxic	8.4
930	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.2 mg growth	Not toxic	23.1
930	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	82 % survival	Not toxic	23.1
930	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Diptera	<i>Chironomus tentans</i>	LAR	68 % survival	Toxic	NR
930	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	85 % survival	Not toxic	NR
930	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.35 mg growth	Not toxic	23.1
930	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	23.1
943	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	20.18 % red. biolum.^	Toxic	3.47
943	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	3.47
943	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.48 EC50 biolum.#	Toxic	3.47
943	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	94 % survival	Not toxic	3.47
953	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	52 % survival	Not toxic	0.24
953	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	100 EC50 biolum.#	Not toxic	0.24
953	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	23.05 % red. biolum.^	Toxic	0.24
953	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	72 % survival	Not toxic	0.24
978	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.84 mg growth	Toxic	6.15
978	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	83 % survival	Not toxic	6.15
978	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	77 % survival	Not toxic	6.15
978	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.15 mg growth	Toxic	6.15
1000	D-S Harbor - Slip C	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	96 % survival	Not toxic	NR
1007	St. Louis Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	2.5 % survival/normal & UV	Toxic	6.1
1007	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.65 mg growth	Toxic	6.1
1007	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	82.5 % survival/normal & UV	Not toxic	6.1
1007	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.8 % weight using UV light	Not toxic	6.1
1007	St. Louis Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	42.5 % survival	Toxic	6.1

**Table G-18. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Phenanthrene in the St. Louis River Area of Conce**

Phenanthrene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
1007	St. Louis Harbor	10 day	Oligochaete	<i>Lumbriculus variegatus</i>	ADT	75 % survival	Toxic	6.1
1007	St. Louis Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.08 mg growth	Not determined	6.1
1007	St. Louis Harbor	10 day	Oligochaete	<i>Lumbriculus variegatus</i>	ADT	0 % survival/normal & UV	Toxic	6.1
1007	St. Louis Harbor	10 day	Oligochaete	<i>Lumbriculus variegatus</i>	ADT	0.54 mg growth	Toxic	6.1
1007	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	92.5 % survival	Not toxic	6.1
1040	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	33.45 % red. biolum.^	Toxic	2.63
1040	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	68 % survival	Not toxic	2.63
1040	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	75 % survival	Not toxic	2.63
1040	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.32 EC50 biolum.#	Toxic	2.63
1068	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	58 % survival	Not toxic	4.05
1068	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.4 EC50 biolum.#	Toxic	4.05
1068	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.35 mg growth	Not toxic	4.05
1068	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	20.9 % red. biolum.^	Toxic	4.05
1068	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	85 % survival	Not toxic	4.05
1093	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	3.97
1093	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	3.97
1093	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.77 EC50 biolum.#	Not toxic	3.97
1093	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.49 mg growth	Not toxic	3.97
1093	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	3.97
1101	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	87 % survival	Not toxic	45.37
1101	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.17 mg growth	Toxic	45.37
1101	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.07 mg growth	Toxic	45.37
1101	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	92 % survival	Not toxic	45.37
1110	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.49 EC50 biolum.#	Not toxic	17.49
1110	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	17.49
1110	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	17.49
1110	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	75 % survival	Not toxic	17.49
1163	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	4.36
1163	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	68 % survival	Not toxic	4.36
1163	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.96 EC50 biolum.#	Not toxic	4.36
1163	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	-0.6 % red. biolum.^	Not toxic	4.36
1200	St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	87 % survival	Not toxic	5.88
1361	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.67 EC50 biolum.#	Not toxic	2.43
1361	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	8.5 % red. biolum.^	Not toxic	2.43
1361	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	95 % survival	Not toxic	2.43

**Table G-18. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Phenanthrene in the St. Louis River Area of Conce**

Phenanthrene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
1460	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	30.8 % red. biolum.^	Toxic	6.77
1460	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	6.77
1460	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	6.77
1460	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	18 % survival	Toxic	6.77
1460	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.02 EC50 biolum.#	Toxic	6.77
1472	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.14 mg growth	Toxic	8.08
1472	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	48 % survival	Toxic	8.08
1472	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.8 mg growth	Toxic	8.08
1472	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	53 % survival	Toxic	8.08
1561	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	3.74
1561	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.57 mg growth	Not toxic	3.74
1561	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	65 % survival	Not toxic	3.74
1561	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.06 EC50 biolum.#	Not toxic	3.74
1561	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	3.74
1702	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.29 EC50 biolum.#	Toxic	4.48
1702	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	20 % red. biolum.^	Toxic	4.48
1702	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	16 % survival	Toxic	4.48
1799	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	5.4 % red. biolum.^	Not toxic	1.44
1799	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.14 EC50 biolum.#	Not toxic	1.44
1799	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	98 % survival	Not toxic	1.44
1850	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	69 % survival	Not toxic	4.54
1850	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.05 EC50 biolum.#	Toxic	4.54
1850	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	30 % red. biolum.^	Toxic	4.54
1850	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	5 % survival	Not toxic	4.54
2195	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	75 % survival	Toxic	8.97
2195	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	8.97
2195	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	3 % survival	Toxic	8.97
2195	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.05 EC50 biolum.#	Toxic	8.97
2195	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	42.1 % red. biolum.^	Toxic	8.97
2374	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.18 mg growth	Not toxic	100
2374	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.23 mg growth	Not toxic	100
2374	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	100
2374	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	60 % survival	Toxic	100
2416	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.35 EC50 biolum.#	Not toxic	6.72
2416	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	87 % survival	Not toxic	6.72

**Table G-18. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Phenanthrene in the St. Louis River Area of Conce**

Phenanthrene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
2416	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	6.72
2416	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.46 mg growth	Not toxic	6.72
2416	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	88 % survival	Not toxic	6.72
2658	Allouez Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	85 % survival	Not toxic	4.47
2658	Allouez Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	68 % survival	Not toxic	4.47
2658	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	33.03 % red. biolum.^	Toxic	4.47
2658	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.82 EC50 biolum.#	Not toxic	4.47
2664	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	82 % survival	Not toxic	13.98
2664	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	29.59 % red. biolum.^	Toxic	13.98
2664	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.38 EC50 biolum.#	Toxic	13.98
2664	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	56 % survival	Not toxic	13.98
3072	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	21.7 % red. biolum.^	Toxic	4.13
3072	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.35 EC50 biolum.#	Toxic	4.13
3072	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	4.13
3072	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	4.13
3241	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	7.4 % red. biolum.^	Not toxic	29.84
3241	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.12 EC50 biolum.#	Not toxic	29.84
3241	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	45 % survival	Not toxic	29.84
3241	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.43 mg growth	Not toxic	29.84
3241	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	93 % survival	Not toxic	29.84
3800	St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	93 % survival	Not toxic	9.58
4500	D-S Harbor - Minnesota Slip	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	89 % survival	Not toxic	NR
4593	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	67.9 % red. biolum.^	Toxic	14.19
4593	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.16 EC50 biolum.#	Toxic	14.19
4593	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	12 % survival	Toxic	14.19
4593	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0 % survival	Toxic	14.19
5407	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	42.1 % red. biolum.^	Toxic	1.71
5407	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.27 EC50 biolum.#	Not toxic	1.71
5407	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	1.71
5407	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	78 % survival	Not toxic	1.71
5407	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.4 mg growth	Not toxic	1.71
6057	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	55 % survival	Not toxic	3.07
6057	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.73 EC50 biolum.#	Not toxic	3.07
6057	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	32.24 % red. biolum.^	Toxic	3.07
6656	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	52 % survival	Toxic	3.42

**Table G-18. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Phenanthrene in the St. Louis River Area of Conce**

Phenanthrene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
6656	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.56 mg growth	Not determined	3.42
6656	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	38 % survival	Toxic	3.42
6656	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.2 mg growth	Not toxic	3.42
6921	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	88 % survival	Not toxic	4.7
6921	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	12.7 % red. biolum.^	Not toxic	4.7
6921	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	65 % survival	Not toxic	4.7
6921	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	2.55 EC50 biolum.#	Not toxic	4.7
7716	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	95 % survival	Not toxic	5.59
7716	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.16 EC50 biolum.#	Toxic	5.59
7716	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	5.59
7716	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	4 % red. biolum.^	Not toxic	5.59
8400	D-S Harbor - Minnesota Slip	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	NR
8625	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	85 % survival	Not toxic	6.03
8625	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	58 % red. biolum.^	Toxic	6.03
8625	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	4.07 EC50 biolum.#	Not toxic	6.03
8774	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	13.91
8774	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.4 EC50 biolum.#	Toxic	13.91
8774	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	18 % survival	Toxic	13.91
8774	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	93.4 % red. biolum.^	Toxic	13.91
8774	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	13.91
9249	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.1 mg growth	Toxic	12.95
9249	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.65 mg growth	Not determined	12.95
9249	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	75 % survival	Toxic	12.95
9249	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	30 % survival	Toxic	12.95
10000	D-S Harbor - Slip C	10 day	Diptera	<i>Chironomus tentans</i>	LAR	55 % survival	Toxic	NR
10000	D-S Harbor - Slip C	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	NR
15412	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0 % survival	Toxic	8.26
15412	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.06 EC50 biolum.#	Toxic	8.26
15412	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0 % survival	Toxic	8.26
15412	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	99.9 % red. biolum.^	Toxic	8.26
21229	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	8 % survival	Toxic	NR
21229	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.07 mg growth	Not determined	NR
21229	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	30 % survival	Toxic	NR
21229	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.24 mg growth	Not determined	NR
26723	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	4.64

**Table G-18. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Phenanthrene in the St. Louis River Area of Conce**

Phenanthrene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)
26723	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.16 mg growth	Toxic	4.64
26723	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.13 mg growth	Not determined	4.64
26723	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	30 % survival	Toxic	4.64
71130	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	11.16
71130	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	Not determined	Not determined	11.16
71130	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0 % survival	Toxic	11.16
71130	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0 % survival	Toxic	11.16
76372	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	8 % survival	Toxic	50.12
76372	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.09 mg growth	Not determined	50.12
76372	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0 % survival	Toxic	50.12
76372	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	Not determined	Not determined	50.12
261748	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.38 EC50 biolum.#	Toxic	11.98
261748	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	84.7 % red. biolum.^	Toxic	11.98
261748	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0 % survival	Toxic	11.98
261748	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	12 % survival	Toxic	11.98
261748	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	11.98
670000	St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	63 % survival	Toxic	6.12

^ = relative to control; D-S = Duluth-Superior; # = expressed as % DW sediment; red. biolum. = reduced bioluminescence; EC50 = effective concentration affecting 50% of the population.  
 LAR = larvae; JUV = juvenile; TOC = total organic carbon; NR = not reported.



---

**Reference**

---

MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
Wenck Associates Inc. 1995  
Wenck Associates Inc. 1995  
Wenck Associates Inc. 1995  
Wenck Associates Inc. 1995  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c

---

---

**Reference**

---

MPCA 1997c  
MPCA 1997c  
Crane *et al.* 1997  
Crane *et al.* 1997  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
Crane *et al.* 1997  
Crane *et al.* 1997  
Ankley *et al.* 1994  
Ankley *et al.* 1994  
Ankley *et al.* 1994  
Ankley *et al.* 1994  
Ankley *et al.* 1994  
Ankley *et al.* 1994  
Ankley *et al.* 1994  
Ankley *et al.* 1994  
Ankley *et al.* 1994  
Ankley *et al.* 1994  
Ankley *et al.* 1994  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c

---

---

**Reference**

---

MPCA 1997c

MPCA 1997c

MPCA 1997c

MPCA 1997c

MPCA 1997c

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997c

MPCA 1997c

MPCA 1997c

MPCA 1997c

MPCA 1997c

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997b

MPCA 1997c

MPCA 1997c

MPCA 1997c

MPCA 1997c

MPCA 1997c

MPCA 1997c

Ankley *et al.* 1994

Ankley *et al.* 1994

Ankley *et al.* 1994

Ankley *et al.* 1994

Ankley *et al.* 1994

---

---

**Reference**

---

Ankley *et al.* 1994  
Ankley *et al.* 1994  
Ankley *et al.* 1994  
Ankley *et al.* 1994  
Ankley *et al.* 1994  
Ankley *et al.* 1994  
Ankley *et al.* 1994  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
Crane *et al.* 1997  
Crane *et al.* 1997  
Crane *et al.* 1997  
Crane *et al.* 1997  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
Crane *et al.* 1997  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
Crane *et al.* 1997  
Crane *et al.* 1997  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c

---

---

**Reference**

---

MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
Crane *et al.* 1997  
Crane *et al.* 1997  
Crane *et al.* 1997  
Crane *et al.* 1997  
Crane *et al.* 1997  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
Crane *et al.* 1997  
Crane *et al.* 1997  
Crane *et al.* 1997  
Crane *et al.* 1997  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b

---

---

**Reference**

---

MPCA 1997b  
Crane *et al.* 1997  
Crane *et al.* 1997  
Crane *et al.* 1997  
Crane *et al.* 1997  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
Crane *et al.* 1997  
Crane *et al.* 1997  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
Crane *et al.* 1997  
Crane *et al.* 1997  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b

---

---

**Reference**

---

MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
Wenck Associates Inc. 1995  
Wenck Associates Inc. 1995  
Wenck Associates Inc. 1995  
Wenck Associates Inc. 1995  
IT Corp. 1996  
IT Corp. 1996  
Crane *et al.* 1997  
Crane *et al.* 1997  
IT Corp. 1996  
IT Corp. 1996  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
Crane *et al.* 1997  
Ankley *et al.* 1994  
Ankley *et al.* 1994  
Ankley *et al.* 1994  
Ankley *et al.* 1994  
Ankley *et al.* 1994

---

---

**Reference**

---

Ankley *et al.* 1994  
Ankley *et al.* 1994  
Ankley *et al.* 1994  
Ankley *et al.* 1994  
Ankley *et al.* 1994  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1993  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c

---



---

**Reference**

---

MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1993  
*Crane et al.* 1997  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
IT Corp. 1996

---

---

**Reference**

---

IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
Crane *et al.* 1997  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
Crane *et al.* 1997  
Crane *et al.* 1997  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
MPCA 1997b  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996

---

---

**Reference**

---

IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
IT Corp. 1996  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1997c  
MPCA 1993

---

**Table G-19. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Naphthalene in the St. Louis River Area of Concern**

Napthalene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
0.500	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	86 % survival	Not toxic	0.2	MPCA 1997b
0.500	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	0.2	MPCA 1997b
0.500	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	25.2 mg growth	Toxic	0.2	MPCA 1997b
0.500	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	26.3 % red. biolum.^	Toxic	0.08	MPCA 1997b
0.500	D-S Harbor - Miller & Coffee Creek Embayment	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	100 EC50 biolum.#	Not toxic	0.08	MPCA 1997b
0.500	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	4.94 EC50 biolum.#	Not toxic	0.2	MPCA 1997b
0.500	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	86 % survival	Not toxic	0.08	MPCA 1997b
0.500	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	90 % survival	Not toxic	0.08	MPCA 1997b
1.00	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.48 EC50 biolum.#	Toxic	3.47	MPCA 1997b
1.00	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	94 % survival	Not toxic	3.47	MPCA 1997b
1.00	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	3.47	MPCA 1997b
1.00	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	20.18 % red. biolum.^	Toxic	3.47	MPCA 1997b
1.50	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	0.59	MPCA 1997b
1.50	Allouez Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	0.59	MPCA 1997b
1.50	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	3.96 EC50 biolum.#	Not toxic	0.59	MPCA 1997b
1.50	St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	97 % survival	Not toxic	2.93	IT Corp. 1996
1.50	St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	78 % survival	Not toxic	2.93	IT Corp. 1996
1.50	St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.04 mg growth	Toxic	2.93	IT Corp. 1996
1.50	St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.14 mg growth	Toxic	2.93	IT Corp. 1996
2.70	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	0.14	MPCA 1997b
2.70	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	67.3 % red. biolum.^	Toxic	0.14	MPCA 1997b
2.70	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	58 % survival	Not toxic	0.14	MPCA 1997b
2.70	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	17.83 EC50 biolum.#	Not toxic	0.14	MPCA 1997b
3.00	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	29.7 % red. biolum.^	Toxic	1.02	MPCA 1997b
3.00	Allouez Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	1.02	MPCA 1997b
3.00	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.81 EC50 biolum.#	Not toxic	1.02	MPCA 1997b
3.00	Allouez Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	1.02	MPCA 1997b
4.00	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	98 % survival	Not toxic	4.11	MPCA 1997b
4.00	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	15.5 % red. biolum.^	Not toxic	4.11	MPCA 1997b
4.00	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	68 % survival	Not toxic	4.11	MPCA 1997b
4.00	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.24 EC50 biolum.#	Toxic	4.11	MPCA 1997b
4.00	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	88 % survival	Not toxic	4.11	MPCA 1997b
4.00	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	72 % survival	Not toxic	4.11	MPCA 1997b
4.00	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.72 EC50 biolum.#	Not toxic	1.42	MPCA 1997b
4.00	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	60 % survival	Not toxic	1.42	MPCA 1997b

**Table G-19. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Naphthalene in the St. Louis River Area of Concern**

Napthalene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
4.00	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	1.42	MPCA 1997b
4.00	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	41.98 % red. biolum.^	Toxic	1.42	MPCA 1997b
4.40	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	26.2 % red. biolum.^	Toxic	0.35	MPCA 1997b
4.40	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	11.24 EC50 biolum.#	Not toxic	0.35	MPCA 1997b
4.40	Allouez Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	55 % survival	Not toxic	0.35	MPCA 1997b
6.50	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.36 EC50 biolum.#	Toxic	4.05	MPCA 1997b
6.50	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	67 % survival	Not toxic	4.05	MPCA 1997b
6.50	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	8.3 % red. biolum.^	Not toxic	4.05	MPCA 1997b
6.50	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	4.05	MPCA 1997b
9.10	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	87.5 % survival	Not toxic	0.7	Ankley <i>et al.</i> 1994
9.10	St. Louis Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	65 % survival	Not toxic	0.7	Ankley <i>et al.</i> 1994
9.10	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.74 % weight using UV light	Not toxic	0.7	Ankley <i>et al.</i> 1994
9.10	St. Louis Harbor	10 day	Oligochaete	<i>Lumbriculus variegatus</i>	ADT	0.65 mg growth	Toxic	0.7	Ankley <i>et al.</i> 1994
9.10	St. Louis Harbor	10 day	Oligochaete	<i>Lumbriculus variegatus</i>	ADT	0 % survival/normal & UV	Toxic	0.7	Ankley <i>et al.</i> 1994
9.10	St. Louis Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0 % survival/normal & UV	Toxic	0.7	Ankley <i>et al.</i> 1994
9.10	St. Louis Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.04 mg growth	Not determined	0.7	Ankley <i>et al.</i> 1994
9.10	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.8 mg growth	Not toxic	0.7	Ankley <i>et al.</i> 1994
9.10	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	65 % survival/normal & UV	Toxic	0.7	Ankley <i>et al.</i> 1994
9.10	St. Louis Harbor	10 day	Oligochaete	<i>Lumbriculus variegatus</i>	ADT	85 % survival	Not toxic	0.7	Ankley <i>et al.</i> 1994
9.20	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	22.95 % red. biolum.^	Toxic	0.16	MPCA 1997b
9.20	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	100 EC50 biolum.#	Not toxic	0.16	MPCA 1997b
9.20	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	90 % survival	Not toxic	0.16	MPCA 1997b
11.5	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	85 % survival	Not toxic	0.4	MPCA 1997b
11.5	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	82 % survival	Not toxic	0.4	MPCA 1997b
11.5	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	100 EC50 biolum.#	Not toxic	0.4	MPCA 1997b
11.5	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	52 % survival	Not toxic	0.24	MPCA 1997b
11.5	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	72 % survival	Not toxic	0.24	MPCA 1997b
11.5	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	23.05 % red. biolum.^	Toxic	0.24	MPCA 1997b
11.5	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	0.4	MPCA 1997b
11.5	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	88 % survival	Not toxic	0.4	MPCA 1997b
11.5	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	39.7 % red. biolum.^	Toxic	0.4	MPCA 1997b
11.5	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	100 EC50 biolum.#	Not toxic	0.24	MPCA 1997b
14.0	St. Louis River - Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	18.2 % red. biolum.^	Not toxic	4.84	MPCA 1997b
14.0	St. Louis River - Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	4.84	MPCA 1997b
14.0	St. Louis River - Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	90 % survival	Not toxic	4.84	MPCA 1997b

**Table G-19. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Naphthalene in the St. Louis River Area of Concern**

Napthalene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
14.0	St. Louis River - Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.09 EC50 biolum.#	Toxic	4.84	MPCA 1997b
17.5	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	28.8 % red. biolum.^	Toxic	3.25	MPCA 1997c
17.5	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	3.25	MPCA 1997c
17.5	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.42 EC50 biolum.#	Toxic	3.25	MPCA 1997c
27.3	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	93 % survival	Not toxic	2.7	MPCA 1997c
27.3	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.44 mg growth	Not toxic	2.7	MPCA 1997c
27.3	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	68 % survival	Not toxic	2.7	MPCA 1997c
27.3	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.52 EC50 biolum.#	Not toxic	2.7	MPCA 1997c
27.3	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.52 EC50 biolum.#	Not toxic	2.7	MPCA 1997c
27.3	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	2.7	MPCA 1997c
27.3	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	2.7	MPCA 1997c
27.3	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	12 % red. biolum.^	Not toxic	2.7	MPCA 1997c
27.3	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	5.3 % red. biolum.^	Not toxic	2.7	MPCA 1997c
27.3	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.56 mg growth	Not toxic	2.7	MPCA 1997c
28.0	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.4 EC50 biolum.#	Toxic	2.82	MPCA 1997b
28.0	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	70 % survival	Not toxic	2.82	MPCA 1997b
28.0	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	10.2 % red. biolum.^	Not toxic	2.82	MPCA 1997b
28.0	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	2.82	MPCA 1997b
31.6	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	1.35	MPCA 1997b
31.6	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	1.35	MPCA 1997b
31.6	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	1.35	MPCA 1997b
31.6	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.96 EC50 biolum.#	Not toxic	1.35	MPCA 1997b
36.0	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	100 EC50 biolum.#	Not toxic	0.12	MPCA 1997b
36.0	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	6.73 EC50 biolum.#	Not toxic	5.77	MPCA 1997b
36.0	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	75 % survival	Not toxic	5.77	MPCA 1997b
36.0	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	5.77	MPCA 1997b
36.0	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	6.4 % red. biolum.^	Not toxic	5.77	MPCA 1997b
36.0	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	95 % survival	Not toxic	0.12	MPCA 1997b
36.0	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	3.4 % red. biolum.^	Not toxic	0.12	MPCA 1997b
36.0	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	78 % survival	Not toxic	0.12	MPCA 1997b
45.0	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	12.1 % red. biolum.^	Not toxic	2.34	MPCA 1997c
45.0	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.77 EC50 biolum.#	Not toxic	2.34	MPCA 1997c
45.0	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	2.34	MPCA 1997c
45.0	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	95 % survival	Not toxic	2.34	MPCA 1997c
45.0	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.37 mg growth	Not toxic	2.34	MPCA 1997c

**Table G-19. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Naphthalene in the St. Louis River Area of Concern**

Napthalene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
47.0	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	48 % survival	Toxic	8.08	IT Corp. 1996
47.0	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	53 % survival	Toxic	8.08	IT Corp. 1996
47.0	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.14 mg growth	Toxic	8.08	IT Corp. 1996
47.0	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.8 mg growth	Toxic	8.08	IT Corp. 1996
50.0	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	18.89 % red. biolum.^	Not toxic	2.91	MPCA 1997b
50.0	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	90 % survival	Not toxic	2.91	MPCA 1997b
50.0	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	2.91	MPCA 1997b
50.0	Lower St. Louis River	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.96 EC50 biolum.#	Not toxic	2.91	MPCA 1997b
53.0	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	33.45 % red. biolum.^	Toxic	2.63	MPCA 1997b
53.0	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	68 % survival	Not toxic	2.63	MPCA 1997b
53.0	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	75 % survival	Not toxic	2.63	MPCA 1997b
53.0	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.32 EC50 biolum.#	Toxic	2.63	MPCA 1997b
56.2	St. Louis Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	80 % survival	Not toxic	4.1	Ankley <i>et al.</i> 1994
56.2	St. Louis Harbor	10 day	Oligochaete	<i>Lumbriculus variegatus</i>	ADT	100 % survival	Not toxic	4.1	Ankley <i>et al.</i> 1994
56.2	St. Louis Harbor	10 day	Oligochaete	<i>Lumbriculus variegatus</i>	ADT	87.5 % survival/normal & UV	Not toxic	4.1	Ankley <i>et al.</i> 1994
56.2	St. Louis Harbor	10 day	Oligochaete	<i>Lumbriculus variegatus</i>	ADT	0.85 mg growth	Not toxic	4.1	Ankley <i>et al.</i> 1994
56.2	St. Louis Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	72.5 % survival/normal & UV	Not toxic	4.1	Ankley <i>et al.</i> 1994
56.2	St. Louis Harbor	10 day	Oligochaete	<i>Lumbriculus variegatus</i>	ADT	0.83 % weight using UV light	Toxic	4.1	Ankley <i>et al.</i> 1994
56.2	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.08 % weight using UV light	Not toxic	4.1	Ankley <i>et al.</i> 1994
56.2	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	95 % survival/normal & UV	Not toxic	4.1	Ankley <i>et al.</i> 1994
56.2	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.93 mg growth	Not toxic	4.1	Ankley <i>et al.</i> 1994
56.2	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	4.1	Ankley <i>et al.</i> 1994
56.2	St. Louis Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.04 mg growth	Toxic	4.1	Ankley <i>et al.</i> 1994
56.2	St. Louis Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.05 % weight using UV light	Not toxic	4.1	Ankley <i>et al.</i> 1994
58.0	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Diptera	<i>Chironomus tentans</i>	LAR	90 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
58.0	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
59.0	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	21.8 % red. biolum.^	Toxic	1.87	MPCA 1997c
59.0	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	1.87	MPCA 1997c
59.0	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.53 mg growth	Not toxic	1.87	MPCA 1997c
59.0	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	93 % survival	Not toxic	1.87	MPCA 1997c
59.0	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	2.07 EC50 biolum.#	Not toxic	1.87	MPCA 1997c
63.0	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Diptera	<i>Chironomus tentans</i>	LAR	68 % survival	Toxic	NR	Crane <i>et al.</i> 1997
63.0	Spirit Lake - Grassy Point	10 day	Diptera	<i>Chironomus tentans</i>	LAR	92 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
63.0	Spirit Lake - Grassy Point	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
63.0	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	85 % survival	Not toxic	NR	Crane <i>et al.</i> 1997

**Table G-19. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Naphthalene in the St. Louis River Area of Concern**

Napthalene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
65.0	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	86 % survival	Not toxic	2.13	MPCA 1997b
65.0	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.47 EC50 biolum.#	Toxic	2.13	MPCA 1997b
65.0	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	82 % survival	Not toxic	2.13	MPCA 1997b
65.0	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	29.6 % red. biolum.^	Toxic	2.13	MPCA 1997b
68.0	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	-2.8 % red. biolum.^	Not toxic	1.82	MPCA 1997b
68.0	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	1.82	MPCA 1997b
68.0	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	70 % survival	Not toxic	1.82	MPCA 1997b
68.0	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	3.56 EC50 biolum.#	Not toxic	1.82	MPCA 1997b
74.0	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Diptera	<i>Chironomus tentans</i>	LAR	78 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
74.0	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	98 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
80.0	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.97 EC50 biolum.#	Not toxic	5.34	MPCA 1997b
80.0	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	18.8 % red. biolum.^	Not toxic	5.34	MPCA 1997b
80.0	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	5.34	MPCA 1997b
80.0	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	5.34	MPCA 1997b
91.0	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.57 mg growth	Not toxic	1.37	MPCA 1997c
91.0	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	3.52 EC50 biolum.#	Not toxic	1.37	MPCA 1997c
91.0	Lower St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	52 % survival	Not toxic	1.37	MPCA 1997c
91.0	Lower St. Louis River	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	1.37	MPCA 1997c
91.0	Lower St. Louis River	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	8.2 % red. biolum.^	Not toxic	1.37	MPCA 1997c
99.0	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
99.0	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	72 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
104	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.1 % red. biolum.^	Not toxic	13.81	MPCA 1997b
104	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	3.88 EC50 biolum.#	Not toxic	13.81	MPCA 1997b
104	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	62 % survival	Not toxic	13.81	MPCA 1997b
104	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	98 % survival	Not toxic	13.81	MPCA 1997b
110	D-S Harbor - Slip C	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	96 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
113	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	11.76	IT Corp. 1996
113	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.11 mg growth	Toxic	11.76	IT Corp. 1996
113	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.02 mg growth	Toxic	11.76	IT Corp. 1996
113	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	67 % survival	Not toxic	11.76	IT Corp. 1996
120	D-S Harbor - Slip C	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
120	D-S Harbor - Slip C	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	85 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
130	Spirit Lake - Grassy Point	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	75 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
130	Spirit Lake - Grassy Point	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	80 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
130	Spirit Lake - Grassy Point	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	NR	Crane <i>et al.</i> 1997

**Table G-19. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Naphthalene in the St. Louis River Area of Concern**

Napthalene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
130	Spirit Lake - Grassy Point	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
132	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	87 % survival	Not toxic	1.65	MPCA 1997c
132	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	1.65	MPCA 1997c
132	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	4.42 EC50 biolum.#	Not toxic	1.65	MPCA 1997c
132	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	88 % survival	Not toxic	1.65	MPCA 1997c
132	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.53 mg growth	Not toxic	1.65	MPCA 1997c
140	D-S Harbor - Minnesota Slip	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	89 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
140	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
140	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
146	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.41 EC50 biolum.#	Toxic	2.59	MPCA 1997b
146	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	65 % survival	Not toxic	2.59	MPCA 1997b
146	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	7.4 % red. biolum.^	Not toxic	2.59	MPCA 1997b
146	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	97.5 % survival	Not toxic	2.59	MPCA 1997b
155	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	4.29 EC50 biolum.#	Not toxic	1.69	MPCA 1997c
155	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	12.1 % red. biolum.^	Not toxic	1.69	MPCA 1997c
155	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	84 % survival	Not toxic	1.69	MPCA 1997c
157	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	92.5 % survival	Not toxic	6.1	Ankley <i>et al.</i> 1994
157	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	82.5 % survival/normal & UV	Not toxic	6.1	Ankley <i>et al.</i> 1994
157	St. Louis Harbor	10 day	Oligochaete	<i>Lumbriculus variegatus</i>	ADT	0 % survival/normal & UV	Toxic	6.1	Ankley <i>et al.</i> 1994
157	St. Louis Harbor	10 day	Oligochaete	<i>Lumbriculus variegatus</i>	ADT	0.54 mg growth	Toxic	6.1	Ankley <i>et al.</i> 1994
157	St. Louis Harbor	10 day	Oligochaete	<i>Lumbriculus variegatus</i>	ADT	75 % survival	Toxic	6.1	Ankley <i>et al.</i> 1994
157	St. Louis Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	2.5 % survival/normal & UV	Toxic	6.1	Ankley <i>et al.</i> 1994
157	St. Louis Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.08 mg growth	Not determined	6.1	Ankley <i>et al.</i> 1994
157	St. Louis Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	42.5 % survival	Toxic	6.1	Ankley <i>et al.</i> 1994
157	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.8 % weight using UV light	Not toxic	6.1	Ankley <i>et al.</i> 1994
157	St. Louis Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.65 mg growth	Toxic	6.1	Ankley <i>et al.</i> 1994
163	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	98 % survival	Not toxic	2.24	MPCA 1997c
163	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.3 EC50 biolum.#	Not toxic	2.24	MPCA 1997c
163	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	2.24	MPCA 1997c
163	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	95 % survival	Not toxic	2.24	MPCA 1997c
163	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.46 mg growth	Not toxic	2.24	MPCA 1997c
179	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	3.85	MPCA 1997c
179	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.64 mg growth	Not toxic	3.85	MPCA 1997c
179	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	3.82 EC50 biolum.#	Not toxic	3.85	MPCA 1997c
179	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	3.85	MPCA 1997c

**Table G-19. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Naphthalene in the St. Louis River Area of Concern**

Napthalene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
179	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	88 % survival	Not toxic	3.85	MPCA 1997c
190	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.58 mg growth	Not toxic	2.98	MPCA 1997c
190	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	10.5 % red. biolum.^	Not toxic	2.98	MPCA 1997c
190	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	2.98	MPCA 1997c
190	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.92 EC50 biolum.#	Not toxic	2.98	MPCA 1997c
190	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	97 % survival	Not toxic	2.98	MPCA 1997c
214	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	20.9 % red. biolum.^	Toxic	4.05	MPCA 1997c
214	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.35 mg growth	Not toxic	4.05	MPCA 1997c
214	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	58 % survival	Not toxic	4.05	MPCA 1997c
214	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	85 % survival	Not toxic	4.05	MPCA 1997c
214	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.4 EC50 biolum.#	Toxic	4.05	MPCA 1997c
218	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.16 EC50 biolum.#	Toxic	5.59	MPCA 1997b
218	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	4 % red. biolum.^	Not toxic	5.59	MPCA 1997b
218	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	95 % survival	Not toxic	5.59	MPCA 1997b
218	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	5.59	MPCA 1997b
228	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.51 EC50 biolum.#	Not toxic	3.95	MPCA 1997c
228	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	23.7 % red. biolum.^	Toxic	3.95	MPCA 1997c
228	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	70 % survival	Toxic	3.95	MPCA 1997c
228	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.51 EC50 biolum.#	Not toxic	3.95	MPCA 1997c
228	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	88 % survival	Not toxic	3.95	MPCA 1997c
228	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	30.7 % red. biolum.^	Toxic	3.95	MPCA 1997c
230	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	96 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
240	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	65 % survival	Not toxic	4.7	MPCA 1997b
240	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	88 % survival	Not toxic	4.7	MPCA 1997b
240	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	12.7 % red. biolum.^	Not toxic	4.7	MPCA 1997b
240	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	2.55 EC50 biolum.#	Not toxic	4.7	MPCA 1997b
247	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	3.97	MPCA 1997c
247	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.77 EC50 biolum.#	Not toxic	3.97	MPCA 1997c
247	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	3.97	MPCA 1997c
247	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	3.97	MPCA 1997c
247	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.49 mg growth	Not toxic	3.97	MPCA 1997c
290	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	96 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
310	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
310	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
335	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	95 % survival	Not toxic	2.43	MPCA 1997c

**Table G-19. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Naphthalene in the St. Louis River Area of Concern**

Napthalene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
335	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.67 EC50 biolum.#	Not toxic	2.43	MPCA 1997c
335	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	8.5 % red. biolum.^	Not toxic	2.43	MPCA 1997c
370	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	96 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
385	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	33.03 % red. biolum.^	Toxic	4.47	MPCA 1997b
385	Allouez Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.82 EC50 biolum.#	Not toxic	4.47	MPCA 1997b
385	Allouez Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	85 % survival	Not toxic	4.47	MPCA 1997b
385	Allouez Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	68 % survival	Not toxic	4.47	MPCA 1997b
390	D-S Harbor - Minnesota Slip	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
400	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	93 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
412	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	30 % red. biolum.^	Toxic	4.54	MPCA 1997b
412	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	5 % survival	Not toxic	4.54	MPCA 1997b
412	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	69 % survival	Not toxic	4.54	MPCA 1997b
412	D-S Harbor	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.05 EC50 biolum.#	Toxic	4.54	MPCA 1997b
416	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.02 EC50 biolum.#	Toxic	6.77	MPCA 1997c
416	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	6.77	MPCA 1997c
416	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	18 % survival	Toxic	6.77	MPCA 1997c
416	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	30.8 % red. biolum.^	Toxic	6.77	MPCA 1997c
416	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	6.77	MPCA 1997c
430	Spirit Lake - Grassy Point	10 day	Diptera	<i>Chironomus tentans</i>	LAR	70 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
430	Spirit Lake - Grassy Point	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
451	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	67.9 % red. biolum.^	Toxic	14.19	MPCA 1997b
451	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.16 EC50 biolum.#	Toxic	14.19	MPCA 1997b
451	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	12 % survival	Toxic	14.19	MPCA 1997b
451	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0 % survival	Toxic	14.19	MPCA 1997b
485	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.05 EC50 biolum.#	Toxic	0.82	MPCA 1997b
485	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	59 % survival	Not toxic	0.82	MPCA 1997b
485	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	26.1 % red. biolum.^	Toxic	0.82	MPCA 1997b
485	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0 % survival	Toxic	0.82	MPCA 1997b
496	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.76 EC50 biolum.#	Not toxic	4.02	MPCA 1997c
496	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	4.1 % red. biolum.^	Not toxic	4.02	MPCA 1997c
496	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	57 % survival	Toxic	4.02	MPCA 1997c
496	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	4.02	MPCA 1997c
496	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	4.02	MPCA 1997c
530	D-S Harbor - Slip C	10 day	Diptera	<i>Chironomus tentans</i>	LAR	55 % survival	Toxic	NR	Crane <i>et al.</i> 1997
530	D-S Harbor - Slip C	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	NR	Crane <i>et al.</i> 1997

**Table G-19. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Naphthalene in the St. Louis River Area of Concern**

Napthalene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
549	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	17.49	MPCA 1997b
549	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	17.49	MPCA 1997b
549	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.49 EC50 biolum.#	Not toxic	17.49	MPCA 1997b
549	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	75 % survival	Not toxic	17.49	MPCA 1997b
553	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.5 EC50 biolum.#	Not toxic	3.99	MPCA 1997c
553	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	86 % survival	Not toxic	3.99	MPCA 1997c
553	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	3.99	MPCA 1997c
558	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	3.4	MPCA 1997c
558	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.9 % red. biolum.^	Not toxic	3.4	MPCA 1997c
558	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	77 % survival	Not toxic	3.4	MPCA 1997c
558	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	87 % survival	Not toxic	3.4	MPCA 1997c
558	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.74 EC50 biolum.#	Not toxic	3.4	MPCA 1997c
558	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.2 % red. biolum.^	Not toxic	3.4	MPCA 1997c
558	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.74 EC50 biolum.#	Not toxic	3.4	MPCA 1997c
558	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	87 % survival	Not toxic	3.4	MPCA 1997c
558	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.49 mg growth	Not toxic	3.4	MPCA 1997c
558	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.37 mg growth	Not toxic	3.4	MPCA 1997c
594	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	26.54	IT Corp. 1996
594	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	83 % survival	Not toxic	26.54	IT Corp. 1996
594	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.18 mg growth	Toxic	26.54	IT Corp. 1996
594	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.3 mg growth	Not toxic	26.54	IT Corp. 1996
626	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	8.6 % red. biolum.^	Not toxic	3.98	MPCA 1997b
626	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	3.98	MPCA 1997b
626	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	3.98	MPCA 1997b
626	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.37 EC50 biolum.#	Toxic	3.98	MPCA 1997b
749	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.17 mg growth	Toxic	45.37	IT Corp. 1996
749	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	87 % survival	Not toxic	45.37	IT Corp. 1996
749	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	58 % red. biolum.^	Toxic	6.03	MPCA 1997c
749	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	85 % survival	Not toxic	6.03	MPCA 1997c
749	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.07 mg growth	Toxic	45.37	IT Corp. 1996
749	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	92 % survival	Not toxic	45.37	IT Corp. 1996
749	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	4.07 EC50 biolum.#	Not toxic	6.03	MPCA 1997c
767	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	20 % red. biolum.^	Toxic	4.48	MPCA 1997c
767	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.29 EC50 biolum.#	Toxic	4.48	MPCA 1997c
767	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	16 % survival	Toxic	4.48	MPCA 1997c

**Table G-19. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Naphthalene in the St. Louis River Area of Concern**

Napthalene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
850	Spirit Lake - Grassy Point	10 day	Diptera	<i>Chironomus tentans</i>	LAR	82 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
850	Spirit Lake - Grassy Point	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	82 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
961	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.2 mg growth	Not toxic	6.4	IT Corp. 1996
961	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	87 % survival	Not toxic	6.4	IT Corp. 1996
961	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.59 mg growth	Not toxic	6.4	IT Corp. 1996
961	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	6.4	IT Corp. 1996
1012	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.23 mg growth	Toxic	3.87	MPCA 1997c
1012	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	75 % survival	Not toxic	3.87	MPCA 1997c
1012	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	93 % survival	Not toxic	3.87	MPCA 1997c
1012	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.41 EC50 biolum.#	Toxic	3.87	MPCA 1997c
1012	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.1 % red. biolum.^	Not toxic	3.87	MPCA 1997c
1032	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	63 % survival	Toxic	1	MPCA 1997c
1032	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	52.4 % red. biolum.^	Toxic	1	MPCA 1997c
1032	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.77 EC50 biolum.#	Not toxic	1	MPCA 1997c
1032	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0 % survival	Toxic	1	MPCA 1997c
1032	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	1	MPCA 1997c
1100	St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	87 % survival	Not toxic	5.88	MPCA 1993
1141	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	5.4 % red. biolum.^	Not toxic	1.44	MPCA 1997c
1141	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.14 EC50 biolum.#	Not toxic	1.44	MPCA 1997c
1141	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	98 % survival	Not toxic	1.44	MPCA 1997c
1300	Spirit Lake - Grassy Point	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
1300	Spirit Lake - Grassy Point	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	65 % survival	Toxic	NR	Crane <i>et al.</i> 1997
1408	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	23.1	IT Corp. 1996
1408	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.2 mg growth	Not toxic	23.1	IT Corp. 1996
1408	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	82 % survival	Not toxic	23.1	IT Corp. 1996
1408	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.35 mg growth	Not toxic	23.1	IT Corp. 1996
1514	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	77 % survival	Not toxic	6.15	IT Corp. 1996
1514	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.84 mg growth	Toxic	6.15	IT Corp. 1996
1514	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	83 % survival	Not toxic	6.15	IT Corp. 1996
1514	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.15 mg growth	Toxic	6.15	IT Corp. 1996
1736	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	-0.6 % red. biolum.^	Not toxic	4.36	MPCA 1997b
1736	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.96 EC50 biolum.#	Not toxic	4.36	MPCA 1997b
1736	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	68 % survival	Not toxic	4.36	MPCA 1997b
1736	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	85 % survival	Not toxic	4.36	MPCA 1997b
1970	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	3 % survival	Toxic	8.97	MPCA 1997c

**Table G-19. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Naphthalene in the St. Louis River Area of Concern**

Napthalene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
1970	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	42.1 % red. biolum.^	Toxic	8.97	MPCA 1997c
1970	D-S Harbor	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.05 EC50 biolum.#	Toxic	8.97	MPCA 1997c
1970	D-S Harbor	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	75 % survival	Toxic	8.97	MPCA 1997c
1970	D-S Harbor	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	8.97	MPCA 1997c
2802	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.23 mg growth	Not toxic	100	IT Corp. 1996
2802	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	60 % survival	Toxic	100	IT Corp. 1996
2802	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.18 mg growth	Not toxic	100	IT Corp. 1996
2802	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	100	IT Corp. 1996
2831	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	6.72	MPCA 1997c
2831	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	87 % survival	Not toxic	6.72	MPCA 1997c
2831	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.35 EC50 biolum.#	Not toxic	6.72	MPCA 1997c
2831	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.46 mg growth	Not toxic	6.72	MPCA 1997c
2831	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	88 % survival	Not toxic	6.72	MPCA 1997c
2881	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	82 % survival	Not toxic	13.98	MPCA 1997b
2881	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	56 % survival	Not toxic	13.98	MPCA 1997b
2881	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.38 EC50 biolum.#	Toxic	13.98	MPCA 1997b
2881	St. Louis Bay	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	29.59 % red. biolum.^	Toxic	13.98	MPCA 1997b
3339	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.35 EC50 biolum.#	Toxic	4.13	MPCA 1997b
3339	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	4.13	MPCA 1997b
3339	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	21.7 % red. biolum.^	Toxic	4.13	MPCA 1997b
3339	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	4.13	MPCA 1997b
3534	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.06 EC50 biolum.#	Not toxic	3.74	MPCA 1997c
3534	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	65 % survival	Not toxic	3.74	MPCA 1997c
3534	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0 % red. biolum.^	Not toxic	3.74	MPCA 1997c
3534	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.57 mg growth	Not toxic	3.74	MPCA 1997c
3534	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	3.74	MPCA 1997c
4100	St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	93 % survival	Not toxic	9.58	MPCA 1993
7764	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	45 % survival	Not toxic	29.84	MPCA 1997c
7764	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.43 mg growth	Not toxic	29.84	MPCA 1997c
7764	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	93 % survival	Not toxic	29.84	MPCA 1997c
7764	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.12 EC50 biolum.#	Not toxic	29.84	MPCA 1997c
7764	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	7.4 % red. biolum.^	Not toxic	29.84	MPCA 1997c
8101	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.07 mg growth	Not determined	NR	IT Corp. 1996
8101	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	30 % survival	Toxic	NR	IT Corp. 1996
8101	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	8 % survival	Toxic	NR	IT Corp. 1996

**Table G-19. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Naphthalene in the St. Louis River Area of Concern**

Napthalene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
8101	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.24 mg growth	Not determined	NR	IT Corp. 1996
10000	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	32.24 % red. biolum.^	Toxic	3.07	MPCA 1997b
10000	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.73 EC50 biolum.#	Not toxic	3.07	MPCA 1997b
10000	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	55 % survival	Not toxic	3.07	MPCA 1997b
15292	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	42.1 % red. biolum.^	Toxic	1.71	MPCA 1997c
15292	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	1.27 EC50 biolum.#	Not toxic	1.71	MPCA 1997c
15292	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	1.71	MPCA 1997c
15292	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	78 % survival	Not toxic	1.71	MPCA 1997c
15292	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.4 mg growth	Not toxic	1.71	MPCA 1997c
21756	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	12 % survival	Toxic	11.98	MPCA 1997c
21756	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	11.98	MPCA 1997c
21756	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0 % survival	Toxic	11.98	MPCA 1997c
21756	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	84.7 % red. biolum.^	Toxic	11.98	MPCA 1997c
21756	Spirit Lake	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.38 EC50 biolum.#	Toxic	11.98	MPCA 1997c
23431	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0 % survival	Toxic	11.16	IT Corp. 1996
23431	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0 % survival	Toxic	11.16	IT Corp. 1996
23431	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	11.16	IT Corp. 1996
23431	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	Not determined	Not determined	11.16	IT Corp. 1996
26723	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	30 % survival	Toxic	4.64	IT Corp. 1996
26723	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	1.13 mg growth	Not determined	4.64	IT Corp. 1996
26723	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	4.64	IT Corp. 1996
26723	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.16 mg growth	Toxic	4.64	IT Corp. 1996
35714	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.56 mg growth	Not determined	3.42	IT Corp. 1996
35714	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	38 % survival	Toxic	3.42	IT Corp. 1996
35714	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.2 mg growth	Not toxic	3.42	IT Corp. 1996
35714	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	52 % survival	Toxic	3.42	IT Corp. 1996
147971	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	Not determined	Not determined	50.12	IT Corp. 1996
147971	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	8 % survival	Toxic	50.12	IT Corp. 1996
147971	St. Louis River - Stryker Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.09 mg growth	Not determined	50.12	IT Corp. 1996
147971	St. Louis River - Stryker Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0 % survival	Toxic	50.12	IT Corp. 1996
228613	St. Louis Bay	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	13.91	MPCA 1997c
228613	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	Not determined	Not determined	13.91	MPCA 1997c
228613	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	93.4 % red. biolum.^	Toxic	13.91	MPCA 1997c
228613	St. Louis Bay	10 day	Diptera	<i>Chironomus tentans</i>	LAR	18 % survival	Toxic	13.91	MPCA 1997c
228613	St. Louis Bay	15 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.4 EC50 biolum.#	Toxic	13.91	MPCA 1997c

**Table G-19. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Naphthalene in the St. Louis River Area of Concern**

Napthalene (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
440000	St. Louis River	10 day	Diptera	<i>Chironomus tentans</i>	LAR	63 % survival	Toxic	6.12	MPCA 1993
616570	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	30 % survival	Toxic	12.95	IT Corp. 1996
616570	St. Louis River - Keene Creek	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0.65 mg growth	Not determined	12.95	IT Corp. 1996
616570	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	75 % survival	Toxic	12.95	IT Corp. 1996
616570	St. Louis River - Keene Creek	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0.1 mg growth	Toxic	12.95	IT Corp. 1996
1137000	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	0.06 EC50 biolum.#	Toxic	8.26	MPCA 1997b
1137000	Spirit Lake	30 minute	Bacteria	<i>Photobacterium phosphoreum</i>	NA	99.9 % red. biolum.^	Toxic	8.26	MPCA 1997b
1137000	Spirit Lake	10 day	Diptera	<i>Chironomus tentans</i>	LAR	0 % survival	Toxic	8.26	MPCA 1997b
1137000	Spirit Lake	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	0 % survival	Toxic	8.26	MPCA 1997b

^ = relative to control; D-S = Duluth-Superior; # = expressed as % DW sediment; red. biolum. = reduced bioluminescence; EC50 = effective concentration affecting 50% of the population.

LAR = larvae; JUV = juvenile; TOC = total organic carbon; NR = not reported.

**Table G-20. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Toxic Equivalents (TEQs) for Wildlife in the St. Louis River Area of Concern**

TEQ (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
0.008	D-S Harbor - Minnesota Slip	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	89 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
0.011	D-S Harbor - Slip C	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
0.011	D-S Harbor - Slip C	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	85 mg growth	Not toxic	NR	Crane <i>et al.</i> 1997
0.012	D-S Harbor - Slip C	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
0.012	D-S Harbor - Miller & Coffee Creek Embayment	10 day	Diptera	<i>Chironomus tentans</i>	LAR	55 % survival	Toxic	NR	Crane <i>et al.</i> 1997
0.012	D-S Harbor - Minnesota Slip	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
0.032	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	93 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
0.043	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
0.043	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Diptera	<i>Chironomus tentans</i>	LAR	90 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
0.076	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	98 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
0.076	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Diptera	<i>Chironomus tentans</i>	LAR	78 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
0.086	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Diptera	<i>Chironomus tentans</i>	LAR	68 % survival	Toxic	NR	Crane <i>et al.</i> 1997
0.086	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	85 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
0.102	D-S Harbor - City of Superior WWTP	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	79 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
0.106	D-S Harbor - City of Superior WWTP	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	96 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
0.109	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
0.109	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
0.159	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	96 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
0.232	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
0.232	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	72 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
0.259	D-S Harbor - City of Superior WWTP	10 day	Diptera	<i>Chironomus tentans</i>	LAR	62 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
0.259	D-S Harbor - City of Superior WWTP	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	80 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
0.259	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
0.259	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
0.312	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	96 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
0.379	D-S Harbor - Slip C	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	96 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
0.396	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	96 % survival	Not toxic	NR	Crane <i>et al.</i> 1997

^ = relative to control; D-S = Duluth-Superior; # = expressed as % DW sediment; red. biolum. = reduced bioluminescence; EC50 = effective concentration affecting 50% of the population.  
LAR = larvae; JUV = juvenile; TOC = total organic carbon; NR = not reported.

**Table G-21. A Summary of the Available Data on the Biological Effects Associated with Sediment-sorbed Toxic Equivalents (TEQs) for Human Health in the St. Louis River Area of Concern**

TEQ (µg/kg)	Area	Test Duration	Test Organism	Species	Life Stage	End-Point Measured	Result	TOC (%)	Reference
0.008	D-S Harbor - Minnesota Slip	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	89 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
0.011	D-S Harbor - Slip C	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	85 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
0.011	D-S Harbor - Slip C	10 day	Diptera	<i>Chironomus tentans</i>	LAR	72 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
0.012	D-S Harbor - Slip C	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	92 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
0.012	D-S Harbor - Slip C	10 day	Diptera	<i>Chironomus tentans</i>	LAR	55 % survival	Toxic	NR	Crane <i>et al.</i> 1997
0.012	D-S Harbor - Minnesota Slip	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	100 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
0.023	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	93 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
0.043	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Diptera	<i>Chironomus tentans</i>	LAR	90 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
0.043	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
0.076	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	98 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
0.076	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Diptera	<i>Chironomus tentans</i>	LAR	78 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
0.086	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	85 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
0.086	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Diptera	<i>Chironomus tentans</i>	LAR	68 % survival	Toxic	NR	Crane <i>et al.</i> 1997
0.102	D-S Harbor - city of Superior WWTP	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	79 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
0.106	D-S Harbor - city of Superior WWTP	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	96 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
0.109	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
0.109	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
0.156	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	96 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
0.223	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	72 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
0.223	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
0.259	D-S Harbor - city of Superior WWTP	10 day	Diptera	<i>Chironomus tentans</i>	LAR	62 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
0.259	D-S Harbor - city of Superior WWTP	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	80 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
0.259	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Diptera	<i>Chironomus tentans</i>	LAR	80 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
0.259	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	90 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
0.307	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	96 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
0.379	D-S Harbor - Slip C	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	96 % survival	Not toxic	NR	Crane <i>et al.</i> 1997
0.390	St. Louis Bay - Miller & Coffee Creek Embayment	10 day	Amphipod	<i>Hyalella azteca</i>	JUV	96 % survival	Not toxic	NR	Crane <i>et al.</i> 1997

^ = relative to control; D-S = Duluth-Superior; # = expressed as % DW sediment; red. biolum. = reduced bioluminescence; EC50 = effective concentration affecting 50% of the population. LAR = larvae; JUV = juvenile; TOC = total organic carbon; NR = not reported.