Minnesota Pollution Control Agency

Buffalo River Watershed Biotic Stressor Identification Report - Supplemental Data

Subwatershed	Site[1]	Latitude	Longitude	Stream Type	Substrate						Stream Bank Erosion Potential	Stream Power Index	Erosion Form Present								Bank Erosion Hazard Index (BEHI)	Near Bank Stress (NBS)	Site	Left Buffer									Right Buffer									Stressors								Protection & Restoration Strategies											
					Bedrock	Boulders	Cobble	Gravel	Sand	Silt/Clay			None	Gully	Stream Bank	Head Cut	Field Source	Rill	Aggradation	Periodic Disturbance				Condition	Width (ft)	CRP	Native Prairie	Shrub	Forest	Wetland	Pasture	Grass	Cultivated	Condition	Width (ft)	CRP	Native Prairie	Shrub	Forest	Wetland	Pasture	Grass	Cultivated	None	Altered Hydrology	Channelization	Sedimentation	Excess Nutrients	Impaired Buffer	Field Erosion	Low Dissolved Oxygen	Maintain Existing Condition	Protect Buffers	Grazing Management	Restore Storage	Improve Buffers	Repair Gully	Sediment Basin	Allow channel to meander	Agricultural BMPs	Grade Control (headcut)
W	66	46.64303096	-96.183019	DA						I	very low	low	I								very low	very low	66	I	800				I	I			I	300				I				I								I									
W	68	46.64276903	-96.18356198	DA / E						I	low	low	I										68	I	300					I			I	275					I			I								I									
W	69	46.63133502	-96.20225396	DA / E							low	moderate	I									very low	very low	69	I	>1000					I			I	>1000	I							I								I									
W	70	46.63076799	-96.22233096									low					I	I					70	I	5								I	500	I												I		I									
W	71	46.62373398	-96.227011	1st order								high		I			I	I					71	I	0							I	I	0							I			I			I		I									
W	72	46.63401103	-96.22505298	1st order								high		I	I		I	I					72	I	0							I	I	0							I			I			I		I									
W	73	46.63698803	-96.22497503	E							moderate	very high	I								very low	very low	73	I	300			I	I	I			I	800			I	I	I				I							I									
W	74	46.63684696	-96.22444303	E							moderate	very high	I								very low	very low	74	I	300			I	I	I			I	800			I	I	I				I							I									
W	75	46.63695903	-96.225258	E							moderate	very high	I								very low	very low	75	I	300			I	I	I			I	800			I	I	I				I							I									
W	76	46.63701997	-96.22546202	E							moderate	very high	I								very low	very low	76	I	300			I	I	I			I	800			I	I	I				I							I									
W	77	46.65120701	-96.23546398									low		I	I	I							77	I	0							I	I	0							I			I					I									
W	79	46.64640803	-96.26716098	Wetland								low	I								very low	low	79	I	480					I			I	750					I			I								I									
W	80	46.64649101	-96.26853603	E				I			moderate	low	I								low	low	80	I	32						I		I	280	I							I								I									
W	81	46.64638699	-96.26925403	E				I			moderate	low	I								low	low	81	I	32						I		I	280	I							I								I									
W	83	46.65107499	-96.27829098	DA								very high	I								very low	very low	83	I	135						I		I	80						I		I								I	I								
W	84	46.65151102	-96.27880998	DA								very high	I								very low	very low	84	I	50						I		I	200					I			I						I			I								
W	85	46.65155796	-96.27949797	DA								very high	I								very low	very low	85	I	50						I		I	200					I			I						I			I								
W	86	46.64155701	-96.277719	E						I	moderate	moderate	I								very low	very low	86	I	55			I	I			I	I	90			I	I			I		I							I				I	I					
W	87	46.63974199	-96.27795402	E			I	I	I		high	moderate	I								low	low	87	I	650			I	I			I	I	150			I				I								I	I		I						
W	88 US	46.619408	-96.28117997	dregded						I		very high	I								very low	very low	88	I	980					I		I	I	300					I		I								I									
W	88 DS	46.619408	-96.28117997	DA						I	very low	very high	I								very low	very low	88	I	45		I					I	I	1300			I				I								I									
W	89 US	46.630914	-96.306582	DA						I	very low	low	I								very low	very low	89	I	280						I		I	240					I	I								I		I		I					
W	89 DS	46.630914	-96.306582	DA						I	very low	low								I	very low	very low	89	I	500			I		I		I		180			I		I	I								I		I		I					
W	90	46.64875295	-96.29038598	E				I	I	I	high	very high				I					low	low	90	I	700				I	I	I			I	550					I			I		I					I								I
W	91	46.64911103	-96.28998197	E / F				I	I	I	variable	very high		I	I						moderate	moderate	91	I	70				I					I	115			I					I		I					I								I
W	92	46.649308	-96.289843	F				I	I	I	very high	very high		I	I						high	moderate	92	I	70				I					I	115			I					I		I					I								I
W	93	46.64948998	-96.28980201	F				I	I	I	very high	very high		I	I						very high	moderate	93	I	70				I					I	115			I					I		I					I								I
W	94	46.64984101	-96.28990402	F		I	I	I	I	I	very high	very high		I	I						high	moderate	94	I	70				I					I	115			I					I		I					I								I
W	95 US	46.64614702	-96.29963197	C / E						I	variable	moderate	I										95	I	250				I	I		I		I	300				I	I		I		I						I								
W	95 DS	46.64614702	-96.29963197	C								moderate	I								low	low	95	I	300				I					I	240				I				I		I					I								
W	96 US	46.65864503	-96.29923702	E								very high	I								very low	very low	96	I	75							I		I	350						I		I						I								
W	96 DS	46.65864503	-96.29923702	E								very high	I								very low	very low	96	I	10							I		I	10						I		I						I	I								
W	97 US	46.65187102	-96.33122596	E				I	I		high	very high	I								low	low	97	I	1000			I		I		I		I	250			I	I				I		I					I								
W	97 DS	46.65187102	-96.33122596	E				I	I		high	high	I								low	low	97	I	600			I		I		I		I	225			I	I				I		I					I								
W	98 US	46.65638602	-96.36270102	E				I	I		high	moderate	I								low	moderate	98	I	40			I		I		I		I	50			I		I			I		I					I								
W	98 DS	46.65638602	-96.36270102	E				I	I		high	moderate	I								low	moderate	98	I	90			I	I			I		I	90			I		I			I		I					I						I	I	
W	99 US	46.66196501	-96.46229496	E ditch						I	moderate	NA			I						moderate	low	99	I	50							I		I	50					I			I	I	I	I										I	I	
W	99 DS	46.66196501	-96.46229202	E ditch						I	moderate	NA			I						moderate	low	100	I	50							I		I	50					I			I	I	I	I										I	I	
W	101	46.67106499	-96.50470102	E ditch								NA											101																																				
W	102 US	46.66603803	-96.504655	1st order						I		very high		I	I		I	I					102	I	0							I		I	0							I	I	I	I	I									I	I		I
W	102 DS	46.66603803	-96.504655	1st order						I		very high					I	I					102	I	0							I		I	30						I		I	I	I	I									I	I		I
W	103	46.67297297	-96.52590597	E ditch						I	moderate	NA									moderate	low	103	I	70							I		I	60						I		I	I	I	I										I	I		I
W	104	46.68381404	-96.54721596	1st order						I		high					I						104	I	0							I		I	0						I		I	I	I	I	I										I		I
W	105 US	46.67689503	-96.54722099	E ditch						I	moderate	moderate			I						moderate	low	105	I	80					I		I		I	110					I			I	I	I	I										I	I		
W	105 DS	46.67689503	-96.54722099	E ditch						I	moderate	low			I						moderate	low	105	I	125					I		I		I	125					I			I	I	I	I										I	I		
W	106	46.66943002	-96.54708595	1st order						I		very high			I		I	I					106	I	0							I		I	0						I		I	I	I	I	I										I		I
W	107	46.68868803	-96.56027396	E ditch						I	moderate	NA								I	moderate	low	107	I	150					I		I		I	150					I			I	I	I	I										I	I		
W	108	46.69486298	-96.56848696	E ditch						I	moderate	NA								I	moderate	low	108	I	180					I		I		I	180					I			I	I	I	I										I	I		
W	109 DS	46.692925	-96.58974096	E ditch						I	moderate	NA								I	low	moderate	109	I	270					I		I		I	270					I			I	I	I	I										I	I		
W	110 US	46.69278502	-96.58968103	E ditch						I	moderate	NA								I	low	moderate	110	I	125					I		I		I	125					I			I	I	I	I										I	I		
W	111	46.69037698	-96.61065498	E ditch						I	moderate	NA								I	low	low	111	I	60					I		I		I	60					I			I	I	I	I										I	I		

Minnesota Pollution Control Agency • 520 Lafayette Rd. N., St. Paul, MN 55155-4194 • www.pca.state.mn.us
651-296-6300 • 800-657-3864 • TTY 651-282-5332 or 800-657-3864 • Available in alternative formats

| | | |

| | | |